Cucumber Report

Start : Jan 13, 3:51:46.415 pm	End : Jan 13, 3:52:04.735 pm	Duration : 18.320 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 1

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Contests Module Operations in DFS Module	*18.320 s*	*1*	*0*	*1*	*0*	*4*	*2*	*1*	*1*

#	Feature Name	Scenario Name
1	*Contests Module Operations in DFS Module*	*Unpin a contest (ID 1)*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@PinContest	1	0	1	0	1	0	1	0
@DFSModule	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Contests Module Operations in DFS Module	1	0	1	0	18.320 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Contests Module Operations in DFS Module	Unpin a contest (ID 1)	4	2	1	1	18.318 s

Contests Module Operations in DFS Module

FAILED	DURATION - 18.320 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 3:51:46.415 pm // 3:52:04.735 pm /		Pass - 0		Pass - 2	
		Fail - 1	1	Fail - 1	4
		Skip - 0		Skip - 1	

Unpin a contest (ID 1)

FAILED	DURATION - 18.318 s		Steps	
/ 3:51:46.417 pm // 3:52:04.735 pm /			Total - 4	
Contests Module Operations in DFS Module			Pass - 2	4
			Fail - 1	
@PinContest @DFSModule			Skip - 1	

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.hook.beforeScenario(io.cucumber.java.Scenario)	PASSED	4.387 s
	Login Successful: Unpin a contest (ID 1)		
1	And I navigate to the DFS Module	PASSED	0.141 s
2	And I select the Contest Dashboard Module	PASSED	2.861 s
3	Given User clicks on UnPin contest which has id 1	FAILED	10.255 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[.="Unpinned Successfully!"]"} (Session info: chrome=131.0.6778.265) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6e91de7f21d6ee858ae0d98074f99978, findElement {value=//p[.="Unpinned Successfully!"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.265, chrome: {chromedriverVersion: 131.0.6778.264		

#	Step / Hook Details	Status	Duration

	(2d05e315153..., userDataDir: C:\WINDOWS\TEMP\scoped_dir1...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58797}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58797/devtoo..., se:cdpVersion: 131.0.6778.265, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6e91de7f21d6ee858ae0d98074f99978
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy33.getText(Unknown Source)
	   at Pages.DFS.ContestDashboardPage.clickPinButton(ContestDashboardPage.java:78)
	   at stepDefinitions.DFS.ContestDashboardSteps.user_clicks_on_pin_contest_which_has_id(ContestDashboardSteps.java:51)
	   at ?.User clicks on UnPin contest which has id 1(file:///D:/automation/practice/src/test/resources/features/DFS/ContestDashboard.feature:16)
	* Not displayable characters are replaced by '?'.		

4	Then User gets a unpinned contest message	SKIPPED	0.000 s
	AFTER - Hooks.hook.afterScenario(io.cucumber.java.Scenario) Unpin a contest (ID 1) 	PASSED	0.647 s