

Cucumber Report

May 23, 2025, 3:23:32 PM

Start : May 23, 3:23:11.346 PM

End : May 23, 3:23:32.258 PM

Duration : 20.912 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>End-to-End App Launch and Login Flow Using QR Code</u>	20.912 s	1	0	1	0	10	2	1	7

#	Feature Name	Scenario Name
1	<u>End-to-End App Launch and Login Flow Using QR Code</u>	<u>Successful login using QR code after onboarding flow</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Regression	1	0	1	0	1	0	1	0
@E2E	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>End-to-End App Launch and Login Flow Using QR Code</u>	1	0	1	0	20.912 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>End-to-End App Launch and Login Flow Using QR Code</u>	<u>Successful login using QR code after onboarding flow</u>	10	2	1	7	20.908 s

End-to-End App Launch and Login Flow Using QR Code

FAILED	DURATION - 20.912 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 2 Fail - 1 Skip - 7	
/ 3:23:11.346 PM // 3:23:32.258 PM /					

Successful login using QR code after onboarding flow

<div>FAILED</div> <div>DURATION - 20.908 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 3:23:11.350 PM // 3:23:32.258 PM /				
End-to-End App Launch and Login Flow Using QR Code				
@Regression @E2E				

#	Step / Hook Details	Status	Duration
1	Given the mobile app is installed on the device	PASSED	10.559 s
2	When the user launches the app	PASSED	0.001 s
3	When the user completes the onboarding steps org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.view.View[@content-desc="Skip"]}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:166) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:75) at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:78) at org.openqa.selenium.remote.RemoteWebElement\$ByteBuddy\$Sr5uSpHr.click(Unknown Source) at pages.LoginPage.onboardingSkip(LoginPage.java:41) at stepDefinitions.LoginSteps.the_user_completes_the_onboarding_steps(LoginSteps.java:40) at ?.the user completes the onboarding steps(file:///E:/Ashwini/CloudcardApp/cloudcardApp/src/test/resources/features/QRSignIn.feature:13) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@3c7b137a (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:265) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:135) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:160)	FAILED	10.227 s

#	Step / Hook Details	Status	Duration
	<p>... 6 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.view.View[@content-desc="Skip"]}) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.32.0', revision: 'd17c8aa950' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: driver.version: RemoteWebDriver</p> <p>at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:74)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:139)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:81)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)</p> <p>at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:54)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:139)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:81)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)</p> <p>at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$1(AppiumElementLocator.java:160)</p> <p>at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:217)</p> <p>at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:210)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p> <p>* Not displayable characters are replaced by '?'. </p>		
4	And the user taps the Upload QR button	SKIPPED	0.000 s
5	Then the user should be prompted to choose an app to select a photo	SKIPPED	0.000 s
6	When the user selects the photo app and chooses the QR code image	SKIPPED	0.000 s
7	Then the user should be navigated to the login page	SKIPPED	0.000 s
8	When the user enters the security PIN	SKIPPED	0.000 s
9	And the user taps the Login button	SKIPPED	0.000 s
10	Then the user should land on the home page of the app	SKIPPED	0.000 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.003 s
	Scenario Failed: Successful login using QR code after onboarding flow		