

Cucumber Report

May 29, 2025, 12:47:40 PM

Start : May 29, 12:47:08.627 PM

End : May 29, 12:47:39.374 PM

Duration : 30.747 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 9
FAILED - 1
SKIPPED - 8




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>End-to-End App Launch and Login Flow Using gmail</u>	30.747 s	1	0	1	0	18	9	1	8

#	Feature Name	Scenario Name
1	<u>End-to-End App Launch and Login Flow Using gmail</u>	<u>User completes onboarding and successfully logs in using Gmail verification</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Regression	1	0	1	0	1	0	1	0
@E2E	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>End-to-End App Launch and Login Flow Using gmail</u>	1	0	1	0	30.747 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	End-to-End App Launch and Login Flow Using gmail	User completes onboarding and successfully logs in using Gmail verification	18	9	1	8	30.744 s

End-to-End App Launch and Login Flow Using gmail

FAILED	DURATION - 30.747 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 18 Pass - 9 Fail - 1 Skip - 8	
/ 12:47:08.627 PM // 12:47:39.374 PM /					

User completes onboarding and successfully logs in using Gmail verification

FAILED	DURATION - 30.744 s		Steps Total - 18 Pass - 9 Fail - 1 Skip - 8	
/ 12:47:08.630 PM // 12:47:39.374 PM /				
End-to-End App Launch and Login Flow Using gmail				
@Regression @E2E				

#	Step / Hook Details	Status	Duration
1	Given the mobile app is installed on the device	PASSED	11.501 s
2	Given the user launches the application	PASSED	3.021 s
3	When the user completes the onboarding flow	PASSED	0.882 s
4	And the user taps on the Sign Up button	PASSED	2.248 s
5	Then the user should be navigated to the Enter Email ID screen	PASSED	0.000 s
6	When the user enters a valid Gmail ID	PASSED	0.897 s
7	And the user accepts the Terms and Conditions	PASSED	0.680 s
8	And the user taps on the Continue button	PASSED	1.735 s
9	Then the user should be redirected to the Gmail app	PASSED	0.000 s
10	When the user selects the verification email	FAILED	9.657 s
	com.mailosaur.MailosaurException: No matching messages found in time. By default, only messages received in the last hour are checked (use receivedAfter to override this). The search criteria used for this query was [{"sentTo":"anything@v2iqdrf3.mailosaur.net"}] which timed out after 10000ms at com.mailosaur.Messages.search(Messages.java:344) at com.mailosaur.Messages.get(Messages.java:56) at com.mailosaur.Messages.get(Messages.java:76)		

#	Step / Hook Details	Status	Duration
	at utils.MailosaurUtil.fetchVerificationLink(MailosaurUtil.java:23) at stepDefinitions.gmailSignUpSteps.the_user_selects_the_verification_email(gmailSignUpSteps.java:55) at ?.the user selects the verification email(file:///E:/Ashwini/CloudcardApp/cloudcardApp/src/test/resources/features/gmailSignUp.feature:20) * Not displayable characters are replaced by '?'.		
11	And the user taps the Verify Email button inside the email	SKIPPED	0.000 s
12	Then the user should be redirected back to the app	SKIPPED	0.000 s
13	When the user taps the Continue button on the verification success screen	SKIPPED	0.000 s
14	And the user creates a new security PIN	SKIPPED	0.000 s
15	And the user confirms the PIN by tapping the Confirm and Continue button	SKIPPED	0.000 s
16	And the user taps Continue on the generated QR code page	SKIPPED	0.000 s
17	And the user taps the Lets Get Started button	SKIPPED	0.000 s
18	Then the user should land on the home page of the app	SKIPPED	0.000 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.003 s
	Scenario Failed: User completes onboarding and successfully logs in using Gmail verification		