

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
End-to-End App Launch and Login Flow Using gmail	31.212 s	1	0	1	0	14	7	1	6

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name					
1	End-to-End App Launch and Login Flow Using gmail	User completes onboarding and successfully logs in using Gmail verification					

TAG	Scenario			Feature					
Name	T	P	F	S	T	P	F	S	
@Regression	1	0	1	0	1	0	1	0	
@E2E	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	End-to-End App Launch and Login Flow Using gmail	1	0	1	0	31.212 s


SCENARIOS SUMMARY -- 6




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	End-to-End App Launch and Login Flow Using gmail	User completes onboarding and successfully logs in using Gmail verification	14	7	1	6	31.209 s

DETAILED SECTION -- 7 --

End-to-End App Launch and Login Flow Using gmail



User completes onboarding and successfully logs in using Gmail verification



#	Step / Hook Details	Status	Duration
1	Given the mobile app is installed on the device	PASSED	13.414 s
2	Given the user launches the application	PASSED	3.020 s
3	When the user completes the onboarding skip	PASSED	0.817 s
4	And the user taps on the Sign Up button	PASSED	2.136 s
5	When the user enters a valid email ID	PASSED	6.999 s
6	And the user accepts the Terms and Conditions	PASSED	1.202 s
7	And the user taps on the Continue button	PASSED	2.065 s
8	And the user taps the Verify Email button inside the email	FAILED	1.419 s
	org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Error attempting to start URI. Original error: Error: Starting: Intent { act=android.intent.action.VIEW dat=https://thecloudcard.com/ pkg=com.app. thecloudcard } Error: Activity not started, unable to resolve Intent { act=android.intent.action.VIEW dat=https://thecloudcard.com/ flg=0x10000000 pkg=com.app.thecloudcard } Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: io.appium.java_client.android.AndroidDriver Command: [0218e5ec-0352-4b64-a6cd-8e64d1f545be, get {url=https://thecloudcard.com/appApi/email-verify?token=a5af8727-23de-4195-91c8-94a7dbe20bbd}] Capabilities {appium:appActivity: com.app.thecloudcard.MainAc, appium:appPackage: com.app.thecloudcard, appium:automationName: UiAutomator2, appium:databaseEnabled: false, appium:desired: {appActivity: com.app.thecloudcard.MainAc, appPackage: com.app. thecloudcard, automationName: UiAutomator2, deviceName: 1387243978000B5, noReset: true, platformName: ANDROID, platformVersion:		

#	Step / Hook Details	Status	Duration
	14}, appium:deviceApiLevel: 34, appium:deviceManufacturer: vivo, appium:deviceModel: I2127, appium:deviceName: 1387243978000B5, appium:deviceScreenDensity: 396, appium:deviceScreenSize: 1080x2408, appium:deviceUDID: 1387243978000B5, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.475, appium:platformVersion: 14, appium:statBarHeight: 79, appium:takesScreenshot: true, appium:viewportRect: {height: 2329, left: 0, top: 79, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: 0218e5ec-0352-4b64-a6cd-8e64d1f545be		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:243)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312)		
	at stepDefinitions.gmailSignUpSteps.the_user_taps_the_verify_email_button_inside_the_email(gmailSignUpSteps.java:63)		
	at ?.the user taps the Verify Email button inside the email(file:///E:/Ashwini/CloudcardApp/cloudcardApp/src/test/resources/features/		
	gmailSignUp.feature:18) * Not displayable characters are replaced by '?'.		
		OLUBBER	0.000
9	When the user taps the Continue button on the verification success screen	SKIPPED	0.000 s
10	And the user creates a new security PIN	SKIPPED	0.001 s
11	And the user confirms the PIN by tapping the Confirm and Continue button	SKIPPED	0.000 s
12	And the user taps Continue on the generated QR code page	SKIPPED	0.000 s
13	And the user taps the Lets Get Started button	SKIPPED	0.001 s
14	Then the user should land on the home page of the app	SKIPPED	0.000 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.001 s
	Scenario Failed: User completes onboarding and successfully logs in using Gmail verification		