

Cucumber Report

May 29, 2025, 2:27:48 PM

Start : May 29, 2:27:16.104 PM

End : May 29, 2:27:47.700 PM

Duration : 31.596 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 9




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>End-to-End App Launch and Login Flow Using gmail</u>	31.596 s	1	0	1	0	16	6	1	9

#	Feature Name	Scenario Name
1	<u>End-to-End App Launch and Login Flow Using gmail</u>	<u>User completes onboarding and successfully logs in using Gmail verification</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Regression	1	0	1	0	1	0	1	0
@E2E	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>End-to-End App Launch and Login Flow Using gmail</u>	1	0	1	0	31.596 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>End-to-End App Launch and Login Flow Using gmail</u>	<u>User completes onboarding and successfully logs in using Gmail verification</u>	16	6	1	9	31.593 s

End-to-End App Launch and Login Flow Using gmail

FAILED	DURATION - 31.596 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 16 Pass - 6 Fail - 1 Skip - 9	
/ 2:27:16.104 PM // 2:27:47.700 PM /					

User completes onboarding and successfully logs in using Gmail verification

FAILED	DURATION - 31.593 s		Steps Total - 16 Pass - 6 Fail - 1 Skip - 9	
/ 2:27:16.107 PM // 2:27:47.700 PM /				
End-to-End App Launch and Login Flow Using gmail				
@Regression @E2E				

#	Step / Hook Details	Status	Duration
1	Given the mobile app is installed on the device	PASSED	11.470 s
2	Given the user launches the application	PASSED	3.007 s
3	When the user completes the onboarding flow	PASSED	0.861 s
4	And the user taps on the Sign Up button	PASSED	2.145 s
5	Then the user should be navigated to the Enter Email ID screen	PASSED	0.000 s
6	When the user enters a valid Gmail ID	PASSED	3.901 s
7	When the user selects the verification email	FAILED	10.081 s
	<p>com.mailosaur.MailosaurException: No matching messages found in time. By default, only messages received in the last hour are checked (use receivedAfter to override this). The search criteria used for this query was [{"sentTo":"anything@v2iqdrf3.mailosaur.net"}] which timed out after 10000ms</p> <p>at com.mailosaur.Messages.search(Messages.java:344)</p> <p>at com.mailosaur.Messages.get(Messages.java:56)</p> <p>at com.mailosaur.Messages.get(Messages.java:76)</p> <p>at utils.MailosaurUtil.fetchVerificationLink(MailosaurUtil.java:28)</p> <p>at stepDefinitions.gmailSignUpSteps.the_user_selects_the_verification_email(gmailSignUpSteps.java:56)</p> <p>at ?.the user selects the verification email(file:///E:/Ashwini/CloudcardApp/cloudcardApp/src/test/resources/features/gmailSignUp.feature:17)</p> <p>* Not displayable characters are replaced by '?'.</p>		

#	Step / Hook Details	Status	Duration
8	And the user taps the Verify Email button inside the email	SKIPPED	0.000 s
9	And the user accepts the Terms and Conditions	SKIPPED	0.000 s
10	And the user taps on the Continue button	SKIPPED	0.000 s
11	When the user taps the Continue button on the verification success screen	SKIPPED	0.000 s
12	And the user creates a new security PIN	SKIPPED	0.000 s
13	And the user confirms the PIN by tapping the Confirm and Continue button	SKIPPED	0.000 s
14	And the user taps Continue on the generated QR code page	SKIPPED	0.000 s
15	And the user taps the Lets Get Started button	SKIPPED	0.000 s
16	Then the user should land on the home page of the app	SKIPPED	0.000 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.003 s
	Scenario Failed: User completes onboarding and successfully logs in using Gmail verification		