Cucumber Report

| Start : May 23, 3:20:06.909 PM	End : May 23, 3:21:04.088 PM	Duration : 57.179 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 2

Features: 1

Scenarios: 1

Steps: 10

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 70 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
End-to-End App Launch and Login Flow Using QR Code	*57.179 s*	*1*	*0*	*1*	*0*	*10*	*7*	*1*	*2*

#	Feature Name	Scenario Name
1	*End-to-End App Launch and Login Flow Using QR Code*	*Successful login using QR code after onboarding flow*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@Regression	1	0	1	0	1	0	1	0
@E2E	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	End-to-End App Launch and Login Flow Using QR Code	1	0	1	0	57.179 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	End-to-End App Launch and Login Flow Using QR Code	Successful login using QR code after onboarding flow	10	7	1	2	57.176 s

End-to-End App Launch and Login Flow Using QR Code

FAILED	DURATION - 57.179 s	Scenarios		Steps	
/ 3:20:06.909 PM // 3:21:04.088 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 10 Pass - 7 Fail - 1 Skip - 2	10

Successful login using QR code after onboarding flow

FAILED	DURATION - 57.176 s		Steps	
/ 3:20:06.912 PM // 3:21:04.088 PM /			Total - 10 Pass - 7	
End-to-End App Launch and Login Flow Using QR Code			Fail - 1 Skip - 2	10
@Regression @E2E				

#	Step / Hook Details	Status	Duration
1	Given the mobile app is installed on the device	PASSED	10.769 s
2	When the user launches the app	PASSED	0.001 s
3	When the user completes the onboarding steps	PASSED	11.553 s
4	And the user taps the Upload QR button	PASSED	4.710 s
5	Then the user should be prompted to choose an app to select a photo	PASSED	0.001 s
6	When the user selects the photo app and chooses the QR code image	PASSED	16.776 s
7	Then the user should be navigated to the login page	PASSED	3.013 s
8	When the user enters the security PIN	FAILED	10.236 s

	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.xpath: //android.widget.EditText
	    at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:166)
	    at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:75)
	    at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:78)
	    at org.openqa.selenium.remote.RemoteWebElement$ByteBuddy$sIdzcZDj.click(Unknown Source)
	    at pages.LoginPage.securityPin(LoginPage.java:89)
	    at stepDefinitions.LoginSteps.the_user_enters_the_security_pin(LoginSteps.java:80)
	    at ?.the user enters the security PIN(file:///E:/Ashwini/CloudcardApp/cloudcardApp/src/test/resources/features/QRSignIn.feature:18)		

#	Step / Hook Details	Status	Duration
	Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory. AppiumElementLocator$WaitingFunction@7ccd611e (tried for 10 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:265)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		
	at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:135)		
	at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:160)		
	... 6 more Caused by: org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.32.0', revision: 'd17c8aa950' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: io.appium.java_client.android.AndroidDriver Command: [e0bbb2ac-22b9-405d-83c4-7f5936ab9b1a, findElement {using=xpath, value=//android.widget.EditText}] Capabilities {appium:appActivity: com.app.thecloudcard.MainAc..., appium:appPackage: com.app.thecloudcard, appium:automationName: UiAutomator2, appium:databaseEnabled: false, appium:desired: {appActivity: com.app.thecloudcard.MainAc..., appPackage: com.app.thecloudcard, automationName: UiAutomator2, deviceName: 1387243978000B5, noReset: true, platformName: ANDROID, platformVersion: 14}, appium:deviceApiLevel: 34, appium:deviceManufacturer: vivo, appium:deviceModel: I2127, appium:deviceName: 1387243978000B5, appium:deviceScreenDensity: 396, appium:deviceScreenSize: 1080x2408, appium:deviceUDID: 1387243978000B5, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.475, appium:platformVersion: 14, appium:statBarHeight: 79, appium:takesScreenshot: true, appium:viewportRect: {height: 2329, left: 0, top: 79, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: e0bbb2ac-22b9-405d-83c4-7f5936ab9b1a		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:243)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:54)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$1.findElement(ElementLocation.java:139)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at io.appium.java_client.pagefactory.AppiumElementLocator.lambda$findElement$1(AppiumElementLocator.java:160)		
	at io.appium.java_client.pagefactory.AppiumElementLocator$WaitingFunction.apply(AppiumElementLocator.java:217)		
	at io.appium.java_client.pagefactory.AppiumElementLocator$WaitingFunction.apply(AppiumElementLocator.java:210)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) * Not displayable characters are replaced by '?'.		
9	And the user taps the Login button	SKIPPED	0.000 s
10	Then the user should land on the home page of the app	SKIPPED	0.000 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.001 s
	Scenario Failed: Successful login using QR code after onboarding flow		