# Cucumber Report

**Start : May 29, 2:23:51.460 PM**

**End : May 29, 2:24:24.520 PM**

**Duration : 33.060 s**

| Features | Scenarios | Steps |
|---|---|---|

| | | |
|---|---|---|
| PASSED - 0 | PASSED - 0 | PASSED - 6 |
| FAILED - 1 | FAILED - 1 | FAILED - 1 |
| SKIPPED - 0 | SKIPPED - 0 | SKIPPED - 9 |

1

1

16

0 %

0 %

37 %

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| **Name** | **Duration** | **T** | **P** | **F** | **S** | **T** | **P** | **F** | **S** |
| *End-to-End App Launch and Login Flow Using gmail* | *33.060 s* | *1* | *0* | *1* | *0* | *16* | *6* | *1* | *9* |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | *End-to-End App Launch and Login Flow Using gmail* | *User completes onboarding and successfully logs in using Gmail verification* |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| *@Regression* | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| *@E2E* | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | End-to-End App Launch and Login Flow Using gmail | 1 | 0 | 1 | 0 | 33.060 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | End-to-End App Launch and Login Flow Using gmail | User completes onboarding and successfully logs in using Gmail verification | 16 | 6 | 1 | 9 | 33.057 s |

# End-to-End App Launch and Login Flow Using gmail

| FAILED | DURATION - 33.060 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Steps<br>Total - 16<br>Pass - 6<br>Fail - 1<br>Skip - 9 | 16 |
|---|---|---|---|---|---|
| / 2:23:51.460 PM // 2:24:24.520 PM / | | | | | |

## User completes onboarding and successfully logs in using Gmail verification

| FAILED | DURATION - 33.057 s | | Steps<br>Total - 16<br>Pass - 6<br>Fail - 1<br>Skip - 9 | 16 |
|---|---|---|---|---|
| / 2:23:51.463 PM // 2:24:24.520 PM / | | | | |
| End-to-End App Launch and Login Flow Using gmail | | | | |
| @Regression @E2E | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given the mobile app is installed on the device | PASSED | 11.595 s |
| 2 | Given the user launches the application | PASSED | 3.015 s |
| 3 | When the user completes the onboarding flow | PASSED | 2.051 s |
| 4 | And the user taps on the Sign Up button | PASSED | 2.480 s |
| 5 | Then the user should be navigated to the Enter Email ID screen | PASSED | 0.000 s |
| 6 | When the user enters a valid Gmail ID | PASSED | 3.956 s |
| 7 | When the user selects the verification email | FAILED | 9.830 s |
| | com.mailosaur.MailosaurException: No matching messages found in time. By default, only messages received in the last hour are checked (use receivedAfter to override this). The search criteria used for this query was [{"sentTo":"anything@v2iqdrf3.mailosaur.net"}] which timed out after 10000ms<br>   at com.mailosaur.Messages.search(Messages.java:344)<br>   at com.mailosaur.Messages.get(Messages.java:56)<br>   at com.mailosaur.Messages.get(Messages.java:76)<br>   at utils.MailosaurUtil.fetchVerificationLink(MailosaurUtil.java:27)<br>   at stepDefinitions.gmailSignUpSteps.the_user_selects_the_verification_email(gmailSignUpSteps.java:56)<br>   at ?.the user selects the verification email(file:///E:/Ashwini/CloudcardApp/cloudcardApp/src/test/resources/features/gmailSignUp.feature:17)<br>* Not displayable characters are replaced by '?'. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 8 | And the user taps the Verify Email button inside the email | SKIPPED | 0.000 s |
| 9 | And the user accepts the Terms and Conditions | SKIPPED | 0.000 s |
| 10 | And the user taps on the Continue button | SKIPPED | 0.000 s |
| 11 | When the user taps the Continue button on the verification success screen | SKIPPED | 0.000 s |
| 12 | And the user creates a new security PIN | SKIPPED | 0.000 s |
| 13 | And the user confirms the PIN by tapping the Confirm and Continue button | SKIPPED | 0.001 s |
| 14 | And the user taps Continue on the generated QR code page | SKIPPED | 0.000 s |
| 15 | And the user taps the Lets Get Started button | SKIPPED | 0.000 s |
| 16 | Then the user should land on the home page of the app | SKIPPED | 0.000 s |
|  | AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario)<br><br>Scenario Failed: User completes onboarding and successfully logs in using Gmail verification | FAILED | 0.002 s |