Cucumber Report

| Start : May 30, 5:10:18.610 PM	End : May 30, 5:11:42.135 PM	Duration : 1 m 23.525 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 21 FAILED - 2 SKIPPED - 12

Features: 2

Scenarios: 2

Steps: 35

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 60 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
End-to-End App chat flow Using email	1 m 7.343 s	1	0	1	0	21	19	1	1
End-to-End App Launch and Login Flow Using email	16.145 s	1	0	1	0	14	2	1	11

#	Feature Name	Scenario Name
1	*End-to-End App chat flow Using email*	*User chat*
2	*End-to-End App Launch and Login Flow Using email*	*User completes onboarding and successfully logs in using email verification*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Regression	2	0	2	0	2	0	2	0
@E2E	2	0	2	0	2	0	2	0

#	Feature Name	T	P	F	S	Duration
1	End-to-End App chat flow Using email	1	0	1	0	1 m 7.343 s
2	End-to-End App Launch and Login Flow Using email	1	0	1	0	16.145 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	End-to-End App chat flow Using email	User chat	21	19	1	1	1 m 7.341 s
2	End-to-End App Launch and Login Flow Using email	User completes onboarding and successfully logs in using email verification	14	2	1	11	16.145 s

End-to-End App chat flow Using email

FAILED	DURATION - 1 m 7.343 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 21 Pass - 19 Fail - 1 Skip - 1	
/ 5:10:18.610 PM // 5:11:25.953 PM /					

User chat

FAILED	DURATION - 1 m 7.341 s		Steps Total - 21 Pass - 19 Fail - 1 Skip - 1	
/ 5:10:18.612 PM // 5:11:25.953 PM /				
End-to-End App chat flow Using email				
@Regression @E2E				

| #	Step / Hook Details	Status	Duration
1	Given the mobile app is installed on the device	PASSED	10.597 s
2	Given the user launches the application	PASSED	3.004 s
3	When the user completes the onboarding skip	PASSED	2.641 s
4	And the user taps on the Sign Up button	PASSED	1.324 s
5	When the user enters a valid email ID	PASSED	8.907 s
6	And the user accepts the Terms and Conditions	PASSED	1.324 s
7	And the user taps on the Continue button	PASSED	0.893 s
8	And the user taps the Verify Email button inside the email	PASSED	6.320 s
9	When the user taps the Continue button on the verification success screen	PASSED	1.193 s
10	And the user creates a new security PIN	PASSED	4.236 s
11	And the user confirms the PIN by tapping the Confirm and Continue button	PASSED	2.158 s
12	And the user taps Continue on the generated QR code page	PASSED	2.299 s
13	And the user taps the Lets Get Started button	PASSED	0.812 s
14	Then the user should land on the home page of the app	PASSED	0.002 s
15	And user click on chat module	PASSED	1.193 s

#	Step / Hook Details	Status	Duration
16	And user click on create chat icon	PASSED	1.960 s
17	And user click on username	PASSED	0.858 s
18	And user enter username	PASSED	3.644 s
19	And user click on continue username button	PASSED	0.711 s
20	And user type the message	FAILED	13.153 s

	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget. ImageView[@content-desc="Ashwini Rane 30 May 2025"]})
	   at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:166)
	   at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:75)
	   at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:78)
	   at org.openqa.selenium.remote.RemoteWebElement$ByteBuddy$ySvgj2jc.click(Unknown Source)
	   at pages.chatPage.clickAsh(chatPage.java:66)
	   at stepDefinitions.chatSteps.user_type_the_message(chatSteps.java:50)
	   at ?.user type the message(file:///E:/Ashwini/CloudcardApp/cloudcardApp/src/test/resources/features/chat.feature:30)
	 Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory. AppiumElementLocator$WaitingFunction@4813d0 (tried for 10 second(s) with 500 milliseconds interval)
	   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:265)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
	   at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:135)
	   at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:160)
	   ... 6 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android. widget.ImageView[@content-desc="Ashwini Rane 30 May 2025"]}) For documentation on this error, please visit: https://www.selenium.dev/ documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: driver.version: RemoteWebDriver
	   at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:74)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$1.findElement(ElementLocation.java:139)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361)
	   at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:54)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$1.findElement(ElementLocation.java:139)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361)
	   at io.appium.java_client.pagefactory.AppiumElementLocator.lambda$findElement$1(AppiumElementLocator.java:160)
	   at io.appium.java_client.pagefactory.AppiumElementLocator$WaitingFunction.apply(AppiumElementLocator.java:217)
	   at io.appium.java_client.pagefactory.AppiumElementLocator$WaitingFunction.apply(AppiumElementLocator.java:210)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)
	 * Not displayable characters are replaced by '?'.		

21	Then user click on send message button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.001 s
	Scenario Failed: User chat		

End-to-End App Launch and Login Flow Using email

FAILED	DURATION - 16.145 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 2 Fail - 1 Skip - 11	
/ 5:11:25.990 PM // 5:11:42.135 PM /			1		14

User completes onboarding and successfully logs in using email verification

FAILED	DURATION - 16.145 s		Steps Total - 14 Pass - 2 Fail - 1 Skip - 11	
/ 5:11:25.990 PM // 5:11:42.135 PM /				14
End-to-End App Launch and Login Flow Using email				
@Regression @E2E				

#	Step / Hook Details	Status	Duration
1	Given the mobile app is installed on the device	PASSED	3.013 s
2	Given the user launches the application	PASSED	3.010 s
3	When the user completes the onboarding skip	FAILED	10.112 s

	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.view.View[@content-desc="Skip"]})
	   at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:166)
	   at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:75)
	   at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:78)
	   at org.openqa.selenium.remote.RemoteWebElement$ByteBuddy$ySvgj2jc.click(Unknown Source)
	   at pages.gmailSignUpPage.onboardingSkip(gmailSignUpPage.java:28)
	   at stepDefinitions.gmailSignUpSteps.the_user_completes_the_onboarding_skip(gmailSignUpSteps.java:40)
	   at ?.the user completes the onboarding skip(file:///E:/Ashwini/CloudcardApp/cloudcardApp/src/test/resources/features/gmailSignUp.feature:13)		

#	Step / Hook Details	Status	Duration
	Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory. AppiumElementLocator$WaitingFunction@73b0ed03 (tried for 10 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:265)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		
	at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:135)		
	at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:160)		
	... 6 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android. view.View[@content-desc="Skip"]}) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: driver.version: RemoteWebDriver		
	at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:74)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$1.findElement(ElementLocation.java:139)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361)		
	at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:54)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$1.findElement(ElementLocation.java:139)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361)		
	at io.appium.java_client.pagefactory.AppiumElementLocator.lambda$findElement$1(AppiumElementLocator.java:160)		
	at io.appium.java_client.pagefactory.AppiumElementLocator$WaitingFunction.apply(AppiumElementLocator.java:217)		
	at io.appium.java_client.pagefactory.AppiumElementLocator$WaitingFunction.apply(AppiumElementLocator.java:210)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	* Not displayable characters are replaced by '?'.		
4	And the user taps on the Sign Up button	SKIPPED	0.000 s
5	When the user enters a valid email ID	SKIPPED	0.000 s
6	And the user accepts the Terms and Conditions	SKIPPED	0.000 s
7	And the user taps on the Continue button	SKIPPED	0.000 s
8	And the user taps the Verify Email button inside the email	SKIPPED	0.000 s
9	When the user taps the Continue button on the verification success screen	SKIPPED	0.000 s
10	And the user creates a new security PIN	SKIPPED	0.000 s
11	And the user confirms the PIN by tapping the Confirm and Continue button	SKIPPED	0.000 s
12	And the user taps Continue on the generated QR code page	SKIPPED	0.000 s
13	And the user taps the Lets Get Started button	SKIPPED	0.000 s
14	Then the user should land on the home page of the app	SKIPPED	0.000 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.000 s
	Scenario Failed: User completes onboarding and successfully logs in using email verification		