Cucumber Report

| Start : May 23, 3:24:44.813 PM	End : May 23, 3:25:05.303 PM	Duration : 20.490 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 7

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
End-to-End App Launch and Login Flow Using QR Code	*20.490 s*	*1*	*0*	*1*	*0*	*10*	*2*	*1*	*7*

#	Feature Name	Scenario Name
1	*End-to-End App Launch and Login Flow Using QR Code*	*Successful login using QR code after onboarding flow*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Regression	1	0	1	0	1	0	1	0
@E2E	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	End-to-End App Launch and Login Flow Using QR Code	1	0	1	0	20.490 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	End-to-End App Launch and Login Flow Using QR Code	Successful login using QR code after onboarding flow	10	2	1	7	20.487 s

End-to-End App Launch and Login Flow Using QR Code

FAILED	DURATION - 20.490 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 2 Fail - 1 Skip - 7	
/ 3:24:44.813 PM // 3:25:05.303 PM /					

Successful login using QR code after onboarding flow

FAILED	DURATION - 20.487 s		Steps Total - 10 Pass - 2 Fail - 1 Skip - 7	
/ 3:24:44.816 PM // 3:25:05.303 PM /				
End-to-End App Launch and Login Flow Using QR Code				
@Regression @E2E				

#	Step / Hook Details	Status	Duration
1	Given the mobile app is installed on the device	PASSED	10.035 s
2	When the user launches the app	PASSED	0.001 s
3	When the user completes the onboarding steps	FAILED	10.325 s

	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.view.View[@content-desc="Skip"]})
	   at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:166)
	   at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:75)
	   at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:78)
	   at org.openqa.selenium.remote.RemoteWebElement$ByteBuddy$l71TI8g7.click(Unknown Source)
	   at pages.LoginPage.onboardingSkip(LoginPage.java:41)
	   at stepDefinitions.LoginSteps.the_user_completes_the_onboarding_steps(LoginSteps.java:40)
	   at ?.the user completes the onboarding steps(file:///E:/Ashwini/CloudcardApp/cloudcardApp/src/test/resources/features/QRSignIn.feature:13)
	Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator$WaitingFunction@3c7b137a (tried for 10 second(s) with 500 milliseconds interval)
	   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:265)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
	   at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:135)
	   at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:160)		

#	Step / Hook Details	Status	Duration

	... 6 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.view.View[@content-desc="Skip"]}) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.32.0', revision: 'd17c8aa950' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: driver.version: RemoteWebDriver
	  at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:74)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$1.findElement(ElementLocation.java:139)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:81)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:54)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$1.findElement(ElementLocation.java:139)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:81)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at io.appium.java_client.pagefactory.AppiumElementLocator.lambda$findElement$1(AppiumElementLocator.java:160)
	  at io.appium.java_client.pagefactory.AppiumElementLocator$WaitingFunction.apply(AppiumElementLocator.java:217)
	  at io.appium.java_client.pagefactory.AppiumElementLocator$WaitingFunction.apply(AppiumElementLocator.java:210)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)
	* Not displayable characters are replaced by '?'.		

4	And the user taps the Upload QR button	SKIPPED	0.001 s
5	Then the user should be prompted to choose an app to select a photo	SKIPPED	0.000 s
6	When the user selects the photo app and chooses the QR code image	SKIPPED	0.001 s
7	Then the user should be navigated to the login page	SKIPPED	0.000 s
8	When the user enters the security PIN	SKIPPED	0.000 s
9	And the user taps the Login button	SKIPPED	0.001 s
10	Then the user should land on the home page of the app	SKIPPED	0.000 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario) Scenario Failed: Successful login using QR code after onboarding flow	FAILED	0.003 s