
YOUR PERSONAL TRAINING COMPANION

FORM JOURNAL

A practical four-day strength handbook for your actual home-gym equipment.



MOVE WITH CONTROL. BUILD WITH CONSISTENCY.

YOUR FOUR DAYS

A	B	C	D
MON	TUE	THU	SAT
Lower body	**Upper body**	**Lower body**	**Upper body**
core		glutes	core

Built from the exercise prescription and Group A / Group B movement sheets provided on 29 September 2026. The four-day arrangement is a suggested adaptation requiring clinician review.

HOW TO USE THIS BOOK

A simple plan you can repeat

Keep this next to the bench, or open it from your iPhone.

01

THE PRESCRIBED BASELINE

2 sets of 10–15 repetitions at light-to-moderate intensity; rest 1–2 minutes between sets; breathe out during exertion. These are the defaults throughout the handbook.

02

YOUR FOUR-DAY ADAPTATION

A = lower body + core; B = upper body; C = lower body + glutes; D = upper body + core. Rest between repeated muscle-group days. Ask your exercise clinician to approve this rearrangement.

03

PICK A COMFORTABLE LOAD

Start with bodyweight or light resistance. Stop sets before technique breaks down. Write down actual reps and weight. Increase only when you can finish the prescribed range comfortably.

04

FOLLOW THE EXACT ORDER

Warm up for 5–7 minutes, do the day’s listed movements, then complete the cardio pairing if appropriate and in line with your clinician’s plan.

05

USE THE DRAWINGS CORRECTLY

Each two-frame reference shows a simplified START and MOVE position. They are original diagrams for orientation, not a substitute for your therapist’s demonstrations and full handouts.

06

LOG IT ON YOUR IPHONE

The companion website works as an installable PWA with exercise cards, set/repetition/load logging, cardio, rest timer, history and backups. Installation steps are at the end.

SAFETY: Postpone hard sessions if unwell, dizzy or dehydrated. Stop for sharp pain, chest pain, fainting or unusual breathlessness, and seek appropriate medical care.

YOUR GYM EQUIPMENT

What we can use

Visible in your photos: cardio machines, dumbbells, a bench, rack/barbell, and cables.

FREE WEIGHTS

Dumbbells + bench

Goblet squats, chest presses, shoulder presses, curls, hinges and carries.

FUNCTIONAL TRAINER

High / low pulleys

Rows, pulldowns, triceps work and optional shoulder accessories. Check attachment and positioning.

CARDIO

Treadmill, elliptical, bike

Matches the four aerobic pairings in your exercise prescription.

BODYWEIGHT / FLOOR

Stable support + mat

Hip raises, standing hip moves, dead bugs, glute bridges and four-point leg raises.

NOT CONFIRMED IN THE PHOTOS

A leg-press station, knee-extension/curl machines, ankle straps, a low step platform and a fixed lat-pulldown seat are not identifiable from the photos. The handbook therefore uses explicitly marked alternatives, not assumed equipment.

IMPORTANT: A box squat is not identical to leg press; unloaded knee motions do not provide the same loading as knee-extension/hamstring-curl machines. Show these substitutions to your exercise clinician before changing the prescribed program.

WEEKLY SESSION / MONDAY

DAY A

Lower body + core

Squat and hip-hinge practice, hip stability and trunk control. Several movements come directly from clinician Group A.

THE MOVEMENTS

01 Goblet / bodyweight squat
2 × 10–15 • Bodyweight or one dumbbell

02 Unweighted good morning
2 × 10–15 • Bodyweight; optional very light dumbbell on

03 Standing hip abduction
2 × 10–15 / leg • Stable support; no cable needed

04 Standing hip adduction
2 × 10–15 / leg • Stable support; no cable needed

05 Low step-up
2 × 10–15 / leg • Low secure step or stair (not a high weight

06 Dead bug — leg extension
2 × 10–15 alternating • Mat / floor

07 Standing calf raise
2 × 12–15 • Bodyweight or dumbbells; stable support

CLINICIAN CARDIO PAIRING


Original session 1: elliptical 10–20 min + treadmill 10–20 min, accumulating at least 30 min light-to-moderate aerobic activity.

LOAD LIGHT–MODERATE REST 1–2 MIN FOUR-DAY EXPANSION: CLINICIAN REVIEW

Exercise instructions

01 Goblet / bodyweight squat

2 SETS · 10–15 · Bodyweight or one dumbbell




1. Stand with feet about shoulder-width apart and brace gently.
2. Send hips back and bend knees; keep knees in line with toes.
3. Lower only as far as you can keep your back neutral.
4. Push through your feet to stand; breathe out on the rise.

CHECK: Keep heels grounded. Use bodyweight or a box if depth/control is limited.

02 Unweighted good morning

2 SETS · 10–15 · Bodyweight; optional very light dumbbell only with appro




1. Stand tall, soften knees and fold arms over your chest.
2. Push hips backward while tipping your torso forward.
3. Stop as soon as your back wants to round.
4. Drive hips forward to stand upright, breathing out.

CHECK: Begin unweighted as shown in the clinician sheet; do not hinge through your lower back.

03 Standing hip abduction

2 SETS · 10–15 / leg · Stable support; no cable needed




1. Hold a stable support, stand tall and keep hips facing forward.
2. Slowly lift one straight leg sideways with toes forward.
3. Pause briefly without leaning your trunk.
4. Lower with control; complete both sides.

CHECK: Cable resistance requires an ankle strap not confirmed in the photos; bodyweight is the prescribed baseline.

Exercise instructions

04 Standing hip adduction

2 SETS · 10–15 / leg · Stable support; no cable needed




1. Stand upright beside stable support, feet under hips.
2. Lift one leg slightly and move it across the body.
3. Keep the toes pointing forward and pelvis level.
4. Return slowly and change legs.

CHECK: Do not swing or rotate the pelvis to move farther.

05 Low step-up

2 SETS · 10–15 / leg · Low secure step or stair (not a high weight bench)




1. Choose a low, nonslip, stable platform and stand close.
2. Place your full working foot on the step.
3. Press through that foot and stand tall without pushing hard off the trailing leg.
4. Step down slowly, then repeat; switch legs.

CHECK: The photographed workout bench may be too high. Use a lower secure step; ask for an alternative if none is available.

06 Dead bug — leg extension

2 SETS · 10–15 alternating · Mat / floor




1. Lie on your back, arms up and hips/knees bent around 90 degrees.
2. Brace gently to keep lower back near the floor.
3. Slowly extend one leg away without arching the back.
4. Bring it back and alternate sides; exhale on extension.

CHECK: Make the leg movement smaller if your back lifts or discomfort starts.

Exercise instructions

07 Standing calf raise

2 SETS · 12–15 · Bodyweight or dumbbells; stable support



1. Stand tall with feet hip-width apart and hold support if needed.
2. Rise smoothly onto the balls of both feet.
3. Pause briefly at the top.
4. Lower heels slowly without bouncing.

CHECK: Keep pressure even across the forefoot.

WEEKLY SESSION / TUESDAY

DAY B

Upper body

A full upper-body day combining prescribed Group A and B exercises; cable and dumbbell versions suit the photographed gym.

THE MOVEMENTS

01 **One-arm high cable pulldown**
2 × 10–15 / arm • Functional trainer · high pulley · single h

02 **Flat dumbbell chest press**
2 × 10–15 • Flat weight bench · dumbbells

03 **Standing / seated cable row**
2 × 10–15 • Functional trainer · low cable · row handle

04 **Seated dumbbell shoulder press**
2 × 10–15 • Adjustable upright bench · dumbbells

05 **Dumbbell lateral raise**
2 × 10–15 • Light dumbbells

06 **Shoulder external rotation**
2 × 10–15 / arm • No weight to start; optional very light cab

07 **Dumbbell biceps curl**
2 × 10–15 • Light dumbbells

08 **Cable triceps pushdown**
2 × 10–15 • Functional trainer · high cable · rope/bar/

CLINICIAN CARDIO PAIRING


Original session 2: treadmill 30 minutes — 5-min warm-up, 5-min usual pace at 0%, 5-min at 3–5% incline, 5-min flat, 5-min incline, 5-min cooldown.

LOAD LIGHT–MODERATE REST 1–2 MIN FOUR-DAY EXPANSION: CLINICIAN REVIEW

Exercise instructions

01 One-arm high cable pulldown

2 SETS · 10–15 / arm · Functional trainer · high pulley · single handle




1. Set a handle at the high cable and take a stable split stance.
2. Reach overhead with one arm and gently brace the torso.
3. Pull elbow down toward the ribs without twisting or arching.
4. Return the handle slowly overhead; repeat other arm.

CHECK: Use a cable height/attachment that feels secure. This is a substitute for a lat-pulldown machine, not the same machine.

02 Flat dumbbell chest press

2 SETS · 10–15 · Flat weight bench · dumbbells




1. Lie on the bench, feet flat, dumbbells held by chest.
2. Gently draw shoulder blades back into the bench.
3. Press weights upward in a controlled line, exhaling.
4. Lower elbows slowly to a comfortable range.

CHECK: Choose loads you can get into position safely. Avoid barbell bench pressing alone.

03 Standing / seated cable row

2 SETS · 10–15 · Functional trainer · low cable · row handle




1. Set cable low and position yourself facing it with stable feet.
2. Start with arms comfortably extended and spine tall.
3. Pull elbows back toward ribs, bringing handle toward the torso.
4. Squeeze shoulder blades gently, then return without leaning backward.

CHECK: If a stable seated position isn't possible on this machine, stand with feet staggered.

Exercise instructions

04 Seated dumbbell shoulder press

2 SETS · 10–15 · Adjustable upright bench · dumbbells




1. Set bench upright and sit with feet planted.
2. Bring light dumbbells beside shoulders, wrists stacked over elbows.
3. Press toward the ceiling without arching your lower back.
4. Lower slowly, breathing in on the way down.

CHECK: Do not force overhead movement through shoulder pain; check technique with your clinician.

05 Dumbbell lateral raise

2 SETS · 10–15 · Light dumbbells




1. Stand tall holding light weights at your sides.
2. Soften elbows and raise arms out to the sides.
3. Stop near shoulder height or earlier if uncomfortable.
4. Lower slowly without shrugging.

CHECK: Light weights and clean control matter more than lifting high.

06 Shoulder external rotation

2 SETS · 10–15 / arm · No weight to start; optional very light cable if approve




1. Stand or sit tall; bend elbows 90 degrees and tuck them at your sides.
2. Keeping elbows fixed, rotate forearms gently outward.
3. Pause within comfortable range.
4. Rotate back slowly without flaring elbows.

CHECK: Unloaded is the starting form shown in the therapist handout.

Exercise instructions

07 Dumbbell biceps curl

2 SETS · 10–15 · Light dumbbells




1. Stand or sit tall with dumbbells at sides, palms forward.
2. Keep elbows close and curl weights toward shoulders.
3. Avoid swinging torso or shoulders.
4. Slowly lower until elbows are comfortably straight.

CHECK: Keep wrists neutral rather than bent back.

08 Cable triceps pushdown

2 SETS · 10–15 · Functional trainer · high cable · rope/bar/handles



1. Stand tall facing high pulley, elbows close to ribs.
2. Begin with forearms bent and handle near lower chest.
3. Extend elbows to press handle toward hips, breathing out.
4. Slowly return without letting upper arms swing forward.

CHECK: Use the attachment you actually have; avoid locking elbows aggressively.

WEEKLY SESSION / THURSDAY

DAY C

Lower body + glutes

Alternatives to the leg-press, leg-extension and leg-curl machines in Group B, plus posterior-chain and core work. Review substitutions with your clinician.

THE MOVEMENTS

01 **Supported box squat**
2 × 10–15 • Stable chair/box and optional dumbbell

02 **Seated knee extension (unloaded)**
2 × 10–15 / leg • Stable bench/chair

03 **Standing knee flexion (unloaded)**
2 × 10–15 / leg • Stable support; optional ankle cable only i

04 **Dumbbell Romanian deadlift**
2 × 10–15 • Light dumbbells

05 **Glute bridge**
2 × 10–15 • Mat / floor; optional light dumbbell later

06 **Low step-up**
2 × 10–15 / leg • Low secure step or stair (not a high weight

07 **Four-point leg raise**
2 × 10–15 / leg • Mat / floor

CLINICIAN CARDIO PAIRING


Original session 3: elliptical 10–20 min + treadmill 10–20 min, accumulating at least 30 min light-to-moderate aerobic activity.

LOAD LIGHT–MODERATE REST 1–2 MIN FOUR-DAY EXPANSION: CLINICIAN REVIEW

Exercise instructions

01 Supported box squat

2 SETS · 10–15 · Stable chair/box and optional dumbbell




1. Stand in front of a stable box/chair slightly wider than hip width.
2. Bend at hips and knees to lightly touch the seat.
3. Keep knees aligned over toes and torso controlled.
4. Stand through your feet without bouncing off the seat.

CHECK: This is not an exact mechanical equivalent to a leg-press machine. Confirm with your clinician.

02 Seated knee extension (unloaded)

2 SETS · 10–15 / leg · Stable bench/chair




1. Sit upright on a stable seat with both feet touching floor.
2. Straighten one knee as far as is comfortable without snapping it.
3. Hold briefly while keeping the thigh supported.
4. Lower slowly; repeat the other leg.

CHECK: This preserves the movement pattern, but not the machine's resistance. Ask whether a band option is suitable.

03 Standing knee flexion (unloaded)

2 SETS · 10–15 / leg · Stable support; optional ankle cable only if equipped/ap




1. Hold stable support and stand upright.
2. Bend one knee, bringing heel slowly toward your glutes.
3. Keep thighs near each other and pelvis still.
4. Lower foot slowly and switch sides.

CHECK: This keeps knee-flexion movement but is lighter than a machine curl. Ask your clinician if added resistance is appropriate.

Exercise instructions

04 Dumbbell Romanian deadlift

2 SETS · 10–15 · Light dumbbells




1. Hold light dumbbells at thighs; soften knees.
2. Send hips straight backward, moving dumbbells close to legs.
3. Stop where back remains neutral, regardless of depth.
4. Stand by squeezing glutes, breathing out as you rise.

CHECK: Not part of the specific A/B prescription; use only if your clinician approves the extra hinge work.

05 Glute bridge

2 SETS · 10–15 · Mat / floor; optional light dumbbell later




1. Lie on back, knees bent, feet flat and arms beside body.
2. Brace gently and press through heels to lift hips.
3. Stop when shoulders, hips and knees form a comfortable line.
4. Pause then lower vertebra by vertebra, without over-arching.

CHECK: Start bodyweight as in the supplied clinician sheet.

06 Low step-up

2 SETS · 10–15 / leg · Low secure step or stair (not a high weight bench)




1. Choose a low, nonslip, stable platform and stand close.
2. Place your full working foot on the step.
3. Press through that foot and stand tall without pushing hard off the trailing leg.
4. Step down slowly, then repeat; switch legs.

CHECK: The photographed workout bench may be too high. Use a lower secure step; ask for an alternative if none is available.

Exercise instructions

07 Four-point leg raise

2 SETS · 10–15 / leg · Mat / floor



1. Start on hands and knees, hands under shoulders and knees under hips.
2. Brace gently and reach one leg straight back.
3. Keep hips level and avoid arching the lower back.
4. Lower the knee and alternate sides.

CHECK: Use the leg-only version first; adding opposite-arm reach is a progression.

WEEKLY SESSION / SATURDAY

DAY D

Upper body + core

A second upper-body stimulus emphasizing pressing, back, shoulder stability and controlled core work.

THE MOVEMENTS

01 Incline dumbbell chest press
2 × 10–15 • Adjustable bench at 20–30° · dumbbells

02 One-arm cable row
2 × 10–15 / arm • Functional trainer · one handle

03 One-arm high cable pulldown
2 × 10–15 / arm • Functional trainer · high pulley · single h

04 Seated dumbbell shoulder press
2 × 10–15 • Adjustable upright bench · dumbbells

05 Cable face pull
2 × 10–15 • Functional trainer · high cable · rope/pair

06 Dumbbell hammer curl
2 × 10–15 • Dumbbells

07 Cable triceps pushdown
2 × 10–15 • Functional trainer · high cable · rope/bar/

08 Overhead hold + marching
2 × 10–15 alternating / side • Very light dumbbell or unweighted first

CLINICIAN CARDIO PAIRING


Original session 4: bike 15–30 minutes; 3–5 min warm-up, 3–5 min usual pace, 3–5 min slightly higher resistance/speed, usual pace, higher resistance/speed, 3–5 min cooldown.

LOAD LIGHT–MODERATE REST 1–2 MIN FOUR-DAY EXPANSION: CLINICIAN REVIEW

Exercise instructions

01 Incline dumbbell chest press

2 SETS · 10–15 · Adjustable bench at 20–30° · dumbbells




1. Set bench to a low incline, sit and settle dumbbells beside chest.
2. Plant feet and keep head/back supported.
3. Press weights up, exhaling, without bumping them together.
4. Lower slowly until elbows remain in a comfortable range.

CHECK: Use light dumbbells and a modest incline to avoid excess shoulder load.

02 One-arm cable row

2 SETS · 10–15 / arm · Functional trainer · one handle




1. Face the cable and stagger your feet for stability.
2. Reach forward with one hand, keeping ribs over hips.
3. Pull elbow back toward your hip, without torso rotation.
4. Slowly return and switch arms.

CHECK: Keep weight light enough to avoid twisting.

03 One-arm high cable pulldown

2 SETS · 10–15 / arm · Functional trainer · high pulley · single handle




1. Set a handle at the high cable and take a stable split stance.
2. Reach overhead with one arm and gently brace the torso.
3. Pull elbow down toward the ribs without twisting or arching.
4. Return the handle slowly overhead; repeat other arm.

CHECK: Use a cable height/attachment that feels secure. This is a substitute for a lat-pulldown machine, not the same machine.

Exercise instructions

04 Seated dumbbell shoulder press

2 SETS · 10–15 · Adjustable upright bench · dumbbells




1. Set bench upright and sit with feet planted.
2. Bring light dumbbells beside shoulders, wrists stacked over elbows.
3. Press toward the ceiling without arching your lower back.
4. Lower slowly, breathing in on the way down.

CHECK: Do not force overhead movement through shoulder pain; check technique with your clinician.

05 Cable face pull

2 SETS · 10–15 · Functional trainer · high cable · rope/paired handles




1. Set cable around face height and hold rope/handles.
2. Stand tall and pull handles toward either side of your face.
3. Allow elbows to flare outward comfortably as shoulder blades draw back.
4. Return slowly without leaning or arching.

CHECK: Skip if the necessary attachment is unavailable or it irritates your shoulders.

06 Dumbbell hammer curl

2 SETS · 10–15 · Dumbbells




1. Hold dumbbells at sides with palms facing thighs.
2. Keep elbows near the body as you curl upward.
3. Pause without rocking the torso.
4. Lower slowly to start.

CHECK: Keep forearms neutral throughout.

Exercise instructions

07 Cable triceps pushdown

2 SETS · 10–15 · Functional trainer · high cable · rope/bar/handles




1. Stand tall facing high pulley, elbows close to ribs.
2. Begin with forearms bent and handle near lower chest.
3. Extend elbows to press handle toward hips, breathing out.
4. Slowly return without letting upper arms swing forward.

CHECK: Use the attachment you actually have; avoid locking elbows aggressively.

08 Overhead hold + marching

2 SETS · 10–15 alternating / side · Very light dumbbell or unweighted first



1. Stand tall holding one light weight overhead only if approved and steady.
2. Brace trunk without holding your breath.
3. Raise one knee slowly and lower it.
4. Alternate knees; switch holding arms between sets if comfortable.

CHECK: Balance first: march with arms down if overhead loading is uncomfortable or unsteady.

PRESCRIPTION CROSSWALK

Original Group A and B

The plan keeps your clinician’s movement families and marks equipment substitutions.

Group A — squat / good morning	Day A: bodyweight or goblet squat; bodyweight good morning.
Group A — hip abduction / adduction	Day A: standing active-range movements; no ankle strap assumed.
Group A — shoulder press / pulldown	Day B: dumbbell press; single-arm high-cable pulldown.
Group A — external rotation / biceps	Day B: unloaded rotation; dumbbell curls.
Group A — dead bug / four points	Day A: dead bug; Day C: four-point leg raise.
Group B — leg press / extensions / curls	Day C: supported squat, unloaded knee extension and knee flexion. Ask clinician about equivalent resistance.
Group B — step-up / bridge	Day A/C step-ups; Day C glute bridge.
Group B — chest press / row	Day B/D: bench press variations and cable rows.
Group B — lateral raise / triceps	Day B/D: light lateral raises and cable triceps work.
Group B — overhead marching	Day D: light overhead hold and marching, or unweighted if balance is not secure.

Extra accessories (calf raise, RDL, face pull, hammer curl) and the four-day split are optional additions. The app labels those separately. If your therapist wants the original A/B schedule unchanged, follow their prescription.

PRINTABLE TRACKING

Weekly training check-in

Use the app for easier logs, or jot your progress down here.

A

Lower body + core

Monday

EXERCISE / LAST REPS / LOAD

B

Upper body

Tuesday

EXERCISE / LAST REPS / LOAD

C

Lower body + glutes

Thursday

EXERCISE / LAST REPS / LOAD

D

Upper body + core

Saturday

EXERCISE / LAST REPS / LOAD

TAKE IT WITH YOU

Install on your iPhone

Form Journal is a free static website you can add to your home screen.

1

PUBLISH ON A FREE HTTPS HOST

Upload the included site files to GitHub Pages or Cloudflare Pages. Detailed instructions are in DEPLOY.md.

2

OPEN THE PUBLISHED LINK IN SAFARI

Use Safari on your iPhone; wait for the four-day program to load once while connected to the internet.

3

TAP SHARE → ADD TO HOME SCREEN

From the Safari Share menu choose Add to Home Screen, name it Form Journal, then tap Add.

4

START A WORKOUT

Choose A, B, C or D, tap Start, open exercises and save each completed set with reps, weight and optional effort score.

5

LOG CARDIO & FINISH

Record actual treadmill, elliptical or bike minutes. Add session notes and press Finish workout to save it in History.

6

EXPORT A BACKUP

Go to Settings → Download JSON backup regularly. The app keeps records locally, not in an account.

PRIVACY: A free public hosting URL displays the workout instructions, but your entered exercise data stays on your own device. Browser storage can be cleared—export backups regularly.