


Ideora Labs Technical Website Implementation Specification

Detailed instructions for rebuilding the website around clear products, working routes, visible proof, enterprise trust and measurable conversion.



Prepared for

Ideora Labs technology, design, content and business teams

Version 1.0 | 12 September 2026

What the technology team must deliver

The next release should turn the current one-page presentation into a production website where a buyer can identify a product, inspect how it works, assess risk and book the correct next step without a salesperson explaining the site.

Priority	Required outcome	Release gate
P0	Every visible link works; the primary product journeys are live; production metadata is correct.	Required before outreach
P1	Product demos, case studies, trust pages, analytics and CRM attribution are complete.	Required before paid acquisition
P2	Motion, accessibility, performance and experimentation reach defined targets.	Required before scaling traffic

Release principle

- **Build one complete journey first.** Home -> Products -> Ideora Health -> Demo -> Discovery booking -> CRM confirmation.
- **Reuse shared components.** After the first journey passes QA, configure the same product template for Auto, Property and Operations Console.
- **No dead-end launch.** Do not publish a navigation item or product card until its destination, metadata, analytics and responsive states are ready.
- **Make content resilient.** Critical content must render in the first HTML response and must not depend on motion or IntersectionObserver to appear.

The current first screen looks premium but does not complete the buyer decision

The headline creates interest, but it does not name the business category. The first commitment is a ninety-minute briefing, while the purchasable products remain below the fold.

1 Category unclear in the headline

2 Primary CTA asks for 90 minutes

3 Products are not visible above the fold


BEFORE AND AFTER

Current homepage with the three first-screen conversion blockers marked.

Finding	Technical implication
Category clarity	Replace the H1 and supporting copy; add Product and Service destinations to primary navigation.
CTA commitment	Change primary CTA to a 30-minute discovery call; retain the workshop as a later sales-stage action.
Product discovery	Render four product cards directly below the hero and link each card to a complete product page.

The production surface contains visible reliability failures

The live review found thirteen unique non-anchor internal destinations beyond the homepage. Every one returned a 404 when opened directly, and the dropdown buttons did not expose usable menu destinations.




Example of the current Vercel 404 returned by an internal link.

Observed condition	Required correction
13 internal routes return 404	Implement or redirect every route listed in the route remediation matrix.
Dropdown remains aria-expanded false	Build an actual menu component with mouse, touch and keyboard behavior.
Canonical and social URLs use vercel.app	Generate metadata from https://www.ideoralabs.com.
Long blank areas during scrolling	Remove reveal dependencies from essential content and apply progressive enhancement.

Replace an attention-led hero with a product-led buying path


The proposed first screen names the category, states the operating promise, offers a low-friction CTA and exposes the product portfolio immediately.



Current versus proposed: the revised first screen makes the category, products and conversion path explicit.

Desktop homepage rendering and component map

This visual is the implementation target for the first viewport and the beginning of the second. Copy, hierarchy and product order should remain stable during design refinement.




Proposed desktop homepage at 1600 x 1000.

Area	Component	Acceptance condition
Header	GlobalHeader and ProductMenu	Sticky after 24 px scroll; all links are real anchors or routes.
Hero	CategoryPill, HeroCopy, CTAGroup, SystemVisual	H1 names the job; image never delays LCP text.
Proof strip	PromiseList	Three short factual operating promises; no unsupported client claim.
Product row	ProductCard x 4	Visible without an additional reveal interaction on 1440 x 900.

Mobile homepage rendering and behavior

Mobile is not a compressed desktop page. It uses one reading column, preserves 16-pixel body text, keeps tap targets at least 44 pixels and maintains a persistent discovery action.



Mobile acceptance requirements

- Collapsed navigation opens a full-height drawer and moves focus to the first link.
- Hero H1 is 42 to 52 CSS pixels with no orphaned one-word line.
- Primary and secondary CTA remain separate 44-pixel targets.
- Product cards stack in product-priority order.
- The persistent CTA does not cover footer links, consent controls or form errors.
- Animations respect prefers-reduced-motion and content is visible when JavaScript fails.

The website must separate products services industries and proof

Products answer what can be bought. Services explain how a custom solution is delivered. Industries establish relevance. Case studies prove outcomes. These are separate content types and separate routes.

Primary navigation	Required destinations
Products	Products index; Ideora Health; Ideora Auto; Ideora Property; Operations Console
Services	Custom AI automation; workflow discovery; integration; managed optimisation
Industries	Healthcare; automotive; real estate
Case studies	Index plus one evidence-led case study for each launch industry
How it works	Discovery, blueprint, build, integration, UAT, launch and managed operation
Security	Data handling, access controls, hosting, retention, support and incident response
Company	About, Insights and Contact

Required route tree

```

/
/products
  /ideora-health
  /ideora-auto
  /ideora-property
  /operations-console
/services
  /custom-ai-automation
/industries/{healthcare|automotive|real-estate}
/case-studies/[slug]
/how-it-works
/security
/about /insights /contact

```


Route remediation matrix

Implement a destination or a permanent redirect for every route already exposed to users and search engines. No route may remain linked while returning 404.

Current URL	Target URL	Action
/about	/about	Build page
/insights	/insights	Build index
/industries/automotive	same	Build page
/industries/real-estate	same	Build page
/industries/healthcare	same	Build page
/platforms/ops-console	/products/operations-console	301 redirect
/platforms/agent-runtime	/platform	301 redirect
/platforms/integrations	/platform#integrations	301 redirect
/solutions/agentic-ai	/services/custom-ai-automation	301 redirect
/solutions/real-estate	/products/ideora-property	301 redirect
/solutions/healthcare	/products/ideora-health	301 redirect
/solutions/service-centre	/products/ideora-auto	301 redirect
/solutions/productised-systems	/products	301 redirect

Acceptance tests

- Every linked internal URL returns 200 in production.
- Legacy URLs return one 301 hop to the final canonical destination.
- The not-found page is branded, helpful and excluded from the sitemap.
- A CI link checker fails the deployment when an internal href resolves to 4xx or 5xx.

Build one accessible navigation system for desktop and mobile

The current dropdown buttons are visual controls without working menu behavior. Replace them with a reusable navigation component driven by one route configuration.

Interaction	Expected behavior
Pointer	Open on click; optional hover intent after 150 ms; remain open while pointer is within trigger or menu.
Keyboard	Tab reaches trigger; Enter or Space opens; arrows move between menu items; Escape closes and returns focus.
Touch	One tap opens the panel; second tap on the destination label navigates; outside tap closes.
Screen reader	Trigger has aria-haspopup="menu" and aria-expanded reflects state; links retain native anchor semantics.
Route change	Close menu and restore normal page scroll; active route receives aria-current="page".

```
const primaryNav = [  
  { label: 'Products', href: '/products', children: productLinks },  
  { label: 'Services', href: '/services', children: serviceLinks },  
  { label: 'Industries', href: '/industries', children: industryLinks },  
  { label: 'Case studies', href: '/case-studies' },  
  { label: 'How it works', href: '/how-it-works' },  
  { label: 'Security', href: '/security' }  
]
```

Convert the visual identity into reusable tokens

Preserve the premium cream, black and orange language. Introduce cyan only for live state, information and human-exception indicators. Remove page-specific hard-coded colors and spacing.

Token	Value	Usage
color.canvas	#F7F3EC	Primary page background
color.surface	#FFFFFF	Cards, header and forms
color.ink	#161412	Headings and primary text
color.muted	#6F6A63	Secondary text
color.action	#FF5A14	Primary CTA and active state
color.signal	#28C2D8	Information and human exception
radius.card	16px	Cards and content panels
radius.control	10px	Buttons and inputs
shadow.raised	0 12px 32px rgb(22 20 18 / 10%)	Hero and demo surfaces

```
:root {  
  --canvas: #F7F3EC; --surface: #FFFFFF; --ink: #161412;  
  --muted: #6F6A63; --action: #FF5A14; --signal: #28C2D8;  
  --space-1: .5rem; --space-2: 1rem; --space-3: 1.5rem; --space-4: 2rem;  
  --content-max: 76rem; --radius-card: 1rem; --radius-control: .625rem;  
}
```

Make the interface comfortable for a 40 plus management audience

Readability is a business requirement. The interface should work for a clinic owner, corporate operations leader or dealer head using a laptop or phone without zooming.

Element	Desktop	Mobile	Rule
H1	56-72 px	42-52 px	Maximum 15 words; 1.0-1.08 line height
H2	38-48 px	32-38 px	One clear idea per section
Body	18-20 px	16-18 px	Minimum 1.5 line height for sustained reading
Label	13-14 px	13-14 px	Never use as the only explanation
Button	16-18 px	16-18 px	Minimum 44 px height
Content width	1216 px max	100% - 40 px	Avoid full-width paragraphs

Breakpoints

- **Small 0-639 px.** One column, mobile drawer, stacked CTAs.
- **Medium 640-1023 px.** Two-column cards, simplified hero composition.
- **Large 1024-1439 px.** Full navigation and two-column hero.
- **Wide 1440 px and above.** Centered 1216-1280 px content container; never stretch copy indefinitely.

Create a component library before rebuilding individual pages

The design should be assembled from reusable, accessible components with consistent states. Product-specific content belongs in data, not duplicated JSX.

Component	Required variants and states
GlobalHeader	Desktop, compact-on-scroll, mobile drawer, menu open, current route
Button	Primary, secondary, text; default, hover, focus, disabled, loading
ProductCard	Default, featured, live status, coming soon
WorkflowStep	Automated action, integration action, human exception, completed
Metric	Baseline, result, source note
DemoPanel	Video, labelled screenshot gallery, interactive sample, unavailable fallback
CaseStudyCard	Industry, workflow, baseline, outcome, evidence status
LeadForm	Default, validation, submitting, success, failure
Footer	Product, service, industry, trust, contact and legal groups

Storybook or equivalent

- Document every interactive state before page integration.
- Run accessibility checks and visual regression snapshots at 390, 768, 1280 and 1440 CSS pixels.
- Do not allow page-level CSS to override shared component focus, spacing or typography rules.

Build the homepage in a product-first sequence

The homepage should help a senior buyer move from category understanding to product choice, proof and a relevant sales action. The long delivery method belongs after product and evidence sections.

Order	Section	Implementation requirement
01	Global header	Products first; working menus; 30-minute discovery CTA.
02	Hero	Category, outcome, existing-software promise, two CTAs, system visual.
03	Product chooser	Four product cards visible immediately after hero.
04	Proof strip	Live system count, time to first workflow and integration promise.
05	Featured product demo	Show one real workflow with labelled screens or a short video.
06	Case studies	Healthcare, automotive and real estate evidence.
07	Services	Custom automation and managed operation explained separately.
08	How it works	Six delivery steps with scope, owner and deliverable.
09	Security and integrations	Data handling, access and supported systems.
10	Final CTA	Choose a product review or 30-minute discovery call.

Use this content hierarchy for the first screen

The first screen should retain the premium tone while answering what Ideora is, who it serves, what it changes and what the next action requires.

Element	Approved implementation copy
Eyebrow	CUSTOM AI AUTOMATION FOR SERVICE BUSINESSES
H1	AI systems that handle enquiries, bookings and follow-ups inside your existing software.
Supporting copy	Launch one live workflow in 6 to 10 weeks. Keep your CRM, WhatsApp, calendars and operating controls.
Primary CTA	Book a 30-minute discovery call
Secondary CTA	See product demos
Assurance line	No migration Fixed scope Weekly working builds
Product section heading	Start with the workflow you need to fix

Implementation rules

- Render the H1 as live HTML text, not part of an image.
- Limit the hero description to two readable lines at 1440 pixels.
- Preload only the above-the-fold hero asset and use a responsive image source set.
- Track both CTAs with `product_interest="general"` and `cta_location="hero"`.

Give every buyer a recognisable starting point

The Products page is a commercial catalogue, not a list of capabilities. Each product must show the business workflow, target user, key integrations, visible output and a demonstration action.


Product	Primary buyer	Workflow promise	Primary CTA
Ideora Health	Clinic or hospital owner	Appointments, intake, reminders and patient follow-up	Watch health workflow
Ideora Auto	Dealer or service-centre head	Booking, approvals, live status and payment follow-up	Watch service workflow
Ideora Property	Real-estate sales director	Lead qualification, viewing booking and sales follow-up	Watch sales workflow
Operations Console	Corporate operations leader	Queues, exceptions, ageing and management reporting	View management console

Card requirements

- Product name is always visible and is never replaced by an industry label.
- Card links use the full card as a single accessible anchor.
- Live, pilot and coming-soon states use text plus color.
- Each card includes one specific workflow outcome and one clear next action.

Use one product template with product-specific content and proof

The product template must let management inspect the workflow before reading the implementation method. The following Ideora Health render establishes the page hierarchy and reusable components.



Proposed Ideora Health product page showing the workflow above the fold.

Template block	Required content
Product hero	Name, one-sentence outcome, target role, demo CTA, product-review CTA
Workflow demo	Five to seven steps with automation, integration and human-exception states
Screens	Labelled desktop or mobile screens with captions
Integrations	Named systems, connection method and prerequisites
Controls	Permissions, audit trail, hand-off rules and data boundaries
Proof	Baseline, workflow, outcome, evidence source and case-study link

Every product page must answer eight buying questions

Publish no product page until all eight content and functional blocks are complete. This prevents thin pages that look finished but cannot support evaluation.

Question	Required implementation
What is it?	Plain product name and a one-sentence operational outcome.
Who is it for?	Named decision maker, operating user and target organisation.
What workflow changes?	Before state, automated steps, human exceptions and final record.
Can I see it?	Short video plus labelled screenshots with captions and alt text.
What does it connect to?	Supported systems, integration method and data prerequisites.
What control do I keep?	Permissions, approval points, audit trail and escalation rules.
How is it deployed?	Discovery, configuration, integration, UAT, training and support.
What is the next step?	Relevant product review or discovery CTA with product context preserved.

Implementation requirements for appointment and patient workflows

This is one of the two public launch products. The site should demonstrate operational value without presenting clinical diagnosis, treatment advice or unsupported compliance claims.

Area	Required content or behavior
Workflow	Enquiry -> appointment -> reminder -> intake -> exception -> follow-up -> management report
Inputs	Patient contact details, appointment request, department, doctor, location and consent state
Integrations	WhatsApp provider, calendar or HIS connector, CRM, payment link and email/SMS where applicable
Human controls	Urgent clinical wording, uncertain intent, unavailable slot, payment issue and consent exception route to staff
Dashboard	Booked, cancelled, no-show, paid status, doctor utilisation, follow-up due and exception ageing
Trust copy	State actual controls and hosting. Do not claim HIPAA, DPDP or medical-device compliance without evidence.

Minimum demo

1. Send a test enquiry from WhatsApp or the page simulator.
2. Display the policy-approved response and available slots.
3. Confirm a slot and write it to the operational calendar.
4. Show the front-desk exception queue and management record.

Implementation requirements for automobile service-centre management

Ideora Auto should show the entire customer and workshop communication loop, not only appointment booking.

Area	Required content or behavior
Workflow	Customer request -> vehicle identification -> bay and advisor availability -> booking -> estimate approval -> repair updates -> payment -> NPS
Inputs	Customer, vehicle, service concern, preferred location, time window and consent
Integrations	WhatsApp or voice provider, dealer CRM or DMS, workshop calendar, payment link and reporting store
Human controls	Safety issue, uncertain service category, estimate dispute, delayed parts and escalation route to advisor
Dashboard	Booked, cancelled, no-show, technician load, revenue, pending approvals, payment, follow-up and NPS
Forecasting	Describe 45 to 60-day capacity prediction as a management feature only when the production data supports it.

Minimum demo

1. Book a service slot through WhatsApp.
2. Write the booking into the workshop capacity view.
3. Send an estimate-approval request and capture the response.
4. Show customer status notifications and management reporting.

Implementation requirements for real-estate lead and sales automation

The page should show how Ideora improves speed-to-lead and sales readiness before a human agent enters the journey.

Area	Required content or behavior
Workflow	Lead source -> qualification -> project match -> viewing booking -> follow-up -> opportunity status
Inputs	Budget, location, property type, purchase timeline, funding readiness and consent
Integrations	Lead ads, website forms, WhatsApp, CRM, inventory feed and agent calendars
Human controls	Legal, pricing or promise questions; poor match; premium lead; opt-out and escalation
Dashboard	Response time, qualified rate, booking rate, source conversion, agent follow-up and ageing
Proof	Show one full lead transcript with personally identifiable information removed and one verified outcome.

Minimum demo

1. Submit a lead from a campaign source.
2. Capture qualification and match a suitable project.
3. Offer a viewing from a live calendar.
4. Write the qualified record and next action to the CRM.

Implementation requirements for cross-industry management reporting

The console should be positioned as the management layer for automated work. It is not a generic dashboard and should display only operational metrics supported by the underlying workflows.

Module	Required behavior
Work intake	Normalise events from forms, WhatsApp, voice, email and integrations.
Automation action	Record the rule, agent or workflow step that acted.
Human exception	Assign owner, reason, SLA and current status.
Audit record	Retain timestamp, source, action, result and approval history.
Management view	Show volume, completed work, waiting work, exception ageing and outcome.
Forecast and alerts	Display only when data quality and forecast confidence meet a documented threshold.

Security requirement

- Role-based access is enforced server-side.
- Dashboard filters may not expose data outside the user organisation or authorised location.
- Exports are logged and sensitive fields are excluded by default.
- Every automated write has a traceable source and result.

Use separate page templates for method and relevance

Service pages explain what Ideora does for a unique workflow. Industry pages help a buyer recognise their environment and then route into the right products and case studies.

Page type	Required sections
Service index	Discovery, custom AI build, integration, deployment and managed optimisation.
Custom automation service	When to choose custom, discovery output, responsibilities, timeline, commercial model and CTA.
Industry page	Industry problems, relevant products, typical integrations, controls, case studies and CTA.
Case study	Client context, baseline, workflow, implementation, measured result, evidence note and client approval.

Cross-linking rules

- Each industry page links to at least one product and one case study.
- Each product page links to relevant industries, integrations and proof.
- Service pages do not compete with products in the primary CTA; they use “Discuss a custom workflow.”
- Breadcrumbs use native links and BreadcrumbList structured data.

Move repeated content into a structured CMS

The content system should let the business team update products, proof and metadata without editing components. Keep workflow logic and sensitive operational configuration outside the marketing CMS.


Model	Required fields
Product	name, slug, status, audience, outcome, description, workflowSteps, screens, integrations, controls, metrics, CTA, SEO
Service	name, slug, problemFit, deliverables, responsibilities, timeline, method, CTA, SEO
Industry	name, slug, challenges, products, integrations, controls, caseStudies, CTA, SEO
CaseStudy	clientDisplayName, approvalStatus, industry, baseline, workflow, outcome, evidenceSource, quote, media, SEO
Integration	name, category, logo, connectionType, prerequisites, products
Page	title, slug, sections, navigationVisibility, publishStatus, SEO

Publishing controls

- Draft, review and published states are required.
- A product cannot publish without CTA, metadata, alt text and at least one demonstrable workflow.
- Client names, logos, quotes and performance claims require an approval-status field.
- Preview URLs are protected from indexing.

Recommended production implementation

Use a server-rendered React framework with typed content models. The recommended target is Next.js App Router with TypeScript; keep most marketing pages server components and isolate interactivity to small client components.



Recommended separation of experience, content, operations and measurement.

Layer	Recommendation
Rendering	Static generation for stable pages; incremental revalidation after CMS publish; server rendering for personalised or frequently changing data.
Components	Typed section registry; shared page templates; no duplicated product markup.
Images	next/image or equivalent; AVIF/WebP; explicit dimensions; responsive srcset; one priority hero image.
Errors	Custom 404 and 500 states; error monitoring; graceful CTA and demo fallbacks.
Deployment	Preview environment per change; production checks for routes, metadata, forms and analytics.

Keep the marketing website separate from customer workflow execution

The website may demonstrate workflows and collect leads, but it should not directly contain customer credentials, production automation logic or clinical and operational records.

Boundary	Implementation instruction
Lead capture	POST to a server-side endpoint; validate, rate-limit, add consent and source fields, then write to CRM.
WhatsApp links	Generate product-specific prefilled text; track the click before outbound navigation.
Demo simulator	Use synthetic records only; reset state per session; clearly label demonstration data.
Product runtime	Use separate authenticated applications and APIs; expose only public status or approved demo data.
Secrets	Store in managed environment secrets; never ship provider keys or webhook secrets to the browser.
Webhooks	Verify signatures, log result IDs, make handlers idempotent and alert on repeated failure.

```
POST /api/leads
{ product, industry, name, businessEmail, phone?, company, message?, consent,
  source: { page, ctaLocation, campaign, referrer } }
-> validate -> rate limit -> CRM create/update -> owner route -> confirmation
```

Publish the minimum enterprise trust package

Corporate buyers will not invite IT, legal or leadership into a product review until the site explains ownership, data handling, access and support.

Control	Required implementation
Transport and headers	HTTPS, HSTS, CSP, frame-ancestors, nosniff, Referrer-Policy and Permissions-Policy.
Forms	Server-side schema validation, bot and abuse controls, rate limits and neutral error messages.
Data handling	Purpose, collection, sub-processors, retention, deletion, location and customer responsibility.
Authentication	Production consoles use SSO or strong authentication, session expiry and role-based access.
Legal pages	Privacy, Terms, Security, Cookie choices and Contact are linked in the footer.
Claims	No compliance badge, client logo or outcome claim appears without internal evidence and approval.

Recommended public trust pages

- /security
- /privacy
- /terms
- /subprocessors when applicable
- /responsible-ai or an equivalent section within Security
- /contact

Correct production metadata and create page-specific discovery signals

The current canonical URL, Open Graph URL and social image point to the Vercel domain. Replace these values at the metadata source and test the rendered HTML for every route.

Item	Acceptance condition
Canonical	Absolute https://www.ideoralabs.com URL matching the final route.
Title	Unique, readable and approximately 50 to 60 characters.
Description	Unique summary that names the product, workflow and audience.
Open Graph	Correct URL, title, description and 1200 x 630 branded image.
Twitter	summary_large_image with the same production-safe asset.
Sitemap	Only canonical 200 routes; lastmod from CMS publish time.
Robots	Allow production; block preview and non-production environments.
Structured data	Organization, Product or Service, BreadcrumbList, Article and visible FAQ where valid.

```
export const metadata = {  
  metadataBase: new URL('https://www.ideoralabs.com'),  
  alternates: { canonical: '/products/ideora-health' },  
  openGraph: { url: '/products/ideora-health', images: ['/og/ideora-health.jpg'] }  
}
```

Measure the buyer journey not only page views

Every conversion event must carry product and industry context into analytics and the CRM. Management should be able to see which product, proof asset and source generated a qualified meeting.

Event	Trigger	Required properties
product_view	Product page becomes visible	product, industry, page_path
demo_start	Video or simulator starts	product, demo_type, cta_location
demo_complete	90 percent video or final simulator state	product, duration_or_steps
case_study_view	Case study opens	industry, product, case_study
discovery_start	Booking or lead form opens	product, industry, cta_location
discovery_booked	Confirmed booking or CRM success	product, industry, lead_id, source
whatsapp_click	Outbound WhatsApp link	product, industry, cta_location
form_error	Client or server validation fails	form_id, field_group, error_type

Data quality rules

- Do not send names, phone numbers, emails, patient details or message bodies to analytics.
- Deduplicate discovery_booked against the CRM lead or meeting ID.
- Store consent state and attribution source in the CRM record.
- Test events in preview and production debug views before launch.

Make the premium design dependable on real devices

Essential information must remain readable and operable for older buyers, keyboard users, reduced-motion users and slow mobile connections.

Area	Release requirement
Accessibility	WCAG 2.2 AA; semantic landmarks; one H1; visible focus; keyboard menus; labelled forms; meaningful alt text.
Motion	Content is visible by default; animation is enhancement only; reduced-motion removes transforms and long transitions.
Touch	Interactive target is at least 44 by 44 CSS pixels with separation from adjacent controls.
Contrast	Body text, muted text, buttons and focus indicators pass contrast requirements in every state.
Performance	Mobile p75 targets: LCP below 2.5 s, INP below 200 ms, CLS below 0.1.
JavaScript	No large animation library for simple reveals; defer chat and scheduling widgets until interaction or idle.

```
@media (prefers-reduced-motion: reduce) {  
  *, *::before, *::after { animation-duration: .01ms !important;  
    animation-iteration-count: 1 !important; transition-duration: .01ms !important; }  
}  
[data-reveal] { opacity: 1; transform: none; }
```

Required test matrix before production release

A successful visual review is not sufficient. The release must pass route, behavior, content, data, accessibility, performance and browser tests.

Test group	Minimum coverage	Pass condition
Routes	All sitemap and legacy URLs	200 or one valid 301; no linked 404
Responsive	390, 768, 1024, 1280, 1440 px	No clipping, overlap or hidden CTA
Browsers	Current Chrome, Safari, Edge; iOS and Android	Core journey completes
Keyboard	Header, menu, demo, forms, footer	Logical order and visible focus
Screen reader	VoiceOver or NVDA core journey	Names, roles and states are announced
Forms	Valid, invalid, duplicate, rate-limited, API failure	Clear recovery and one CRM record
Analytics	Every event and property	Debug view and CRM attribution match
Performance	Home and four product pages	Targets met at mobile p75 or signed exception
SEO	Rendered source and social preview	Correct canonical, OG, structured data and indexability

P0 tickets required before outreach

Complete every P0 item before sending cold outreach, starting campaigns or asking enterprise buyers to evaluate the company.

ID	Ticket	Owner	Acceptance
WEB-001	Implement or redirect all 13 exposed routes	Development	All route tests pass
WEB-002	Replace desktop and mobile navigation	Frontend and QA	Mouse, touch, keyboard and screen reader pass
WEB-003	Rebuild hero with approved category copy and CTA	Frontend and Content	Copy and responsive visual match specification
WEB-004	Publish Products index and four product destinations	Product, Content, Frontend	All pages complete or unpublished
WEB-005	Publish Health and Auto full product journeys	Product and Development	Demo, proof, CTA and metadata live
WEB-006	Fix canonical, Open Graph and production images	Development	Rendered source uses production domain
WEB-007	Remove blank reveal dependency	Frontend	Essential sections visible in one second without JS
WEB-008	Add custom 404, monitoring and link-check CI	Development	Broken-link test blocks deployment

P1 and P2 tickets for proof trust and scale

Begin these tickets after the P0 route and product journey release is stable.

Priority	ID	Ticket	Owner
P1	WEB-101	Record and publish four product demos	Product and Content
P1	WEB-102	Publish three approved case studies	Business and Client Success
P1	WEB-103	Launch Security Privacy Terms and consent	Legal and Development
P1	WEB-104	Implement analytics events and CRM attribution	Growth and Development
P1	WEB-105	Add CMS models and editorial workflow	Content and Development
P2	WEB-201	Complete WCAG 2.2 AA audit and remediation	Accessibility and QA
P2	WEB-202	Optimise Core Web Vitals on mobile	Frontend
P2	WEB-203	Add visual regression and cross-browser CI	QA
P2	WEB-204	Run product-page conversion experiments	Growth and Product

Sequence rule

- Proof and paid acquisition must not start before the Product pages and P0 reliability work are complete.
- Experiments must not override accessibility, truthful claims or a stable product architecture.

Thirty sixty and ninety day implementation sequence

A staged release can repair trust quickly, publish the launch products, and then add proof and scale without delaying the first production improvement.

Window	Focus	Deliverables
Days 1-30	Foundation	Final IA, route repairs, navigation, design tokens, hero, product index, metadata, error monitoring and analytics foundation.
Days 31-60	Launch products	Ideora Health and Ideora Auto pages, demos, integrations, lead capture, CRM attribution, Security and Privacy.
Days 61-90	Proof and scale	Ideora Property, Operations Console, three case studies, CMS workflow, accessibility audit, performance tuning and regression tests.

Weekly delivery rhythm

1. Monday: confirm ticket acceptance criteria and content dependencies.
2. Mid-week: deploy a working preview and record design or integration deviations.
3. Friday: business, product and QA review the preview against the acceptance criteria.
4. Release only when route, content, analytics and responsive checks pass together.

The website is complete when management can buy the idea without interpretation

The release is done when a clinic owner, dealer head, real-estate director or operations leader can identify the correct product, understand the workflow, inspect evidence and book a relevant next step without a salesperson first explaining the website.

Release dimension	Definition of done
Business clarity	The first screen names custom AI automation, relevant industries, the operating outcome and the next actions.
Product clarity	Four product choices are visible, distinct and linked to complete pages.
Reliability	No visible route returns 404; menus work across mouse, touch, keyboard and screen reader.
Proof	Every launched product has a demo; each launch industry has an evidence-led case study or an explicitly labelled pilot status.
Trust	Security, privacy, data handling, company and contact information are discoverable.
Measurement	Product interest, demo engagement and booked discovery calls are attributed into analytics and CRM.
Quality	Responsive, accessibility, performance and production monitoring tests pass.

Final release gate

- **Before outreach.** Repair routes, publish the priority product pages, show the workflow and add trust evidence.
- **Expected buyer response.** “I know which product fits my operation, I understand how it works, and I can book the right next step.”