
INTERNAL — CONFIDENTIAL

AthlasX Pathway Platform

Market Position, Product Direction
& Platform Workflows

Version 1.0

Date July 2026

Scope Academy → District → State

AthlasX is a talent-intelligence layer for the Indian cricket progression ladder. It is sold to the institutions that already run selection — District Cricket Associations and State Cricket Boards — and used by players, coaches and selection panels inside those institutions. This document establishes the market structure, the competitive position, the wedge product, and the operational workflows of the web application.

Market Position, Product Direction & Platform Workflows

Version 1.0 · July 2026 · Internal — Confidential

AthlasX is a talent-intelligence layer for the Indian cricket progression ladder: **Academy** → **District** → **State**. It is sold to the institutions that already run selection — District Cricket Associations and State Cricket Boards — and it is used by players, coaches and selection panels inside those institutions.

This document establishes the market structure we are building against, the competitive position we occupy, the wedge we lead with, and the operational workflows of the web application.

Contents

1. Executive summary
 2. Market structure
 3. Competitive landscape
 4. Strategic direction
 5. Platform roles
 6. Workflows
 7. Core entities
 8. Phasing
 9. Validation backlog
 10. Sources
-

1. Executive summary

Indian cricket's progression ladder is **institutionally governed, not scout-governed**. A player moves from academy to district to state by performing in structured tournaments and trials that are run, judged and recorded by District Cricket Associations and State Cricket Boards. Independent scouts exist, but they operate opportunistically on top of that ladder — they do not control entry to it.

This makes the buyer institutional. The associations already run the entire selection apparatus: registration, trials, squad selection, tournaments. What they do not have is **memory**. Every trial cycle evaluates thousands of players and retains almost nothing about the ones not selected. Every tournament generates performance data that is scored, published, and then functionally lost as an input to the next selection decision.

AthlasX sells memory and decision-support to the institution that already owns the decision.

The entry product is deliberately narrow: a **pre-camp dossier** — a one-page, evidence-backed profile for every registered trialist, generated before a selection camp from the association's own historical records. It is cheap for the association (they already collect the registrations), immediately useful to the panel (they currently walk in cold), and it creates the permanent player record that everything else in the platform is built on.

Three constraints shape the plan and are treated as first-class throughout:

- **The scoring layer is already occupied.** CricHeroes partners with 23+ BCCI state associations for official scoring and ships white-labelled association apps. We do not compete for ball-by-ball capture. We consume it.
 - **The selection layer is politically sensitive.** Making "who performed" legible against "who was picked" is valuable to a clean committee and threatening to a captured one. Audit features are configurable, never mandatory.
 - **Two funded-looking startups and two institutional programmes are moving on adjacent ground.** Our defensibility is the association relationship and the longitudinal record, not the analytics.
-

2. Market structure

2.1 The progression ladder

The pathway from club cricket to state representation runs through a formal, multi-stage funnel operated by the state association and its affiliated districts. Uttar Pradesh is the reference implementation studied here:

Stage	Operator	What happens
Registration	State association, routed to DCA by pincode	Online registration, fee payable, residency and DOB windows enforced
District trials	District Cricket Association	~100–120 players selected per district, per age category
Inter-district matches	DCA / zone	Selected players grouped into teams, play 2–3 matches
Inter-zonal	State association	Top performers advance from across the state
Final trials	State association	Concentrated at a central venue (Kanpur, for UPCA)
Final shortlist	Selection committee	~120 players statewide per category → top 30
Squad	Selection committee	Final team composition

Key characteristics:

- **Registration is gated, paid and digital.** UPCA runs online registration at a dedicated portal with a ₹400 fee, one registration per mobile number, mandatory UP residency, and hard date-of-birth windows per age category (U14, U15 women, U16, U19, U23). The 2026–27 cycle opened 10 January 2026 with trials in March.
- **Registration is routed through the district by pincode.** The DCA is a structural gatekeeper, not an optional layer.
- **Coverage is incomplete.** Uttar Pradesh has 75 districts; approximately 40 have affiliated cricket associations. A third of the state has no formal district entry point at all.
- **The district tier runs its own competitive product.** Kanpur Cricket Association (founded 1951) operates a franchise-format city league alongside older league competitions, and the largest league in the state fields 83 teams across four groups. This is real, structured, recurring match data.

2.2 The evaluation bottleneck

The funnel above is severe, and the evaluation window per player is correspondingly small. Delhi & District Cricket Association drew **over 3,500 registrations for its phased open bowling trials alone**. UPCA compresses ~100–120 players per district per category down to ~120 statewide, then to 30.

Two consequences follow, and they are the product opportunity:

1. **Selectors decide on very little evidence per player.** A panel evaluating hundreds of aspirants in a day cannot give any individual meaningful time. The decision is made on a first impression, in isolation, with no reference to what the player has done all season.

2. **The evidence is discarded.** A player who is not selected leaves no trace in the system. Next cycle, they arrive as a stranger again. The association pays for the evaluation and keeps none of the output.

Field reporting indicates that unaffiliated players receive materially less evaluation time at open trials than players who already represent a district — on the order of a single over versus three to five. This is consistent with the funnel arithmetic above but is **not independently sourced**. See [§9 Validation backlog](#).

2.3 Where scouting actually happens

Independent scouting exists in Indian cricket but is **unsystematic, network-driven, and invisible to the players being scouted**:

- **BCCI's Talent Resource Development Wing** was established in 2002 under Dilip Vengsarkar and deployed 20 (later up to 30) Talent Resource Development Officers to watch **local junior matches**, rate players on a uniform scale, and report to the National Junior Selection Committee and the NCA. TRDO Prakash Poddar identified MS Dhoni at a Jharkhand match in Jamshedpur in 2003. BCCI approved reviving the TRDO programme at a recent AGM.
- **IPL franchises scout down to district and local-league level.** Mumbai Indians and RCB scouts have been reported tracking the Jharkhand T20 League. Franchise scouting works through personal networks of coaches and ex-cricketers, with recommended video increasingly substituting for in-person viewing.
- **Coverage is acknowledged as fragmented.** Franchise scouts have publicly wished for a single accessible server of recorded domestic matches — the gap is systematic access, not interest.

The operative finding is therefore **not** that scouts are absent. It is that **scouting is opportunistic and undiscoverable**, and that entry to the pathway is nonetheless controlled by association selection committees rather than by scouts. Both facts point to the same buyer.

2.4 The institutional map

The set of gatekeepers is small, known and finite:

- **38 BCCI full members**, holding voting rights. The 2025–26 Ranji Trophy was contested by 38 teams — at least one from each of 28 states and four union territories, plus institutional members Railways and Services.
- **One state does not always mean one association.** Gujarat and Maharashtra have three each. A top-down "convince the state, it mandates its districts" motion works in most states but not universally.
- Below each state association sit its affiliated District Cricket Associations — ~40 in Uttar Pradesh, organised into mandals.

Winning 3–5 state associations gives meaningful coverage and a credible reference base. This is a narrow, enumerable sales motion.

2.5 Evidence confidence

Everything in this section carries an explicit confidence level. Nothing marked *Reported* should appear in an external deck without further verification.

Finding	Confidence	Basis
38 BCCI full members / 38 Ranji teams	Verified	Public BCCI and competition records
UPCA registration is paid, gated, DCA-routed by pincode	Verified	UPCA registration portal and published guidance
UPCA funnel: ~120/district → ~120 state → top 30	Verified	Published UPCA trial guidance
UP: 75 districts, ~40 with affiliated DCAs	Verified	UPCA affiliated-district listings
DDCA drew 3,500+ bowling trial registrants	Verified	Press report
TRDW/TRDO operates at local junior level; revived	Verified	BCCI programme history and AGM reporting
IPL franchise scouts work district/local leagues	Verified	Multiple press and long-form sources
Selection at district/state is committee-governed	Verified	UPCA process documentation
Selection data is politically contested	Verified	Documented corruption and selection-irregularity cases across multiple associations
Open trialists get ~1 over vs 3–5 for district players	Unverified	
Associations will share historical records	Untested	No association conversation on record
Historical records exist in machine-readable form	Untested	Format unknown; see W1

3. Competitive landscape

3.1 CricHeroes — the incumbent data layer

CricHeroes is the operating system for grassroots cricket scoring in India: 40M+ users, 10M+ matches scored. Critically for us, it is **already inside the institutions we are targeting**:

- Official scoring partnerships with **50+ ICC associations and 23+ BCCI state associations**, with a dedicated BCCI-affiliated-members directory.
- **White-labelled per-association applications shipped to production** — Baroda Cricket Association and Odisha Cricket Association both have branded apps built and published by CricHeroes. Assam has used the scoring app since mid-2019.
- Association-level presence in our own reference market: the Uttar Pradesh T20 League has a CricHeroes association page, and Kanpur Cricket Association has a CricHeroes team profile with match history.

Implication. Two things follow, and they define our architecture:

1. **We do not build a scoring product.** Ball-by-ball capture is solved, free, and entrenched. Competing there is a losing fight for the same data.
2. **In many states our "historical records" ask resolves to a platform integration, not a digitisation project.** Before approaching any association, establish whether their data already sits in a structured third-party system. This is faster and better data than scanned scorebooks — but it means the relationship we need may be with the platform as much as the association.

CricHeroes' product DNA is community and capture, monetised through the tournament ecosystem. Ours is institutional decision-support, monetised through the pathway. That distinction is real today. It is not permanent, and we design assuming they could move.

3.2 Direct competitors

Two India-focused startups occupy near-adjacent positions and should be tracked continuously:

ScoutEdge (EdgeSphere Sports Intelligence Pvt Ltd)

- AI-driven talent scouting and video analysis, explicitly positioned as a *decision intelligence system for sports talent discovery*.
- Targets rural and tier-2/3 discovery; claims potential-rating accuracy and access to trials via IPL franchises, state associations and academies.
- Combines match performance with fitness data.
- **Overlap: high.** This is the closest public positioning to our thesis.

QloSport

- "AI-native cricket platform" with five defined roles: **Coach, Academy Owner, Player, Scout, Scorer**.
- Ships academy operations (attendance, fees, batches), a proprietary player rating, cross-academy scout search with rating filters, and ball-by-ball capture at sub-3-second-per-delivery with offline sync.
- Explicitly built around Indian academy operating reality — seasonal batches, cash fees, bilingual interface.

- **Overlap: high on the academy and player tiers; lower on the association tier.**

Adjacent, non-competing: **SportVot** occupies local-match live streaming and production for organisers and associations — a potential content partner rather than a rival.

3.3 Institutional programmes

Two well-resourced non-commercial actors are building overlapping datasets:

- **Khelo India / KIRTI** (Sports Authority of India). A unified national talent identification platform targeting ages 9–18, using AI-based prediction of sporting acumen, layered on the National Sports Talent Search Portal. A tender has been issued for portal development. This is government-funded competition for "national youth athlete database."
- **BCCI player registration**. BCCI operates an online database management system for player registration and issued a tender in 2025 for **player registration verification services**. Identity and age verification — frequently cited as a moat for private platforms — is being centralised by the board itself.

Implication. Do not position verification as the moat. Position it as a feature we consume or mirror. The moat is the association workflow and the longitudinal record.

3.4 Positioning

Layer	Question answered	Owner
Capture	"What happened in this match?"	CricHeroes, association scorers
Broadcast	"Can I watch it?"	SportVot, local streams
Identity	"Is this player who they say they are?"	BCCI registration, association records
Decision	"Who should this committee select, and why?"	AthlasX
Development	"What should this player work on next?"	AthlasX, academy tools

We are the decision layer. We are only defensible there if we are embedded in the selection workflow itself, not sitting beside it as a reporting tool.

4. Strategic direction

4.1 The wedge — the pre-camp dossier

Lead with one artefact, not a platform.

What it is. For every player registered for an association trial or selection camp, a single-page profile delivered to the selection panel *before* the camp: identity and age-category confirmation, historical tournament record where one exists, percentile position against the same age and district cohort, declared strengths, and any player-uploaded footage.

Why the association says yes.

- **Near-zero operational cost.** They already run paid, structured registration. We consume what exists; we do not ask them to run new assessments.
- **Better-informed panels.** The panel currently walks in cold to evaluate hundreds of players in a day. The dossier converts a single over from a cold first impression into confirmation of a known profile.
- **Permanent record.** Every player evaluated is retained, selected or not. The association stops discarding the output of its own process.

Why it is the right wedge commercially. It is small enough to build against a fixed calendar deadline (trial cycles are annual and published), it justifies the historical-data ask without appearing to audit anyone, and it produces the player record on which the rest of the platform depends.

4.2 Sequencing

```
Pre-camp dossier → Permanent trialist record → Historical tournament ingest
  → Selection committee workflow → In-season weekly tracking
  → Academy tier (inbound)
```

Each stage is justified by the previous one and requires no new commitment from the association beyond what the previous stage already established.

4.3 Academy data as a byproduct

Tournament and trial records carry the **academy each player represents**. Ingesting association data therefore produces academy-affiliated player records as a byproduct, at no additional acquisition cost.

This collapses the "serve associations" and "serve academies" strategies into a single sequence rather than a fork. By the time we open an academy-facing product, we already hold historical records for the academies whose players reach district level — and those academies have a reason to come to us rather than be sold to.

4.4 Non-goals

Explicit, so scope stays honest:

- **We do not build ball-by-ball scoring.** Solved and entrenched.
- **We do not build live streaming.** Partner if needed.

- **We do not sell to individual academies in phase 1.** No scout-side buyer exists at that tier to subsidise it, and the sales motion is thousands-wide.
 - **We do not build an independent-scout marketplace in phase 1.** Scouts do not control pathway entry; associations do.
 - **We do not make selection audit mandatory.** It is a configurable capability. Forcing it will lose associations we need.
-

5. Platform roles

Role	Who they are	Primary job on the platform
Player / Guardian	Registered aspirant, academy or district player. Frequently a minor	Claim and own a profile; add footage; track own development
Selection Panel	Association selectors, sitting as a committee	Review dossiers pre-camp; grade at camp; converge on a squad
Coach	District or state squad coach	Run the squad; log sessions and attendance; feed the record
Association	DCA or State Board staff — Hony. Secretary, IT, operations	Onboard data; run trial cycles; approve identity resolution; govern access
AthlasX Ops	Internal	Onboard associations; run ingest; resolve exceptions
Scorer <i>(external)</i>	Association scorer, existing role	Unchanged. Their existing output is our input

Design principle. The selector is a **committee member, not an individual scout**. The workflow must support multiple independent graders, a convergence view, a meeting, and a recorded rationale — not a lone user running searches and building a private watchlist.

Role × phase matrix

Every player record moves left→right through six phases. A cell is **active** (the role acts) or *passive* (the role waits or is acted upon). The output rail names the artefact each phase emits.

Role ▾ / Phase ▸	1 · Ingest	2 · Identity	3 · Enrich	4 · Evaluate	5 · Decide	6 · Track
Association	Hand over records / grant access	Confirm ambiguous merges	Open trial cycle	Run camp, check-in	Publish squad	Govern access
Player	<i>passive</i>	Claim profile via OTP + consent	Upload footage, declare history	Attend trial	<i>passive</i>	View own trend line
Selection Panel	<i>passive</i>	<i>passive</i>	<i>passive</i>	Pre-read dossiers; grade at camp	Independent grade → converge → squad + rationale	Receive form alerts
Coach	<i>passive</i>	<i>passive</i>	<i>passive</i>	<i>passive</i>	Advisory input	Log sessions, attendance, notes

Role ▾ / Phase ►	1 · Ingest	2 · Identity	3 · Enrich	4 · Evaluate	5 · Decide	6 · Track
AthlasX Ops	Run pipeline by source format	Resolve exception queue	passive	Generate pre-camp packs	passive	Monitor trend flags
Output rail	Normalised match & performance rows	Resolved player entities	Enriched profile	Pre-camp dossier	Squad + immutable selection record	Weekly player card


6. Workflows

Legend used throughout:

-  step ·  decision ·  terminal or output artefact
 - solid arrow = required path · **dotted arrow** = optional or parallel
 - **dashed grey node** = parked / later phase · **red node** = stop or withdrawal state
-

W1 · Association onboarding & historical ingest

The gating workflow. Everything downstream depends on it, and its cost is set entirely by one variable: **what form the association's records are already in**.



Notes


- The **P0** decision is the single biggest cost driver in the business. Determine it in the *first* conversation with any association, not after signing.

- If the answer is "already on a scoring platform," the integration is cheap and the data quality is high — but confirm who controls export rights.
 - Association approval at `S4` is what converts ingested rows into *association-verified* records. That verification status is the trust primitive the whole platform trades on.
-

W2 · Player identity resolution & claim

Ingested performance rows refer to people who mostly do not have accounts. The platform must create and maintain **shadow profiles** that exist before any player signs up, then let the real person claim one.

W2 · PLAYER IDENTITY RESOLUTION & CLAIM




Notes

- **A large share of these players are minors.** Guardian consent is a hard gate before activation, and withdrawal must be honoured at any point. This is not an afterthought — it is a precondition of operating at U14/U16 level at all.

- Unclaimed shadow profiles are visible to the association that supplied the data, and not publicly discoverable until claimed and consented.
- The exception queue is deliberately routed to **association staff**, not AtlasX. They know their players; they are the authority on identity; and it keeps our operating cost near zero.

W3 · Trial cycle → pre-camp dossier (core loop)

The wedge product. This is the workflow that must work perfectly before anything else ships.




Notes

- The dossier degrades gracefully. A player with no history still gets a page — identity, age confirmation, declared record, footage. A thin dossier is still better than nothing, and it is the hook that makes the player claim their profile.
 - `REC` is the association-facing value proposition in one node: **the association stops discarding the output of its own evaluation process.**
 - Grading at `V3` must work offline. Trial grounds do not have reliable connectivity, and a panel will not wait for a spinner.
-

W4 · Selection committee

Selection is a **committee act**, and the workflow must reflect that. Independent grading first, convergence second, meeting third, recorded outcome last.

W4 · SELECTION COMMITTEE



Notes


- **Player Quick View** (**qv**) gives each selector a 0–10 skill snapshot (Batting · Bowling) derived from verified match data before they open the grade form. It is read-only context — it does not pre-fill any grade field. The provenance must be shown ("12 verified matches, District level") so the number is trusted, not just accepted.

- **Why only batting and bowling are scored.** A scorecard records these two in depth — runs, balls faced, dismissals, overs, wickets, runs conceded — which is enough signal to defend a 0–10 number. Fielding and wicketkeeping are not recorded at that resolution: a scorecard captures catches, run-outs and stumpings, which are low-frequency, heavily position-dependent, and only attributed when the scorer bothers to. A fielding rating built on three catches across a season is false precision, and presenting it to a selection panel as if it were measurement would undermine the verified-data claim the entire platform trades on. Both stay out of the snapshot until a data source exists that actually measures them — ball-by-ball fielding attribution or video, neither of which comes from an association scorecard. Keeping and fielding remain visible as playing role and as player-uploaded footage; they are simply not scored.
 - **Blind independent grading before convergence** is the single most valuable design choice here. It surfaces genuine disagreement instead of letting the loudest voice anchor the room, and it is a feature a clean committee will actively want.
 - **G8 is deliberately optional and off by default.** Recording rationale for players *not* selected is the highest-value audit feature and the highest-risk sales objection. Make it a switch the association controls. Never ship it on.
 - The immutable record at **G7** is what makes next cycle's dossier richer. Selection history compounds.
-

W5 · In-season weekly tracking

Applies to the selected squad only — 20–30 players. **The design constraint is that this must create no new labour for anyone.**

W5 · IN-SEASON WEEKLY TRACKING



Notes


- W2 is the load-bearing assumption: the scorer's existing output is our input. If weekly tracking requires anyone to do new data entry, it will not survive contact with a real season. Verify per association before promising it.

- Coach input (W4, W5) is **optional enrichment**, not a dependency. The cycle completes without it.
 - **Selector / Scout deep view** (SEL) is on-demand, not pushed. When a flag triggers (W8), the selector is notified — but the depth of insight (which skill dimension is slipping, how long, what the coach noted) is only visible when they actively open a player profile. A flag in a notification tells you *something is off*; the deep view tells you *where and why* — that is the information needed for a meaningful selection conversation.
-

W6 · Player development loop

The player-side product. Free, and the reason players claim profiles — which is what makes the dataset real rather than administrative.

W6 · PLAYER DEVELOPMENT LOOP




Notes

- **Default visibility is association-only.** Broader exposure is opt-in, and scout-tier exposure is adult-only. Given the age profile of this population, this is both the right default and a defensible one.
- **M4** is parked for phase 1 — the franchise-scout tier is the eventual revenue line, not the launch surface.

W7 · Coach

District and state squad coaches. Deliberately thin in phase 1: the coach is a contributor to the record, not the primary customer.

W7 · COACH




Notes

- The coach **advises** selection; they do not decide it. Reflect that in permissions: read access to the pool, write access to their own squad's notes, advisory-only input into W4.

- Everything here already exists conceptually in academy tooling. Do not over-invest in phase 1 — this tier is where the market is most crowded.

W8 · Academy affiliation capture

Runs silently off W1. No academy signs up, no academy is sold to, and the academy dataset accumulates anyway.




Notes

- Academy names arrive as free text and will be messy — abbreviations, Hindi/English variants, branch suffixes. Budget for reconciliation; do not assume clean joins.
- Y9** is a genuinely novel asset: **which academies actually produce district-level players**, evidenced rather than claimed. Nobody currently holds this. It is the reason academies will eventually come inbound.

W9 · Master flow

How the workflows compose. This is the system in one view.



The loop `Z5 → Z6 → Z7 → Z8 → Z10 → Z5` is the compounding engine. Each cycle makes the next cycle's dossiers better, which makes the association more dependent, which makes the data richer. Everything else is scaffolding around that loop.

7. Core entities

Conceptual model. Naming is indicative, not final.

Entity	Key fields	Notes
Association	type (state / district), parent, state, affiliated districts	State $\rightleftharpoons$ district is a hierarchy, not a flat list
Player	canonical identity, DOB, district, claim status, consent status	Exists independently of any user account. Shadow profiles are the default state, not an edge case
User	login, role, linked player or staff record	Optional. Most players in the system will never have one
Academy	name, canonical + variants, district, verification	Populated from free-text ingest; needs a variant table
Tournament	association, season, format, age category, level	Level drives match-quality weighting
Match	tournament, date, teams, venue, source, confidence	Source and confidence travel with every row
Performance	match, player, batting / bowling / fielding lines	The atomic unit. Everything aggregates from here
TrialCycle	association, age category, DOB window, venues, dates	Mirrors the association's real cycle
Registration	trial cycle, player, fee status, documents	The bridge between an aspirant and a record
Dossier	registration, generated_at, contents snapshot	Immutable once issued to a panel
Grade	selector, player, trial cycle, scores, notes	Blind until convergence
Selection	trial cycle, squad, rationale, decided_at	Immutable
PlayerWeek	player, week, aggregated performance, flags	Drives W5

Two structural requirements worth stating explicitly, because they are easy to get wrong and expensive to retrofit:

1. **Player must be decoupled from User.** Bulk ingest creates thousands of players who have never logged in. Any model where performance data hangs off an account cannot ingest association data.
2. **Provenance travels with every row.** Source, ingest method, confidence, and association-approval status must be queryable per performance. Trust is the product; it has to be represented in the data, not asserted in marketing.

8. Phasing

Phase	Scope	Exit criterion
0 • Prove the data	One association, one tournament's historical records, ingested end to end	We know the true P0 cost. Format audit complete
1 • Wedge	W1 + W2 + W3. One trial cycle, one age category, one association	A panel used dossiers at a real camp and would use them again
2 • Decision	W4. Committee grading and selection record	One squad selected through the platform
3 • Retention	W5 + W6 + W7. Weekly tracking of the selected squad; player claim at scale	A full season tracked with no new labour on the association
4 • Expand	Second and third association. W8 surfaces academy production data	Reference-able pilot; inbound academy interest

Phase 0 is not a formality. Until one folder of real association records has been ingested end to end, the central economic assumption of this business is untested.

9. Validation backlog

Open questions, ordered by how much they would change the plan.

1. **Is our target association already on a third-party scoring platform?** Decisive. If yes, the data ask is an integration conversation and possibly a partnership conversation, not a digitisation project. *Blocks: W1 scoping.*
 2. **What form are the historical records actually in?** Get one tournament's raw records from one district association. Everything in §8 Phase 0. *Blocks: costing the entire business.*
 3. **Confirm the trial evaluation-time asymmetry.** The claim that unaffiliated trialists get roughly one over against three to five for district players rests on a single player interview. Verify with two more district players from different districts and one DCA secretary. *Blocks: using it in any pitch.*
 4. **Will an association actually share?** No association conversation is yet on record. Every institutional assumption in this document is currently untested against a real buyer. *Blocks: everything.*
 5. **Who pays, and when?** Working assumption: the association pilot is free in exchange for data, and revenue comes later from state-league and franchise scout access to the district tier. Decide deliberately rather than by drift.
 6. **Does the audit capability help or hurt the sale?** W4/G8 is our highest-value and highest-risk feature. Test the reaction before building it.
 7. **Consent and minors at scale.** A large share of this population is under 18. Establish the guardian-consent and data-retention position properly before ingesting a single record, not after.
-

10. Sources

Institutional structure and pathway

- [Ranji Trophy](#) · [BCCI member associations](#)
- [UPCA trials registration portal](#) · [UPCA affiliated districts](#) · [UPCA trials process guide](#)
- [Kanpur Cricket Association](#) · [Kanpur Premier League](#)
- [DDCA open bowling trials — 3,500+ registrants](#)

Scouting

- [Talent Resource Development Wing](#) · [TRDO programme revival](#)
- [The scouts — The Cricket Monthly](#) · [IPL scouting process — Sharda Ugra](#) · [MI and RCB scouts, Jharkhand T20](#)

Competitive

- [CricHeroes — BCCI affiliated associations](#) · [Baroda CA app](#) · [Odisha CA app](#) · [UP T20 League on CricHeroes](#)
- [ScoutEdge](#) · [ScoutEdge profile — Analytics India Magazine](#) · [QloSport](#) · [SportVot](#)

Institutional programmes

- [Khelo India KIRTI](#) · [KIRTI portal tender — SAI](#)
- [BCCI player registration verification tender](#)

Governance risk

- [The rot in Haryana's district cricket associations — The Caravan](#) · [HCA U-19 selection charges](#)