


ATI
ATI-PRODUCTS & SERVICES
No suprises
from above
Xsafe Catch Fan
EN 1263-1
Comprehensively
tested & certified

No surprises from above.
Xsafe Catch Fan

Xsafe Catch Fan is the state-of-the-art catch fan system for full protection against falling objects on construction sites. The system is certified to EN 1263-1 and enables easy assembly and quick repositioning in all project phases. With its triple-layer net, it can catch large objects as well as small pieces of debris.






1. Easy-lock system

- Reduced crane time due to pre-installation of floor shoes.
- Faster installation of catch fan units due to the easy-locking mechanism and the intermittent net suspension on horizontal tubes.



2. Quick-folding mechanism

- Time-saving thanks to the innovative 2-in-1 folding mechanism which automatically disengages the wind locks from above.
- Quick and easy folding to secure the Xsafe Catch Fan against the effects of adverse weather conditions.



3. Triple-Layer-Net

- The 60x60 mm net is the main net to catch heavy objects.
- The 20x20 mm net is the secondary net and catches medium sized objects like gravel or stones.
- The fine-meshed debris net catches small objects such as nuts and bolts.

4. Universal vertical support

- Height-independent vertical extension enables use without adjustments up to 4.20 m floor height.
- Incrementally adjustable supporting bracket, suitable for all slab thicknesses up to 40 cm.

Extra-wide units


- For additional safety where objects could fall past standard units.
- All features and applications displayed also apply to the Extra-wide units.

The extension of the extra-wide unit is not compliant with EN 1263-1.



Corner Unit

- Easy installation due to the easy-lock system.
- Quick repositioning through the folding mechanism.
- Fully EN 1263 compliant.



EN 1263-1 does not specify whether the nets are used as person or material catch fans, however Doka's position on this is that they are purely for material catching purposes as it is Doka's firm belief that every person on site should at all times be protected from falling off a slab edge.

ATI

ATI-PRODUCTS & SERVICES

www.ati-constructionproducts.com

sales@ati-constuctionproducts.com

(888) 949-3199

facebook.com/dokacom youtube.com/doka linkedin.com/groups/13590836 instagram.com/doka_international

Doka GmbH | Josef Umdasch Platz 1 | 3300 Amstetten | Austria | **T** +43 7472 605-0 | **F** +43 7472 64430 | info@doka.com | **www.doka.com**

09/2023 en-GB. We reserve the right to make alterations in the interests of technical progress.