
Rust kernels, before (pale) and after (solid): 300/200 iterations, best of 3 runs
lejepa fp32
lejepa int8
lejepa q4
t_jepa fp32
t_jepa int8
t_jepa q4
ts_jepa fp32
ts_jepa int8
ts_jepa q4
cf_jepa fp32
cf_jepa int8
cf_jepa q4
sigreg fp32
sigreg int8
sigreg q4
x5.9
x3.1
x6.0
x3.0
x6.0
x3.0
x4.9
x3.1
x4.8
x3.1
x4.9
x3.1
x6.1
x2.9
x6.3
x2.9
x6.2
x2.9
x7.0
x2.9
x6.7
x2.9
x6.6
x2.9
x4.8
x4.0
this machine (i5-1135G7)
wave-router (Celeron J3455)
before (pre-optimisation kernel)
after
median latency per inference (ms, log scale)
The edge part is ~2 orders slower than the router
this machine after
0.75 ms
wave-router after
2.90 ms
this machine before
4.50 ms
wave-router before
8.79 ms
ESP32-D0WD-V3 flash-mapped (240 MHz) deployed
636.68 ms
ESP32-D0WD-V3 flash-mapped (160 MHz) deployed
888.48 ms
median latency, lejepa int8 (ms, log sca