

Aim: Write JavaScript code for:


- a. Demonstrating different JavaScript Objects such as String, RegExp, Math, Date.**
- b. Demonstrating different JavaScript Objects such as Window, Navigator, History, Location, Document.**
- c. Storing and Retrieving Cookies.**

1. JavaScript object i.e Window.

CODE:


```
<!DOCTYPE html>
<html>
<head>
<title>Demo of Window</title>
<script>
  function demoWindow(){
    alert("Hi, Hello!");
    let age = prompt("Enter age: ");
    let cR = confirm("Are you sure about this?");
    alert("Your age: " + age + "\nConfirmation: " + cR);
  }
</script>
</head>
<body>
<form>
  <input type = "button" value = "Demo Widow Class" onclick = "demoWindow()"><br>
</form>
</body>
</html>
```

OUTPUT:



2.JavaScript object i.e History.**CODE:**

```
<!DOCTYPE html>
<html>
<head>
<title>Demo of History</title>
<script>
  function demoHistory() {
    alert("History Length (No. of pages visited in this tab): " + window.history.length);
    alert("window.history.back() •Goes to previous page");
    alert("window.history.forward() • Goes to next page");
    alert("window.history.go(0) • Reloads the page");
  }
</script>
</head>
<body>
<form>
  <input type = "button" value = "Demo History" onclick = "demoHistory()"><br>
</form>
  <a href="https://hianime.sx/watch/gachiakuta-19785?ep=141674"> Watch
Gachiakuta</a><br>
  <a href="https://hianime.sx/watch/kaiju-no-8-season-2-19792">Watch Kaiju No. 8</a><br>
  <a href="https://hianime.sx/watch/dan-da-dan-season-2-19793?ep=141568">Watch Dan Da
Dan</a><br>
</body>
</html>
```

OUTPUT:

3.JavaScript object i.e Location.**CODE:**

```
<!DOCTYPE html>
<html>
<head>
<title>Demo of Location</title>
<script>
    function demoLocation() {
        alert("Full URL: " + location.href);
        alert("Host: " + location.host);
        alert("Port: " + location.port);
        alert("Protocol: " + location.protocol);
        alert("Pathname: " + location.pathname);
        alert("If uncommented, window.location.assign('profile.html') will navigate to profile.html");
    }
</script>
</head>
<body>
<form>
    <input type = "button" value = "Demo Location" onclick = "demoLocation()"><br>
</form>
</body>
</html>
```


OUTPUT:**4.JavaScript object i.e Document.****CODE:**

```
<!DOCTYPE html>
<html>
<head>
<title>Demo of Document</title>
<script>
    function demoDocument(){
        let c = "I am Atomic!";
        document.open();
        document.write(c);
    }
</script>
```

```

    document.close();
  }
</script>
</head>
<body>
<form>
  <input type = "button" value = "Demo Document" onclick = "demoDocument()"><br>
</form>
</body>
</html>

```

OUTPUT:

I am Atomic!

5.JavaScript Objects such as String, RegExp, Math, Date.**CODE:**

```

<!DOCTYPE html>
<html>
<head>
<title><center><h3>Demo of Function in HTML</h3></center></title>
<script>
  function demoString(){
    var s = "I am Atomic";
    var v1 = "Upper Conversion: " + s.toUpperCase();
    var v2 = "'A' index number is " + s.indexOf("A");
    var v3 = "Length: " + s.length;
    alert(s + "\n" + v1 + "\n" + v2 + "\n" + v3);
  }
  function demoMath(){
    var m1 = "Absolute value of -55.55: " + Math.abs(-55.55);
    var m2 = "Square root of 5: " + Math.sqrt(5);
    var m3 = "Power of 25: " + Math.pow(25,3);
    alert(m1 + "\n" + m2 + "\n" + m3);
  }
  function demoDate(){
    var d1 = "Current date: " + new Date().getDate();
    var d2 = "Current hour: " + new Date().getHours();
    var d3 = "Current minute: " + new Date().getMinutes();
    alert(d1 + "\n" + d2 + "\n" + d3);
  }
  function demoRegular(){
    var str = "Hi! Myself Atomic from Eminence in Shadow";
    var p1 = /Atomic/i;
    var p2 = /[i]/g;
    var p3 = /(Hi|Hello)/g;
    var t1 = "Case-insensitive search for 'Atomic': " + str.match(p1);
  }

```

```
var t2 = "Global search for the character 'i': " + str.match(p2);
var t3 = "Global search for 'Hi' or 'Hello': " + str.match(p3);
alert(t1 + "\n" + t2 + "\n" + t3);
}
</script>
</head>
<body>
<form>
  <input type="button" value = "Demo of String Class" onclick = "demoString()"><br><br>
  <input type="button" value = "Demo of Math Module" onclick = "demoMath()"><br><br>
  <input type="button" value = "Demo of Date Module" onclick = "demoDate()"><br><br>
  <input type="button" value = "Demo of Regression Module" onclick =
"demoRegular()"><br><br>
</form>
</body>
</html>
```

OUTPUT:

File C:/Users/ROHIT/OneDrive/Desktop/Web%20Development/Web%20Programs/Practical-5.html

Demo of Function in HTML

Demo of String Class
Demo of Math Module
Demo of Date Module
Demo of Regression Module

This page says
Absolute value of -55.55: 55.55
Square root of 5: 2.23606797749979
Power of 25: 15625
OK

This page says
I am Atomic
Upper Conversion: I AM ATOMIC
'A' index number is 5
Length: 11
OK

This page says
Current date: 4
Current hour: 16
Current minute: 36
OK

This page says
Case-insensitive search for 'Atomic': Atomic
Global search for the character 'i': i,i,i
Global search for 'Hi' or 'Hello': Hi
OK