


Aim:**A. Create a TestNGTestCase and test it using annotations attribute.****CODE:**

```
import static org.testng.Assert.*;
import org.testng.annotations.AfterClass;
import org.testng.annotations.AfterMethod;
import org.testng.annotations.BeforeClass;
import org.testng.annotations.BeforeMethod;
import org.testng.annotations.Test;
public class FirstTestCaseOfNG {
    public FirstTestCaseOfNG() {
    }
    @Test(priority = 1)
    public void t1(){
        System.out.println("1st Priority");
    }
    @Test(priority = 2)
    public void t2(){
        System.out.println("2nd Priority");
    }
    @Test(priority = 3)
    public void t3(){
        System.out.println("3rd Priority");
    }
    @Test
    public void t4(){
        System.out.println("Sequence 4th");
    }
    @Test
    public void t5(){
        System.out.println("Sequence 5th");
    }
    @Test(enabled = false)
    public void t6(){
        System.out.println("Got disabled :(");
    }
    @Test(description = "This is the discription attribuite")
    public void t7(){
        System.out.println("Hello!, TestNGCase");
    }
}
```

OUTPUT:**B. Perform a TestNGTestCase with minimal 2 test cases using TestNG attribute CODE:**

```
import static org.testng.Assert.*;
import org.testng.annotations.AfterClass;
import org.testng.annotations.AfterMethod;
import org.testng.annotations.AfterTest;
import org.testng.annotations.BeforeClass;
import org.testng.annotations.BeforeMethod;
import org.testng.annotations.BeforeTest;
import org.testng.annotations.Test;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.firefox.FirefoxDriver;
import org.openqa.selenium.remote.DesiredCapabilities;
import org.testng.Assert;
```

```
public class SecondTestCaseOfNG{
    static String dpath = "geckodriver.exe";
```

```

public static WebDriver driver;
public SecondTestCaseOfNG(){
@BeforeTest()
public void lauchbrowser(){
    System.out.println("Launching firefox browser");
    System.setProperty("webdriver.gecko.driver", dpath);
    DesiredCapabilities cap=DesiredCapabilities.firefox();
    cap.setCapability("marionette", true);
    driver=new FirefoxDriver(cap);
    driver.get("https://www.google.com");
    driver.manage().window().maximize();
}
@Test
public void verifyHomePageTitle(){
    String expectedTitle = "Google";
    String actualTitle = driver.getTitle();
    Assert.assertEquals(actualTitle, expectedTitle);
    driver.close();
}
@Test
public void textExist(){
    if(driver.getPageSource().contains("Google"))
        System.out.println("Text is present");
    else
        System.out.println("Test is not present");
}
@AfterTest
public void TerminateBrowser(){
    driver.close();
}
}

```

OUTPUT:

```

Read port: 59803
1767778402663 RemoteAgent
Jan 07, 2026 3:03:24 PM org.
INFO: Detected dialect: W3C
Text is present
1767778406671 Marionette

```

```

Read port: 61426
1767778803446 RemoteAgent
Jan 07, 2026 3:10:04 PM org.op
INFO: Detected dialect: W3C
Text is not present

```



Google

Google Search I'm Feeling Lucky

Google offered in: இந்தியாவில் கிடைக்கக்கூடிய Google-இன் பதிப்புகள்