


AIM: Write and test a program to login to a specific web page.

Java CODE:

```
package set_practical.pkg3;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.firefox.FirefoxDriver;
import org.openqa.selenium.remote.DesiredCapabilities;
public class SET_Practical3 {
    public String dpath = "geckodriver.exe";
    public static WebDriver driver;
    public static void main(String[] args) {
        System.setProperty("webdriver.gecko.driver", "geckodriver.exe");
        DesiredCapabilities cap = DesiredCapabilities.firefox();
        cap.setCapability("marionette", true);
        driver = new FirefoxDriver(cap);
        driver.get("http://localhost/SETP-3/Login.html");
        driver.manage().window().maximize();
        driver.findElement(By.name("uname")).sendKeys("Atomic");
        driver.findElement(By.name("upass")).sendKeys("7878");
        driver.findElement(By.name("b1")).click();
    }
}
```

OUTPUT:





HTML CODE:

```
<html>
<title>Login Form</title>
<body>
<form method = "get" action = "regi.php">
Enter Name: <input type= "textbox" name = "uname"><br><br>
Enter Password: <input type = "password" name = "upass"><br><br>
<input type = "submit" name = "b1" value = "Done">
</form>
</body>
</html>
```

PHP CODE:

```
<?php
$user = $_GET["uname"];
$pass = $_GET["upass"];
if($user == "Atomic" && $pass == "7878"){
    echo "Welcome!, Mr. Atomic";
}
else{
    echo "Login Failed!!";
}
```


```
}
?>
OUTPUT:
```



Enter Name:

Enter Password:


Done



Enter Name:

Enter Password:

Done



Welcome!, Mr. Atomic