

# Dynare2TeX, Version 1.1\*

Hossein Tavakolian <sup>†</sup>

Allameh Tabataba'i University and Monetary and Banking Research  
Institute, Central Bank of Iran  
Pedram Davoudi <sup>‡</sup>  
Monetary and Banking Research Institute, Central Bank of Iran

October 11, 2022

## Abstract

Dynare is a useful tools in analyzing Dynamic Stochastic General Equilibrium (DSGE) models. This software contains different capabilities in manipulating DSGE models. Dynare gives its plot outputs as different formats which are available in MATLAB. However, Dynare have no option for comparing the Impulse Response Functions of different `*.mod` files. Dynare2TeX helps users to compare the IRFs of different `*.mod` files and gives the results in the formats which are supported by MATLAB and new formats of `*.tex` and `*.tikz`. These two last formats are useful when the results are to be used in  $\text{\LaTeX}$ . They are also small files, the user can easily use them in her `*.tex` file and have high quality plots in her paper. To do this, Dynare2TeX uses a very useful toolbox, `matlab2tikz` which is available on MathWorks.

## 1 Getting started

Dynare2TeX in its first version includes 2 mfiles: `IRF_plots.m` is the main function and `IRF_plots_manager.m` is a handler. For simple use it is just enough to change the inputs of `IRF_plot_manager.m` and run it.

## 2 IRF\_\_plots

`IRF_plots.m` function runs some different dynare `FILENAME.mod` files and plots their IRFs so that one can easily compare them. The function inputs can be both `FILENAME.mod` and `FILENAME_results.mat` files where

---

\*Any comments or suggestions are highly welcome.

<sup>†</sup>hossein.tavakolian@atu.ac.ir

<sup>‡</sup>pedram.davoudi@gmail.com

FILENAME is the name of \*.mod specified by user. Indeed, when the inputs are FILENAME.mod, the function runs Dynare first for all \*.mod files, then removes all extra files and directories made by Dynare and keeps just FILENAME\_results.mat files of all models. In the next step, the function extracts the information it needs to make a joint plot of models' IRFs which user wants to compare. IRF\_plots.m then uses matlab2tikz toolbox to convert MATLAB plots to \*.tex or \*.tikz formats or save the plots in other format specified by user. To Run this code, FILENAME.mod and FILENAME\_results.mat files should be in the same directory of the function.

The arguments of IRF\_plots.m are Path, Mfile, VList, SList, Tmod, Image\_Format, ReScale, Row, Column, irf\_duration.

## 2.1 Path

Path is the path where the output is saved. The default Path is

```
Path= 'Comp '
```

All the plot formats and \*.tex files will be saved in this directory. It should be noted that the files and directories in this folder will be deleted in every run of the IRF\_plot\_manager.m.

## 2.2 Mfile

Mfile: a cell that in each elements determine The .mod or .mat files The mat file must be Dynare results and should be in the same folder of this function. For new cases just follow the pattern Mfile{#}='New.mod(mat)'; If the Mfiles are \*.mod files, using nograph, noprint and graph\_format=none in \*.mod files are highly recommended to speed up the code.

## 2.3 VList

VList{i} is a cell that in each model determines the IRF of which endogenous variable(s) to be drawn. The Vlist{i} includes the endogenous variables in the Mfile{i}. The order of variables is important for cross \*.mod files. To plot the IRF of all variables just leave it empty.

**CAUTION:** In the last case ensure that all variables have the same order in all mod (mat) files.

If the IRFs of just some variables are of interest, variable names are just needed in the first VList{i} and @ sign can be used in the others. For example, if just y, pi and i are the preferred endogenous variables, the following format is needed:

```
VList{1}='x pi i';
VList{2}='@';
```

## 2.4 SList

**SList** is a cell which determines the IRFs with respect to which shocks to be drawn. The **SList{i}** includes the shocks in the **Mfile{i}**. To plot IRFs with respect to all shocks, just leave **SList** empty.

**CAUTION:** The order of shocks in **SList{i}** is important for cross **\*.mod** files.

Use @ sign instead of repeating shock names in the remaining **SLists{i}**. For example, if just **e\_i** and **e\_pi** are the preferred endogenous variables, the following format is needed:

```
VList{1}='e_pi';
VList{2}='@';
```

## 2.5 Tmod

**Tmod** is a cell that in each elements determines corresponding title of **\*.mod** files. For instance, if the **\*.mod** files are **New\_Keynesian\_Discretionary.mod**, **New\_Keynesian.mod** and **New\_Keynesian\_Optimal\_Policy.mod** and the corresponding name of models are Discretionary Policy, Rule-based Policy and Optimal Policy, then the following commands is needed:

```
Tmod{3}='Optimal Policy';
Tmod{2}='Discretionary Policy';
```

## 2.6 Image\_Format

**Image\_Format** is a cell determining the format of Dynare2TeX outputs. The formats supported by Dynare2TeX are bmp, eps, emf, jpg, pcx, pbm, pdf, pgm, png, ppm, svg, tif1, tif2, tex and tikz. **Image\_Format** also accepts more than one format. For instance, if user needs both eps and tex formats, the following command is needed:

```
Image_Format={'eps'; 'tex'};
```

## 2.7 ReScale

**ReScale** is useful when comparing IRFs with different scales. For example, when the maximum value of an IRF is 0.5 and maximum value of another

IRF is 0.0001, the comparison of two IRFs is not easy in joint plot of them. In this case, `ReScale=1` asks the `IRF_plots.m` function to divide each IRF to its corresponding maximum value. To see the exact scale of the IRFs in plots, use `ReScale=0`.

## 2.8 Page Setting

The final output of Dynare2TeX is a pdf file of all plots. The user can determine the number of rows and columns of plots in each page. The commands are `Column` and `Row`.

`Column` indicates the number of columns in each page. If `nan`, it would be determined automatically. It must also be an integer

`Row` indicates the number of rows in each page. If `nan` it would be determined automatically. It must also be an integer.

## 2.9 irf\_duration

`irf_duration` determines number of periods on which to plot the IRFs. It is recommended to use a high value of `irf` command in `*.mod` files so that it can be easily managed here.

# 3 The Outputs

Output folder includes:

1. A series of folders entitled by "Graphs\_ext" where `ext` is format(s) introduced in `Image_Format`,
2. An excell file named "FileGuid.xls" containing name of all figures and corresponding variable and shock names for each `*.mod(mat)` file,
3. A sample `tex` file by the name of "Multi\_ext.tex" that show how to use the outcomes in `LATEX` where `ext` is format(s) introduced in `Image_Format`.

## 4 IRF\_plots\_manager

`IRF_plots_manager.m` file is used to introduce all the arguments of `IRF_plots.m`. All the arguments introduced in section 2 can be managed in this file.

**To have outputs just run `IRF_plots_manager.m`**

## 5 Default examples

There are 3 default `*.mod` files in Dynare2TeX. The examples are based on basic New Keynesian model explained in Walsh (2010), Chapter 8. The 3 examples are

- `New_Keynesian_disc.mod` is NK model with discretionary monetary policy,
- `New_Keynesian_ramsey.mod` is NK model with optimal Ramsey monetary policy.