Model call record

Sasha D. Hafner

September 2020

Calculates emission factors

Check package version.

packageVersion('ALFAM2')

[1] '0.5.1'

Parameter values.

ALFAM2pars02

3

Maj

May

##	int.f0	app.mthd.os.f0	app.rate.ni.f0	man.dm.f0
##	-0.60568338	-1.74351499	-0.01114900	0.39967070
## ma	an.source.pig.f0	app.mthd.cs.f0	int.r1	app.mthd.bc.r1
##	-0.59202858	-7.63373787	-0.93921516	0.79352480
##	man.dm.r1	air.temp.r1	wind.2m.r1	app.mthd.ts.r1
##	-0.13988189	0.07354268	0.15026720	-0.45907135
## t:	s.cereal.hght.r1	$\mathtt{man.ph.r1}$	int.r2	rain.rate.r2
##	-0.24471238	0.66500000	-1.79918546	0.39402156
##	int.r3	app.mthd.bc.r3	app.mthd.cs.r3	man.ph.r3
##	-3.22841225	0.56153956	-0.66647417	0.23800000
## i	ncorp.shallow.f4	<pre>incorp.shallow.r3</pre>	incorp.deep.f4	incorp.deep.r3
##	-0.96496655	-0.58052689	-3.69494954	-1.26569562
dat				
##	ann timing dk	app.timing air.temp	wind Om rain rate	app.mthd
## 1	Marts		4.02500 0.09	
## 2			3.91000 0.09	Trailing hose
## 2	April	April 8.500	3.91000 0.09	Trailing hose

12.400 3.56500

Trailing hose

0.09

##	4	Sommer	Summer	16.867	3.18167	0.09	Trailing hose
##	5	Efterår	Autumn	14.600	3.45000	0.09	Trailing hose
##	6	Marts	March	4.900	4.02500	0.09	Trailing hose
##	7	April	April	8.500	3.91000	0.09	Trailing hose
##	8	Maj	May	12.400	3.56500	0.09	Trailing hose
##	9	Sommer	Summer	16.867	3.18167	0.09	Trailing hose
##	10	Efterår	Autumn	14.600	3.45000	0.09	Trailing hose
##	11	Marts	March	4.900	4.02500	0.09	Trailing hose
##	12	April	April	8.500	3.91000	0.09	Trailing hose
##	13	Maj	May	12.400	3.56500	0.09	Trailing hose
##	14	Sommer	Summer	16.867	3.18167	0.09	Trailing hose
##	15	Efterår	Autumn	14.600	3.45000	0.09	Trailing hose
##	16	Marts	March	4.900	4.02500	0.09	Open slot injection
##	17	April	April	8.500	3.91000	0.09	Open slot injection
##	18	Maj	May	12.400	3.56500	0.09	Open slot injection
##	19	Sommer	Summer	16.867	3.18167	0.09	Open slot injection
##	20	Efterår	Autumn	14.600	3.45000	0.09	Open slot injection
##	21	Marts	March	4.900	4.02500	0.09	Closed slot injection
##	22	April	April	8.500	3.91000	0.09	Closed slot injection
##	23	Maj	May	12.400	3.56500	0.09	Closed slot injection
##	24	Sommer	Summer	16.867	3.18167	0.09	Closed slot injection
##	25	Efterår	Autumn	14.600	3.45000	0.09	Closed slot injection
##	26	Marts	March	4.900	4.02500	0.09	Trailing hose
##	27	April	April	8.500	3.91000	0.09	Trailing hose
##	28	Maj	May	12.400	3.56500	0.09	Trailing hose
##	29	Sommer	Summer	16.867	3.18167	0.09	Trailing hose
##	30	Efterår	Autumn	14.600	3.45000	0.09	Trailing hose
##	31	Marts	March	4.900	4.02500	0.09	Trailing hose
##	32	April	April	8.500	3.91000	0.09	Trailing hose
##	33	Maj	May		3.56500	0.09	Trailing hose
##	34	Sommer	Summer	16.867	3.18167	0.09	Trailing hose
##	35	Efterår	Autumn	14.600	3.45000	0.09	Trailing hose
##	36	Marts	March	4.900	4.02500	0.09	Trailing hose
##	37	April	April	8.500	3.91000	0.09	Trailing hose
##	38	Maj	May	12.400	3.56500	0.09	Trailing hose
##	39	Sommer	Summer	16.867	3.18167	0.09	Trailing hose
##	40	Efterår	Autumn	14.600	3.45000	0.09	Trailing hose
##	41	Marts	March		4.02500	0.09	Open slot injection
##	42	April	April	8.500	3.91000	0.09	Open slot injection

##	43	Maj	May	12.400	3.56500	0.09	Open	slot injection
##	44	Sommer	Summer	16.867	3.18167	0.09	-	slot injection
##	45	Efterår	Autumn	14.600	3.45000	0.09		slot injection
##	46	Marts	March	4.900	4.02500	0.09	Closed	slot injection
##	47	April	April	8.500	3.91000	0.09	Closed	slot injection
##	48	Maj	May	12.400	3.56500	0.09	Closed	slot injection
##	49	Sommer	Summer	16.867	3.18167	0.09	${\tt Closed}$	slot injection
##	50	Efterår	Autumn	14.600	3.45000	0.09	${\tt Closed}$	slot injection
##	51	Marts	March	4.900	4.02500	0.09		Trailing hose
##	52	April	April	8.500	3.91000	0.09		Trailing hose
##	53	Maj	May	12.400	3.56500	0.09		Trailing hose
##	54	Sommer	Summer	16.867	3.18167	0.09		Trailing hose
##	55	Efterår	Autumn	14.600	3.45000	0.09		Trailing hose
##	56	Marts	March	4.900	4.02500	0.09		Trailing hose
##	57	April	April		3.91000	0.09		Trailing hose
##	58	Maj	May		3.56500	0.09		Trailing hose
##	59	Sommer	Summer	16.867	3.18167	0.09		Trailing hose
##	60	Efterår	Autumn		3.45000	0.09		Trailing hose
##		Marts	March		4.02500	0.09		Trailing hose
##		April	April		3.91000	0.09		Trailing hose
##		Maj	May		3.56500	0.09		Trailing hose
##	64	Sommer	Summer		3.18167	0.09		Trailing hose
	65	Efterår	Autumn		3.45000	0.09	_	Trailing hose
##		Marts	March		4.02500	0.09	_	slot injection
##	•	April	April		3.91000	0.09	-	slot injection
##	68	Maj	May		3.56500	0.09	-	slot injection
##	69	Sommer	Summer		3.18167	0.09	_	slot injection
	70	Efterår	Autumn		3.45000	0.09	-	slot injection
##	. –	Marts	March		4.02500			slot injection
##	. –	April	April		3.91000			slot injection
##		Maj	May		3.56500			slot injection
##		Sommer	Summer		3.18167			slot injection
	75 76	Efterår	Autumn		3.45000		Closed	slot injection
	76	Marts	March		4.02500	0.09		Trailing hose
	77	April	April		3.91000	0.09		Trailing hose
##		Maj	May		3.56500	0.09		Trailing hose
	79	Sommer	Summer		3.18167	0.09		Trailing hose
	80	Efterår	Autumn		3.45000	0.09		Trailing hose
##	ΩI	Marts	March	4.900	4.02500	0.09		Trailing hose

##	82		April	April	8.500	3.91000	0.09	Trai	ling hose
##	83		Maj	May	12.400	3.56500	0.09	Trai	ling hose
##	84	5	Sommer	Summer	16.867	3.18167	0.09	Trai	ling hose
##	85	Ef	fterår	Autumn	14.600	3.45000	0.09	Trai	ling hose
##	86		Marts	March	4.900	4.02500	0.09	Trai	ling hose
##	87		April	April	8.500	3.91000	0.09	Trai	ling hose
##	88		Maj	May		3.56500	0.09		ling hose
##	89	Ş	Sommer	Summer	16.867	3.18167	0.09	Trai	ling hose
##	90	Ef	fterår	Autumn	14.600	3.45000	0.09	Trai	ling hose
##		incorp		app.rate	.ni	man.name	${\tt man.source}$		$\mathtt{man.dm}$
##	_	None	NA		30	Svinegylle	_	FALSE	3.9
##	2	None	NA		30	Svinegylle	_	FALSE	3.9
##	3	None	NA		30	Svinegylle	_	FALSE	3.9
	4	None	NA		30	Svinegylle	_	FALSE	3.9
	5	None	NA		30	Svinegylle	_	FALSE	3.9
	6	Shallow	4		30	Svinegylle	_	FALSE	3.9
	7	Shallow	4		30	Svinegylle		FALSE	3.9
	8	Shallow	4		30	Svinegylle		FALSE	3.9
##	9	Shallow	4		30	Svinegylle	J	FALSE	3.9
		Shallow	4		30	Svinegylle	_	FALSE	3.9
##		Deep	4		30	Svinegylle	•	FALSE	3.9
	12	Deep	4		30	Svinegylle		FALSE	3.9
	13	Deep	4		30	Svinegylle	_	FALSE	3.9
	14	Deep	4		30	Svinegylle	_	FALSE	3.9
##		Deep	4		30	Svinegylle	_	FALSE	3.9
	16	None	NA		0	Svinegylle		FALSE	3.9
	17	None	NA		0	Svinegylle	_	FALSE	3.9
	18	None	NA		0	Svinegylle	•	FALSE	3.9
	19	None	NA		0	Svinegylle	_	FALSE	3.9
##	20	None	NA		0	Svinegylle	_	FALSE	3.9
##	21	None	NA		0	Svinegylle	_	FALSE	3.9
##	22	None	NA		0	Svinegylle		FALSE	3.9
	23	None	NA		0	Svinegylle		FALSE	3.9
	24	None	NA		0	Svinegylle		FALSE	3.9
##		None	NA		0	Svinegylle	•	FALSE	3.9
##	26	None	NA		30	Kvæggylle	Cattle		6.5
##		None	NA		30	Kvæggylle	Cattle		6.5
	28	None	NA		30	Kvæggylle	Cattle		6.5
##	29	None	NA		30	Kvæggylle	Cattle	FALSE	6.5

##	30	None	NA	30	Kvæ	ggylle	Cattle	FALSE	6.5
##	31	Shallow	4	30	Kvæ	ggylle	Cattle	FALSE	6.5
##	32	Shallow	4	30	Kvæ	ggylle	Cattle	FALSE	6.5
##	33	Shallow	4	30	Kvæg	ggylle	Cattle	FALSE	6.5
##	34	Shallow	4	30	Kvæg	ggylle	Cattle	FALSE	6.5
##	35	Shallow	4	30	Kvæg	ggylle	Cattle	FALSE	6.5
##	36	Deep	4	30	Kvæg	ggylle	Cattle	FALSE	6.5
##	37	Deep	4	30	Kvæg	ggylle	Cattle	FALSE	6.5
	38	Deep	4	30	Kvæg	ggylle	Cattle	FALSE	6.5
	39	Deep	4	30	Kvæ	ggylle	Cattle	FALSE	6.5
##	40	Deep	4	30	Kvæ	ggylle	Cattle		6.5
##	41	None	NA	0	Kvæ	ggylle	Cattle	FALSE	6.5
	42	None	NA	0	Kvæg	ggylle	Cattle		6.5
##	43	None	NA	0		ggylle	Cattle		6.5
##	44	None	NA	0		ggylle	Cattle	FALSE	6.5
	45	None	NA	0		ggylle	Cattle		6.5
	46	None	NA	0		ggylle	Cattle		6.5
	47	None	NA	0		ggylle	Cattle		6.5
	48	None	NA	0		ggylle	Cattle		6.5
	49	None	NA	0		ggylle	Cattle		6.5
	50	None	NA	0		ggylle	Cattle		6.5
	51	None	NA		Afgasset bio		Digestate		5.1
	52	None	NA		Afgasset bio		Digestate		5.1
	53	None	NA		Afgasset bio		Digestate		5.1
	54	None	NA		Afgasset bio		Digestate		5.1
	55	None	NA		Afgasset bio		Digestate		5.1
##		Shallow	4		Afgasset bio		Digestate		5.1
##		Shallow	4		Afgasset bio		Digestate		5.1
		Shallow	4		Afgasset bio		Digestate		5.1
		Shallow	4		Afgasset bio		Digestate		5.1
		Shallow	4		Afgasset bio		Digestate		5.1
	61	Deep	4		Afgasset bio		Digestate		5.1
	62	Deep	4		Afgasset bio		Digestate		5.1
	63	Deep	4		Afgasset bio		Digestate		5.1
	64	Deep	4		Afgasset bio		Digestate		5.1
	65	Deep	4		Afgasset bio		Digestate		5.1
	66	None	NA NA	_	Afgasset bio		Digestate		5.1
	67	None	NA	0	Afgasset bio		Digestate		5.1
##	68	None	NA	0	Afgasset bio	omasse	Digestate	FALSE	5.1

				_						
	69	None	NA		Afgasset		Digestate		5.1	
	70	None	NA		Afgasset		Digestate		5.1	
	71	None	NA		Afgasset		Digestate		5.1	
	72	None	NA	0	Afgasset		Digestate		5.1	
##	73	None	NA	0	Afgasset		Digestate		5.1	
	74	None	NA	0	Afgasset		Digestate		5.1	
	75	None	NA	0	Afgasset		Digestate	FALSE	5.1	
##	76	None	NA	30	St	vinegylle	Pig	TRUE	3.9	
##	77	None	NA	30		inegylle	Pig	TRUE	3.9	
##	78	None	NA	30		vinegylle	Pig	TRUE	3.9	
##	79	None	NA	30		vinegylle	Pig	TRUE	3.9	
##	80	None	NA	30		vinegylle	Pig	TRUE	3.9	
##	81	None	NA	30		Kvæggylle	Cattle	TRUE	6.5	
##	82	None	NA	30	ŀ	Kvæggylle	Cattle	TRUE	6.5	
##	83	None	NA	30	ŀ	Kvæggylle	Cattle	TRUE	6.5	
##	84	None	NA	30	F	Kvæggylle	Cattle	TRUE	6.5	
##	85	None	NA	30	F	Kvæggylle	Cattle	TRUE	6.5	
##	86	None	NA	30	Afgasset	${\tt biomasse}$	Digestate	TRUE	5.1	
##	87	None	NA	30	Afgasset	${\tt biomasse}$	Digestate	TRUE	5.1	
##	88	None	NA	30	Afgasset	${\tt biomasse}$	Digestate	TRUE	5.1	
##	89	None	NA	30	Afgasset	${\tt biomasse}$	Digestate	TRUE	5.1	
##	90	None	NA	30	Afgasset	${\tt biomasse}$	Digestate	TRUE	5.1	
##		man.ph man	n.source.pig app	o.mtl	hd.os app	mthd.cs	incorp.deep	incorp	.shallow	ct
##	1	7.20	TRUE	I	FALSE	FALSE	FALSE		FALSE	168
##	2	7.20	TRUE	I	FALSE	FALSE	FALSE		FALSE	168
##	3	7.20	TRUE	I	FALSE	FALSE	FALSE		FALSE	168
##	4	7.20	TRUE	I	FALSE	FALSE	FALSE		FALSE	168
##	5	7.20	TRUE	I	FALSE	FALSE	FALSE		FALSE	168
##	6	7.20	TRUE	I	FALSE	FALSE	FALSE		TRUE	168
##	7	7.20	TRUE	I	FALSE	FALSE	FALSE		TRUE	168
##	8	7.20	TRUE	I	FALSE	FALSE	FALSE		TRUE	168
##	9	7.20	TRUE	1	FALSE	FALSE	FALSE		TRUE	168
##	10	7.20	TRUE	I	FALSE	FALSE	FALSE		TRUE	168
##	11	7.20	TRUE	J	FALSE	FALSE	TRUE		FALSE	168
##	12	7.20	TRUE	I	FALSE	FALSE	TRUE		FALSE	168
##	13	7.20	TRUE	I	FALSE	FALSE	TRUE		FALSE	168
##	14	7.20	TRUE	I	FALSE	FALSE	TRUE		FALSE	168
##	15	7.20	TRUE	I	FALSE	FALSE	TRUE		FALSE	168
##	16	7.20	TRUE		TRUE	FALSE	FALSE		FALSE	168

##	17	7.20	TRUE	TRUE	FALSE	FALSE	FALSE 168
##	18	7.20	TRUE	TRUE	FALSE	FALSE	FALSE 168
##	19	7.20	TRUE	TRUE	FALSE	FALSE	FALSE 168
##	20	7.20	TRUE	TRUE	FALSE	FALSE	FALSE 168
##	21	7.20	TRUE	FALSE	TRUE	FALSE	FALSE 168
##	22	7.20	TRUE	FALSE	TRUE	FALSE	FALSE 168
##	23	7.20	TRUE	FALSE	TRUE	FALSE	FALSE 168
##	24	7.20	TRUE	FALSE	TRUE	FALSE	FALSE 168
##	25	7.20	TRUE	FALSE	TRUE	FALSE	FALSE 168
##	26	7.00	FALSE	FALSE	FALSE	FALSE	FALSE 168
##	27	7.00	FALSE	FALSE	FALSE	FALSE	FALSE 168
##	28	7.00	FALSE	FALSE	FALSE	FALSE	FALSE 168
##	29	7.00	FALSE	FALSE	FALSE	FALSE	FALSE 168
##		7.00	FALSE	FALSE	FALSE	FALSE	FALSE 168
##	31	7.00	FALSE	FALSE	FALSE	FALSE	TRUE 168
##	32	7.00	FALSE	FALSE	FALSE	FALSE	TRUE 168
##	33	7.00	FALSE	FALSE	FALSE	FALSE	TRUE 168
##	34	7.00	FALSE	FALSE	FALSE	FALSE	TRUE 168
##	35	7.00	FALSE	FALSE	FALSE	FALSE	TRUE 168
##	36	7.00	FALSE	FALSE	FALSE	TRUE	FALSE 168
##	37	7.00	FALSE	FALSE	FALSE	TRUE	FALSE 168
##	38	7.00	FALSE	FALSE	FALSE	TRUE	FALSE 168
##		7.00	FALSE	FALSE	FALSE	TRUE	FALSE 168
##		7.00	FALSE	FALSE	FALSE	TRUE	FALSE 168
##		7.00	FALSE	TRUE	FALSE	FALSE	FALSE 168
##		7.00	FALSE	TRUE	FALSE	FALSE	FALSE 168
##		7.00	FALSE	TRUE	FALSE	FALSE	FALSE 168
##		7.00	FALSE	TRUE	FALSE	FALSE	FALSE 168
##		7.00	FALSE	TRUE	FALSE	FALSE	FALSE 168
##		7.00	FALSE	FALSE	TRUE	FALSE	FALSE 168
##		7.00	FALSE	FALSE	TRUE	FALSE	FALSE 168
##		7.00	FALSE	FALSE	TRUE	FALSE	FALSE 168
##		7.00	FALSE	FALSE	TRUE	FALSE	FALSE 168
##		7.00	FALSE	FALSE	TRUE	FALSE	FALSE 168
##		7.90	FALSE	FALSE	FALSE	FALSE	FALSE 168
##		7.90	FALSE	FALSE	FALSE	FALSE	FALSE 168
##		7.90	FALSE	FALSE	FALSE	FALSE	FALSE 168
##		7.90	FALSE	FALSE	FALSE	FALSE	FALSE 168
##	55	7.90	FALSE	FALSE	FALSE	FALSE	FALSE 168

##	56	7.90	FALSE	FALSE	FALSE	FALSE	TRUE 168
	57	7.90	FALSE	FALSE	FALSE	FALSE	TRUE 168
	58	7.90	FALSE	FALSE	FALSE	FALSE	TRUE 168
	59	7.90	FALSE	FALSE	FALSE	FALSE	TRUE 168
	60	7.90	FALSE	FALSE	FALSE	FALSE	TRUE 168
	61	7.90	FALSE	FALSE	FALSE	TRUE	FALSE 168
	62	7.90	FALSE	FALSE	FALSE	TRUE	FALSE 168
	63	7.90	FALSE	FALSE	FALSE	TRUE	FALSE 168
	64	7.90	FALSE	FALSE	FALSE	TRUE	FALSE 168
	65	7.90	FALSE	FALSE	FALSE	TRUE	FALSE 168
	66	7.90	FALSE	TRUE	FALSE	FALSE	FALSE 168
##	67	7.90	FALSE	TRUE	FALSE	FALSE	FALSE 168
##	68	7.90	FALSE	TRUE	FALSE	FALSE	FALSE 168
##	69	7.90	FALSE	TRUE	FALSE	FALSE	FALSE 168
##	70	7.90	FALSE	TRUE	FALSE	FALSE	FALSE 168
##	71	7.90	FALSE	FALSE	TRUE	FALSE	FALSE 168
##	72	7.90	FALSE	FALSE	TRUE	FALSE	FALSE 168
##	73	7.90	FALSE	FALSE	TRUE	FALSE	FALSE 168
##	74	7.90	FALSE	FALSE	TRUE	FALSE	FALSE 168
##	75	7.90	FALSE	FALSE	TRUE	FALSE	FALSE 168
##	76	6.47	TRUE	FALSE	FALSE	FALSE	FALSE 168
##	77	6.47	TRUE	FALSE	FALSE	FALSE	FALSE 168
##	78	6.47	TRUE	FALSE	FALSE	FALSE	FALSE 168
##	79	6.47	TRUE	FALSE	FALSE	FALSE	FALSE 168
##	80	6.47	TRUE	FALSE	FALSE	FALSE	FALSE 168
##	81	6.47	FALSE	FALSE	FALSE	FALSE	FALSE 168
	82	6.47	FALSE	FALSE	FALSE	FALSE	FALSE 168
	83	6.47	FALSE	FALSE	FALSE	FALSE	FALSE 168
##	84	6.47	FALSE	FALSE	FALSE	FALSE	FALSE 168
##	85	6.47	FALSE	FALSE	FALSE	FALSE	FALSE 168
	86	6.52	FALSE	FALSE	FALSE	FALSE	FALSE 168
	87	6.52	FALSE	FALSE	FALSE	FALSE	FALSE 168
	88	6.52	FALSE	FALSE	FALSE	FALSE	FALSE 168
	89	6.52	FALSE	FALSE	FALSE	FALSE	FALSE 168
	90	6.52	FALSE	FALSE	FALSE	FALSE	FALSE 168
##		tan.app i					
##			1				
##			2				
##	3	100	3				

```
## 4
          100 4
## 5
          100 5
## 6
          100 6
## 7
          100 7
## 8
          100 8
## 9
          100 9
## 10
          100 10
## 11
          100 11
## 12
          100 12
## 13
          100 13
## 14
          100 14
## 15
          100 15
## 16
          100 16
## 17
          100 17
## 18
          100 18
## 19
          100 19
## 20
          100 20
## 21
          100 21
## 22
          100 22
## 23
          100 23
## 24
          100 24
## 25
          100 25
## 26
          100 26
## 27
          100 27
## 28
          100 28
## 29
          100 29
## 30
          100 30
## 31
          100 31
## 32
          100 32
## 33
          100 33
## 34
          100 34
## 35
          100 35
## 36
          100 36
## 37
          100 37
## 38
          100 38
## 39
          100 39
## 40
          100 40
## 41
          100 41
## 42
          100 42
```

```
## 43
          100 43
## 44
          100 44
## 45
          100 45
## 46
          100 46
## 47
          100 47
## 48
          100 48
## 49
          100 49
## 50
          100 50
## 51
          100 51
## 52
          100 52
## 53
          100 53
## 54
          100 54
## 55
          100 55
## 56
          100 56
## 57
          100 57
## 58
          100 58
## 59
          100 59
## 60
          100 60
## 61
          100 61
## 62
          100 62
## 63
          100 63
## 64
          100 64
## 65
          100 65
## 66
          100 66
## 67
          100 67
## 68
          100 68
## 69
          100 69
## 70
          100 70
## 71
          100 71
## 72
          100 72
## 73
          100 73
## 74
          100 74
## 75
          100 75
## 76
          100 76
## 77
          100 77
## 78
          100 78
## 79
          100 79
## 80
          100 80
## 81
          100 81
```

```
## 82
          100 82
          100 83
## 83
## 84
          100 84
## 85
          100 85
## 86
          100 86
## 87
          100 87
## 88
          100 88
## 89
          100 89
## 90
          100 90
```

Run model

With set 2 parameters

```
preds <- ALFAM2mod(dat, pars = ALFAM2pars02, app.name = 'tan.app', time.name = 'ct', time.incorp = 't.incorp', group = 'id', warn = TRUE)
## User-supplied parameters are being used.
## Incorporation applied (for group 10).
## Incorporation applied (for group 11).
## Incorporation applied (for group 12).
## Incorporation applied (for group 13).
## Incorporation applied (for group 14).
## Incorporation applied (for group 15).
## Incorporation applied (for group 31).
## Incorporation applied (for group 32).
## Incorporation applied (for group 33).
## Incorporation applied (for group 34).
## Incorporation applied (for group 35).
## Incorporation applied (for group 36).
## Incorporation applied (for group 37).
## Incorporation applied (for group 38).
## Incorporation applied (for group 39).
## Incorporation applied (for group 40).
```

```
## Incorporation applied (for group 56).
## Incorporation applied (for group 57).
## Incorporation applied (for group 58).
## Incorporation applied (for group 59).
## Incorporation applied (for group 6).
## Incorporation applied (for group 60).
## Incorporation applied (for group 61).
## Incorporation applied (for group 62).
## Incorporation applied (for group 63).
## Incorporation applied (for group 64).
## Incorporation applied (for group 65).
## Incorporation applied (for group 7).
## Incorporation applied (for group 8).
## Incorporation applied (for group 9).
## Warning in ALFAM2mod(dat, pars = ALFAM2pars02, app.name = "tan.app", time.name = "ct", : Running with 20 parameters. Dropped 4 with no
## These secondary parameters have been dropped:
     app.mthd.bc.r1
    app.mthd.ts.r1
     ts.cereal.hght.r1
     app.mthd.bc.r3
## These secondary parameters are being used:
     int.f0
##
     app.mthd.os.f0
     app.rate.ni.f0
##
    man.dm.f0
##
     man.source.pig.f0
     app.mthd.cs.f0
##
##
     int.r1
##
     man.dm.r1
##
     air.temp.r1
     wind.2m.r1
```

```
man.ph.r1
    int.r2
##
    rain.rate.r2
    int.r3
##
    app.mthd.cs.r3
    man.ph.r3
   incorp.shallow.f4
    incorp.shallow.r3
    incorp.deep.f4
    incorp.deep.r3
##
Check reference condition.
ALFAM2mod(ref, pars = ALFAM2pars01, app.name = 'tan.app', time.name = 'ct', time.incorp = 't.incorp', warn = TRUE)
## User-supplied parameters are being used.
## Warning in ALFAM2mod(ref, pars = ALFAM2pars01, app.name = "tan.app", time.name
## = "ct", : No matching column for incorporation parameter(s): incorp.deep,
## incorp.shallow. Skipping incorporation.
## Warning in ALFAM2mod(ref, pars = ALFAM2pars01, app.name = "tan.app", time.name = "ct", : Running with 15 parameters. Dropped 5 with no
## These secondary parameters have been dropped:
    app.rate.f0
    incorp.deep.f4
    incorp.shallow.f4
    incorp.deep.r3
    rain.cum.r3
##
## These secondary parameters are being used:
    int.f0
##
    int.r1
    int.r2
    int.r3
    app.mthd.os.f0
    man.dm.f0
    app.mthd.bc.r1
    man.dm.r1
##
    air.temp.r1
    wind.2m.r1
    man.ph.r1
```

```
air.temp.r3
    app.mthd.os.r3
    man.ph.r3
    rain.rate.r2
     ct. dt.
                    f0
                               r1
                                         r2
                                                     r3 f4
## 1 168 168 0.3237724 0.06628499 0.1110777 0.001255181 1 3.7119e-12 71.30525
                           e.int
## 1 0.1708021 28.69475 28.69475 0.2869475
ALFAM2mod(ref, pars = ALFAM2pars02, app.name = 'tan.app', time.name = 'ct', time.incorp = 't.incorp', warn = TRUE)
## User-supplied parameters are being used.
## Warning in ALFAM2mod(ref, pars = ALFAM2pars02, app.name = "tan.app", time.name
## = "ct", : No matching column for incorporation parameter(s): incorp.shallow,
## incorp.deep. Skipping incorporation.
## Warning in ALFAM2mod(ref, pars = ALFAM2pars02, app.name = "tan.app", time.name = "ct", : Running with 20 parameters. Dropped 4 with no
## These secondary parameters have been dropped:
    incorp.shallow.f4
    incorp.shallow.r3
    incorp.deep.f4
##
    incorp.deep.r3
## These secondary parameters are being used:
    int.f0
    app.mthd.os.f0
    app.rate.ni.f0
##
    man.dm.f0
    man.source.pig.f0
##
    app.mthd.cs.f0
    int.r1
    app.mthd.bc.r1
    man.dm.r1
    air.temp.r1
    wind.2m.r1
    app.mthd.ts.r1
    ts.cereal.hght.r1
    man.ph.r1
    int.r2
```

```
## rain.rate.r2
## int.r3
## app.mthd.bc.r3
## app.mthd.cs.r3
## man.ph.r3
                  f0
                                                r3 f4
   ct dt
                         r1
                                    r2
## 1 168 168 0.2589096 0.115023 0.01587869 0.0005910004 1 7.283926e-09 69.96107
          j
                         e.int
## 1 0.1788032 30.03893 30.03893 0.3003893
Add results to main df
dat$EF <- signif(preds$er, 2)</pre>
dat$EFp <- 100 * signif(preds$er, 2)</pre>
```