
Data analysis for 4-methyl phenol from digestate experiments

Sasha D. Hafner

21 December, 2022

Plots

```
ggplot(dat, aes(time.end, fmp, colour = treatment, group = interaction(tunnel, treatment))) +
  geom_line() +
  geom_point() +
  facet_wrap(~ experiment)
```



Stats


Set reference to untreatmented cattle manure.

Unit of analysis will be wind tunnel plot.

First fit model to each wind tunnel to get the ks.


Look at fit.

```
ggplot(dat, aes(time.end, fmp, colour = treatment, group = interaction(tunnel, treatment))) +
geom_line() +
geom_point() +
geom_line(aes(time.end, fmp.calc), lty = '11') +
facet_wrap(~ experiment)
```



Take a look at km values.

```
ggplot(lmods, aes(experiment, km, fill = treatment)) +
  geom_boxplot()
```



Now analysis.

```
modk1 <- lm(km ~ treatment * experiment, data = lmods)</pre>
summary.aov(modk1)
##
                        Df Sum Sq Mean Sq F value
                                                   Pr(>F)
                                    21.10
                                          72.25 2.03e-07 ***
## treatment
                         2 42.19
## experiment
                        1 171.80
                                  171.80 588.38 1.45e-11 ***
                                           19.59 0.000166 ***
## treatment:experiment 2 11.44
                                     5.72
## Residuals
                        12
                             3.50
                                     0.29
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
summary(modk1)
##
## Call:
## lm(formula = km ~ treatment * experiment, data = lmods)
## Residuals:
       Min
                 1Q
                     Median
##
## -0.84027 -0.22806 0.01571 0.26198 1.15075
##
## Coefficients:
##
                                           Estimate Std. Error t value Pr(>|t|)
                                                        0.3120 38.807 5.52e-14
## (Intercept)
                                            12.1068
## treatmentD-CM
                                            -1.6571
                                                        0.4412 -3.756 0.00274
## treatmentD-CM-CC
                                            -5.5330
                                                        0.4412 -12.541 2.95e-08
```

```
## experimentExperiment 2
                                           -7.6197
                                                       0.4412 -17.271 7.68e-10
## treatmentD-CM:experimentExperiment 2
                                            0.6594
                                                       0.6239
                                                               1.057 0.31141
## treatmentD-CM-CC:experimentExperiment 2
                                            3.6635
                                                       0.6239
                                                                5.872 7.58e-05
##
## (Intercept)
## treatmentD-CM
                                           **
## treatmentD-CM-CC
## experimentExperiment 2
                                           ***
## treatmentD-CM:experimentExperiment 2
## treatmentD-CM-CC:experimentExperiment 2 ***
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## Residual standard error: 0.5404 on 12 degrees of freedom
## Multiple R-squared: 0.9847, Adjusted R-squared: 0.9783
## F-statistic: 154.4 on 5 and 12 DF, p-value: 1.848e-10
Interactions complicated. Let's look by experiment. First experiment 1.
modexp1 <- aov(km ~ treatment, data = lmods, subset = experiment == 'Experiment 1')</pre>
summary(modexp1)
              Df Sum Sq Mean Sq F value
## treatment
               2 48.38 24.191
                                  59.98 0.000108 ***
## Residuals
               6
                   2.42
                          0.403
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
summary.lm(modexp1)
##
## Call:
## aov(formula = km ~ treatment, data = lmods, subset = experiment ==
##
       "Experiment 1")
##
## Residuals:
                 1Q
                      Median
       Min
## -0.84027 -0.31048 0.01001 0.20598 1.15075
## Coefficients:
                   Estimate Std. Error t value Pr(>|t|)
##
                                0.3667 33.019 5.13e-08 ***
## (Intercept)
                    12.1068
                                0.5185 -3.196
## treatmentD-CM
                    -1.6571
                                                0.0187 *
## treatmentD-CM-CC -5.5330
                                0.5185 -10.670 4.00e-05 ***
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## Residual standard error: 0.6351 on 6 degrees of freedom
## Multiple R-squared: 0.9524, Adjusted R-squared: 0.9365
## F-statistic: 59.98 on 2 and 6 DF, p-value: 0.0001081
coef(modexp1)
                      treatmentD-CM treatmentD-CM-CC
##
        (Intercept)
          12.106822
##
                          -1.657076
                                           -5.532987
```

```
confint(modexp1)
                        2.5 %
##
                                 97.5 %
## (Intercept)
                   11.209638 13.0040052
## treatmentD-CM
                   -2.925885 -0.3882667
## treatmentD-CM-CC -6.801796 -4.2641782
model.tables(modexp1, type = 'means')
## Tables of means
## Grand mean
##
## 9.710134
##
## treatment
## treatment
     U-CM
             D-CM D-CM-CC
## 12.107 10.450 6.574
Use this model in paper. Both D-CM and CC-CM have lower k than reference in experiment 1.
Experiment 2 next.
modexp2 <- aov(km ~ treatment, data = lmods, subset = experiment == 'Experiment 2')</pre>
summary(modexp2)
##
              Df Sum Sq Mean Sq F value Pr(>F)
               2 5.250 2.6252
## treatment
                                 14.53 0.00501 **
               6 1.084 0.1806
## Residuals
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
summary.lm(modexp2)
##
## aov(formula = km ~ treatment, data = lmods, subset = experiment ==
       "Experiment 2")
##
##
## Residuals:
##
      Min
               1Q Median
                               3Q
                                      Max
## -0.7572 -0.2184 0.0214 0.2832 0.3935
##
## Coefficients:
                   Estimate Std. Error t value Pr(>|t|)
##
## (Intercept)
                     4.4871
                                0.2454 18.286 1.72e-06 ***
## treatmentD-CM
                    -0.9977
                                0.3470 -2.875 0.02825 *
## treatmentD-CM-CC -1.8695
                                0.3470 -5.387 0.00168 **
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## Residual standard error: 0.425 on 6 degrees of freedom
## Multiple R-squared: 0.8289, Adjusted R-squared: 0.7718
## F-statistic: 14.53 on 2 and 6 DF, p-value: 0.00501
coef (modexp2)
##
        (Intercept)
                    treatmentD-CM treatmentD-CM-CC
```

```
##
          4.4870880
                           -0.9976792
                                            -1.8694707
confint(modexp2)
                                   97.5 %
##
                         2.5 %
## (Intercept)
                     3.886645 5.0875310
## treatmentD-CM
                    -1.846834 -0.1485246
## treatmentD-CM-CC -2.718625 -1.0203161
model.tables(modexp2, type = 'means')
## Tables of means
## Grand mean
##
## 3.531371
##
##
    treatment
##
  treatment
      U-CM
              D-CM D-CM-CC
##
##
     4.487
             3.489
                     2.618
```


Both D-CM and CC-CM have lower k than reference in experiment 2. Use this model in paper for experiment 2.

Diagnostic plots.


```
plot(modexp1, ask = FALSE)
```

Residuals vs Fitted 40 1.0 2 0 0 0.0 0 0 0 07 -0.550 7 8 9 11 12 10 Fitted values

aov(km ~ treatment)





Constant Leverage: Residuals vs Factor Levels




Factor Level Combinations

plot(modexp2, ask = FALSE)





Constant Leverage: Residuals vs Factor Levels



Factor Level Combinations

Not terrible.

Now initial flux.

```
modf1 <- aov(log10(fmp) ~ experiment * treatment, data = d1)</pre>
summary(modf1)
                        Df Sum Sq Mean Sq F value
##
## experiment
                         1 1.3079 1.3079 395.964 1.48e-10 ***
## treatment
                         2 0.4860 0.2430 73.573 1.84e-07 ***
## experiment:treatment 2 0.0055 0.0027
                                            0.826
                                                      0.461
## Residuals
                        12 0.0396 0.0033
## ---
                   0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
## Signif. codes:
summary.lm(modf1)
##
## Call:
## aov(formula = log10(fmp) ~ experiment * treatment, data = d1)
## Residuals:
##
         Min
                    1Q
                          Median
                                         3Q
                                                  Max
## -0.085332 -0.023807 -0.002667 0.031886
##
## Coefficients:
##
                                           Estimate Std. Error t value Pr(>|t|)
## (Intercept)
                                            0.69339
                                                        0.03318 20.897 8.35e-11
## experimentExperiment 2
                                            0.58785
                                                        0.04693 12.527 2.99e-08
## treatmentD-CM
                                            -0.02403
                                                        0.04693
                                                                 -0.512
                                                                           0.618
## treatmentD-CM-CC
                                            -0.34251
                                                        0.04693 -7.299 9.49e-06
## experimentExperiment 2:treatmentD-CM
                                           -0.07923
                                                        0.06636 -1.194
                                                                           0.256
```

```
## experimentExperiment 2:treatmentD-CM-CC -0.06699
                                                        0.06636 -1.010
                                                                           0.333
##
## (Intercept)
## experimentExperiment 2
                                            ***
## treatmentD-CM
## treatmentD-CM-CC
## experimentExperiment 2:treatmentD-CM
## experimentExperiment 2:treatmentD-CM-CC
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## Residual standard error: 0.05747 on 12 degrees of freedom
## Multiple R-squared: 0.9784, Adjusted R-squared: 0.9695
                  109 on 5 and 12 DF, p-value: 1.429e-09
## F-statistic:
100 * (1 - 10^{\circ} coef(modf1))
##
                               (Intercept)
                                                             experimentExperiment 2
##
                               -393.613664
                                                                        -287.122291
##
                             treatmentD-CM
                                                                   treatmentD-CM-CC
##
                                  5.382188
                                                                          54.554974
##
      experimentExperiment 2:treatmentD-CM experimentExperiment 2:treatmentD-CM-CC
##
                                 16.675567
                                                                          14.295225
100 * (1 - 10<sup>confint(modf1))</sup>
##
                                                 2.5 %
                                                          97.5 %
                                           -317.91834 -483.01929
## (Intercept)
## experimentExperiment 2
                                           -205.91907 -389.88011
## treatmentD-CM
                                              25.22933 -19.73318
## treatmentD-CM-CC
                                             64.08758
                                                        42.49204
## experimentExperiment 2:treatmentD-CM
                                             40.27160 -16.24221
## experimentExperiment 2:treatmentD-CM-CC
                                             38.56533 -19.56292
```