

Lesson 08 Practice: RAM, ROM & Cache

JKSSB Computer Awareness

October 8, 2026

Provenance: All 20 items are original JKSSB-pattern questions written for this lesson. None is a real PYQ; each is labelled *[Original]*.

Q1. *[Original]* Which type of memory loses its contents when the computer is switched off?

- A. ROM
- B. Hard disk
- C. RAM
- D. Flash drive

Q2. *[Original]* RAM stands for:

- A. Random Access Memory
- B. Read Access Memory
- C. Rapid Access Memory
- D. Read-Only Access Memory

Q3. *[Original]* ROM stands for:

- A. Read-Only Memory
- B. Random-Only Memory
- C. Read-Output Memory
- D. Rapid-Only Memory

Q4. *[Original]* Which statement is **NOT** correct?

- A. RAM is volatile.
- B. ROM is non-volatile.
- C. RAM retains its contents after power-off.
- D. ROM is read-only in normal operation.

Q5. *[Original]* In the office desktop (EX-01), the main memory that holds the running programs and is cleared when the machine is switched off is:

- A. ROM
- B. RAM
- C. L1 cache

D. the SSD

Q6. *[Original]* Which of the following is volatile memory?

- A. DRAM
- B. ROM
- C. PROM
- D. EPROM

Q7. *[Original]* Which memory is faster and does **not** require periodic refreshing?

- A. DRAM
- B. ROM
- C. Hard disk
- D. SRAM

Q8. *[Original]* DRAM differs from SRAM mainly because DRAM:

- A. is faster and needs no refresh
- B. is used for cache memory
- C. is non-volatile
- D. is denser and cheaper but needs periodic refresh

Q9. *[Original]* SRAM is commonly used for:

- A. main memory
- B. cache memory
- C. secondary storage
- D. firmware

Q10. *[Original]* DRAM is commonly used for:

- A. main memory
- B. cache memory
- C. permanent storage of the start-up code
- D. CPU registers

Q11. *[Original]* Which abbreviation–full form pairing is correct?

- A. DRAM — Direct Random Access Memory
- B. EEPROM — Electrically Erasable Programmable Read-Only Memory
- C. EPROM — Electrically Programmable Read-Only Memory
- D. SRAM — Serial Random Access Memory

Q12. *[Original]* Which ROM type can be programmed once by the user and cannot be erased?

- A. EPROM

- B. EEPROM
- C. DRAM
- D. PROM

Q13. *[Original]* Which ROM type is erased by exposing it to ultraviolet light?

- A. PROM
- B. EPROM
- C. EEPROM
- D. Mask ROM

Q14. *[Original]* Which memory can be erased and rewritten electrically, without removing it from the circuit?

- A. PROM
- B. EPROM
- C. EEPROM
- D. SRAM

Q15. *[Original]* Flash memory is best described as:

- A. a volatile form of DRAM
- B. an EEPROM-derived non-volatile memory erased in blocks
- C. the mask-programmed type of ROM
- D. a type of CPU register

Q16. *[Original]* Evaluate the statements:

- I. RAM is volatile, while ROM is non-volatile.
- II. ROM is read-only in normal operation, though special programming is possible.
- III. Cache memory is slower than main memory.

- A. I and II only
- B. II and III only
- C. I and III only
- D. I, II, and III

Q17. *[Original]* Which cache level is the smallest, fastest, and closest to the CPU core?

- A. L1
- B. L2
- C. L3
- D. Main memory

Q18. *[Original]* Which cache level is the largest and is typically shared across the processor's cores?

- A. L1

- B. L2
- C. ROM
- D. L3

Q19. *[Original]* In cache operation, a “miss” occurs when:

- A. the required data is found in the cache
- B. data is written to ROM
- C. the required data is not found in the cache
- D. the cache is powered off

Q20. *[Original]* A cache handles 100 memory accesses, of which 90 are hits. The hit ratio is:

- A. 0.10
- B. 1.00
- C. 9.0
- D. 0.90