

Lesson 35 Practice: Answers and Rationales

JKSSB Computer Awareness

October 10, 2026

Provenance: All 25 items are original exam-pattern questions (*[Original]* plus the *[JKSSB FAA-pattern]*, *[JKPSI-pattern]*, *[SSC CGL-pattern]*, and *[JKSSB-pattern]* extension items, including MSQs); none reproduces an official paper item.

- Q1. A.** URL stands for Uniform Resource Locator. B, C, and D are not expansions of the abbreviation.
- Q2. A.** DNS stands for Domain Name System. B, C, and D are not the correct full forms.
- Q3. A.** HTTPS stands for Hypertext Transfer Protocol Secure. B, C, and D rearrange or invent words that are not in the expansion.
- Q4. A.** The scheme is the protocol word before the colon (**https**). B is the host, C is the port, and D is the path.
- Q5. C.** **mail** is the subdomain prefix. A is the TLD, B is the registered domain, and D is a different scheme name.
- Q6. B.** **.in** is a Top-Level Domain. A is a subdomain, C is a path, and D is a query.
- Q7. B.** HTTP defaults to port 80 and HTTPS to port 443. A reverses the pair; C gives mail ports; D claims both use 80.
- Q8. D.** Extra parameters after **?** form the query. The scheme (A) names the protocol, the domain (B) names the host, and the path (C) locates the page.
- Q9. A.** The URL is the whole address of one resource while the domain is only its host part. B reverses the relation; C claims identity; D misdescribes both terms.
- Q10. B.** IPv4 is 32-bit and IPv6 is 128-bit. A reverses them; C and D use 64-bit and the 256-bit distractor, which is never correct for IPv6.
- Q11. A.** DNS translates domain names into IP addresses. It does not encrypt pages (B), assign ports (C), or carry mail (D).
- Q12. D.** DNS never encrypts page contents; that is the job of TLS under HTTPS. Mapping names (A), hierarchy (B), and caching (C) are all true of DNS.
- Q13. A.** The resolver walks the DNS hierarchy from root to TLD to the authoritative server. B, C, and D describe no real resolution step.
- Q14. A.** HTTP stands for Hypertext Transfer Protocol. B, C, and D are not the correct full forms.

- Q15. A.** TLS stands for Transport Layer Security. B, C, and D are not expansions of the abbreviation.
- Q16. B.** HTTPS is HTTP protected by TLS, while plain HTTP has no encryption. A reverses the security; C swaps the ports; D denies the HTTP family relation.
- Q17. A.** The padlock means the TLS handshake authenticated the server and encrypted the channel. B describes a failure; C names the plain HTTP port; D is irrelevant to the padlock.
- Q18. A.** The browser parses the URL, DNS resolves the host to an IP, the browser connects to the server, the TLS handshake secures the channel, and then the page is fetched. B, C, and D scramble that order.
- Q19. B.** Statements I and II are correct: DNS maps names to IPs, and IPv6 is 128-bit. III is false because plain HTTP provides no encryption. A omits II; C includes false III and omits I; D includes false III.
- Q20. C.** The query is the parameter string after ?. A mislabels the host as the scheme; B assigns port 80 to HTTPS instead of HTTP; D repeats the 256-bit error for IPv6.
- Q21. A.** URL is Uniform Resource Locator. B, C, and D are not the recognised expansion.
- Q22. A.** DNS maps names to addresses. B, C, and D describe impossible conversions.
- Q23. A.** HTTPS is secured HTTP. B, C, and D misread the letter S.
- Q24. A, B, C.** Protocol, domain, and path form URLs. Ink levels (D) never appear in URLs.
- Q25. A, B, C.** The URL, DNS, and HTTPS facts are correct. D is false: HTTP is HyperText Transfer Protocol.
- Q26. A.** The scheme, such as https, indicates the access protocol. The other details are not what a URL scheme encodes.
- Q27. A.** DNS resolves names to records such as IP addresses. DHCP assigns network configuration; SMTP sends mail; FTP transfers files.
- Q28. A.** HTTPS uses HTTP protected by TLS. POP3 receives email, OMR reads marks, and RAID organizes disks.
- Q29. A.** ‘org’ is the top-level domain. ‘example’ is the domain label; https is a scheme, and slash separates path components.
- Q30. A, B, C.** DNS resolves names, HTTPS uses TLS, and URLs include components such as scheme and host. DNS does not manage passwords.