

Current-Paper Depth Audit & Technical-Post Routing

Lesson 66 — Staying Current and Routing by Post

JKSSB Computer Awareness

October 8, 2026

What This Lesson Is (and Is Not)

- ▶ This is a **meta lesson**: a method for staying current, not a new topic.
- ▶ It teaches a repeatable **depth-audit workflow**: check the latest paper, tag each item, route study by post.
- ▶ It does not add new facts about hardware, Office, or networks.
- ▶ Everything here applies to **every earlier lesson** in the course.

The one idea

Study to the depth your post actually tests; verify every dispute against the official paper and key.

Why Papers Drift (and Why Notes Go Stale)

- ▶ JKSSB issues a fresh **notification** for each post, with its own scope and marks.
- ▶ Each cycle brings a new **question paper** and a **provisional key**, then a **final key**.
- ▶ Software and protocols change: Office menus move, protocol versions advance.
- ▶ A note written last year is **stale** until it is checked against the latest Tier-1 sources.

Takeaway

Never freeze preparation; re-audit notes against the newest paper and final key each cycle.

The Revision Workflow in Five Steps

- ▶ **Step 1:** collect the newest Tier-1 set: notification, paper, provisional key, final key.
- ▶ **Step 2:** list every computer item and **tag** it by depth (next frame).
- ▶ **Step 3:** compare the **provisional key** with the **final key** for changed answers.
- ▶ **Step 4:** mark **version-sensitive** claims (Office version, protocol facts) for re-checking.
- ▶ **Step 5:** route: study your post's tags deeply, read other tags lightly.

Run this workflow once per recruitment cycle, before revising any topic lesson.

The Four Depth Tags

- ▶ **Core-General**: stable fundamentals every post tests (bit is smallest unit; F5 starts slide show; RAM is volatile).
- ▶ **Current-General**: stable concept whose current form must be re-checked (latest anti-virus; role of IT in governance; portal facts).
- ▶ **Technical-Post**: deeper material asked only of Website Operator / Computer Instructor (cache levels; UTF-8 variable length; binary conversion drills).
- ▶ **Version-Sensitive**: any claim that depends on a software or protocol version (Office shortcut; POP3 behaviour; HTTP version transport).

Rule

Every item gets exactly one depth tag plus a version flag where needed.

How to Tag Any Item

- ▶ Ask 1: does the **Junior Assistant scope** (Unit IV) name this concept? If yes, start at **Core-General**.
- ▶ Ask 2: does the answer change with time, portal, or version? If yes, add **Current-General** or **Version-Sensitive**.
- ▶ Ask 3: does it need engineering depth (multi-step conversion, protocol internals)? If yes, mark **Technical-Post**.
- ▶ Worked tagging: “F5 starts slide show” → **Core-General**; “which menu holds this Word option” → **Version-Sensitive**.

Worked tagging

“IPv6 is 128-bit” is Core-General; “this protocol version rides on QUIC” is Version-Sensitive; “convert 11010101.01” is Technical-Post.

The Official Source Ledger (Tier 1)

- ▶ **SRC-01:** Notification 08 of 2025 with the official JA scope (Unit IV) and the 10-mark annexure.
- ▶ **SRC-02:** JKSSB question-paper index: which papers exist per year and post.
- ▶ **SRC-03:** Junior Assistant 2026 paper, computer block Q61–80.
- ▶ **SRC-04:** Website Operator 2026 paper, computer block circa Q61–80.

The ledger continues on the next frame; Tier 1 always outranks banks and textbooks.

The Official Source Ledger (continued)

- ▶ **SRC-05:** Computer Instructor-Operator 2025 paper, 120 items.
- ▶ **SRC-06:** JA 2026 final answer key: settles disputed JA items.
- ▶ **SRC-07:** WO 2026 provisional key: provisional only, mark its status.
- ▶ **SRC-08:** CI 2025 final key: settles disputed technical-post items.

Authority rule

A Tier-1 final key **supersedes** every bank, textbook, and tutorial on a disputed item.

Lower Tiers: What They Are For

- ▶ **Tier 2 (banks):** Sanfoundry and standard MCQ compilations supply practice items and distractors only.
- ▶ Tier-2 answers are **never authoritative**; re-verify each one and label it adapted, never PYQ.
- ▶ **Tier 3 (reference):** vendor docs, portal pages, textbooks explain concepts; they settle no exam dispute.
- ▶ Vendor docs must be tied to the **prescribed Office version** before a shortcut claim is trusted.

Keep the tiers straight

Practice from Tier 2; verify against Tier 1; explain with Tier 3.

How to Check Answer-Key Changes

- ▶ Place the **provisional key** and the **final key** side by side for your post.
- ▶ Mark every item where the answer **changed**, was dropped, or gained an alternate answer.
- ▶ Changed items are **defective-option signals**: quote the option verbatim, flag the defect, teach the stable concept.
- ▶ Never memorise a provisional answer as final; re-check before the next mock.

Worked check

If a provisional key later changes on a disputed wording item, the final key wins and the stem wording becomes a flagged example, not a fact.

Why Technical Depth Must NOT Be Generalised

- ▶ The Junior Assistant paper tests **recall and classification**; the Computer Instructor paper tests **depth and computation**.
- ▶ Example: binary-to-decimal conversion drills and encoding details belong to the **Technical-Post** tag.
- ▶ A general-post candidate who masters the whole technical block **wastes time** and risks L4/L5 distractors.
- ▶ A technical-post candidate who studies only the general block **under-prepares** for the deeper items.

Anti-pattern

Generalising Website Operator / Computer Instructor depth to every post over-scopes the general candidate.

Two Concrete Non-Generalisations

- ▶ **Foundational JA item:** “smallest unit of data is the bit” — Core-General, every post.
- ▶ **Technical CI item:** “binary 11010101.01 equals 213.25” — Technical-Post, computation drill.
- ▶ Studying the second item’s method deeply is **required** for CI, **optional** for JA.
- ▶ The routing rule: JA masters the first; CI masters both; neither confuses one’s depth for the other’s.

Tag first, then allocate study time by tag, not by enthusiasm.

Version Sensitivity: Office

- ▶ Office claims are **version-sensitive**: menus, shortcuts, and SmartArt behaviour move between versions.
- ▶ Always tie an Office fact to the **prescribed version** via vendor documentation.
- ▶ “Which tab holds this command” is answerable only for a **stated version**; without one, flag the item.
- ▶ Stable Office facts (Mail Merge merges letters with a database; formulas start with **=**) stay Core-General.

Rule

Version-stated Office facts can be trusted; version-free menu claims cannot.

Version Sensitivity: Protocols and Keys

- ▶ Protocol claims are **version-sensitive**: POP3 downloads locally, IMAP syncs; HTTP/3 uses QUIC over UDP, not TCP.
- ▶ A protocol item is settled by the **final key plus the standard**, never by a bank alone.
- ▶ IPv6 is **128-bit** with a 40-byte header; a 256-bit option is a planted distractor.
- ▶ Digital signature means **authenticity and integrity**; encryption means confidentiality — versions do not change this split.

Trap alert

“POP3 keeps mail synced on the server” and “IPv6 is 256-bit” are version-confusion distractors.

Trap Alert: Audit-Stage Errors

- ▶ Treating a **provisional key** as final and memorising its answers.
- ▶ Presenting a generated item as a **real PYQ** instead of labelling it Original.
- ▶ Importing **engineering depth** into a general-post revision set.
- ▶ Quoting a **defective option** as fact instead of flagging it and teaching the stable concept.
- ▶ Citing a Tier-2 bank to **overrule** a Tier-1 final key.

A One-Page Audit Checklist

- ▶ New notification read; scope confirmations noted (SRC-01).
- ▶ Newest paper collected (SRC-03/04/05); provisional and final keys collected (SRC-06/07/08).
- ▶ Every computer item tagged: **Core-General / Current-General / Technical-Post / Version-Sensitive**.
- ▶ Key changes diffed; defective options flagged; version-sensitive claims tied to a version.
- ▶ Study time routed by post; banks re-labelled; no generated item called a PYQ.

File this checklist with your notes each cycle; it is the audit trail.

Lesson 66: Recall

- ▶ The five-step workflow: collect Tier 1, tag each item, diff provisional vs final key, flag versions, route by post.
- ▶ Four tags: **Core-General**, Current-General, Technical-Post, Version-Sensitive.
- ▶ Ledger: notification and scope (SRC-01), paper index (SRC-02), papers (SRC-03/04/05), keys (SRC-06/07/08).
- ▶ Final keys settle disputes; provisional keys are marked provisional; banks never overrule Tier 1.
- ▶ Technical-post depth is **not generalised**; Office and protocol claims are version-checked.