

Current-Paper Depth Audit and Technical-Post Routing — Detailed Lecture Notes

JKSSB Computer Awareness

October 8, 2026

66.1 What this capstone does

This lesson is a method, not a topic. Earlier lessons taught computer facts; this one teaches how to keep those facts current and how to study them at the right depth for the post applied for. The method has two parts. The **depth audit** checks notes and practice items against the latest official paper and answer keys. **Technical-post routing** directs deeper material only to the candidates whose notification actually tests it, instead of generalising Website Operator or Computer Instructor depth to every post.

Definition (Depth audit). *A repeatable check in which each computer item from the latest official paper is collected, tagged by depth, compared across the provisional and final answer keys, screened for version sensitivity, and used to route study time by post.*

Definition (Technical-post routing). *The rule that deeper, computational, or engineering-level material is studied deeply only for the technical posts whose papers contain it, and is read lightly or skipped by general-post candidates.*

Term	Meaning in this lesson
Core-General	Stable fundamentals every post tests.
Current-General	Stable concept whose current form must be re-checked each cycle.
Technical-Post	Deeper material asked only of Website Operator / Computer Instructor.
Version-Sensitive	Any claim whose answer depends on a software or protocol version.
Tier 1	JKSSB itself: notifications, papers, provisional and final keys.
Final key	The post's final answer key; it settles every dispute for that post.
Provisional key	The first key released; subject to change; never memorised as final.

66.2 Why papers drift

Three forces make last year's notes stale. First, each recruitment cycle carries its own notification with its own scope, marks, and penalty rule, so the boundary of what is asked moves by post. Second, each paper is followed by a provisional key and then a final key, and answers on disputed

or defective items can change between the two. Third, the subject itself moves: Office menus and shortcuts shift between versions, and protocol facts (which transport a version uses, how a mail protocol behaves) depend on the version named. A note that was correct last year is therefore only a draft until it has been checked against the newest Tier-1 set.

66.3 The five-step revision workflow

Run these steps once per recruitment cycle, before revising any topic lesson.

Step 1: collect the newest Tier-1 set. Gather the notification and syllabus scope, the question paper for the target post, and both the provisional and the final answer key. Record which key is final and which is still provisional.

Step 2: tag every computer item. Assign each item exactly one depth tag (definitions in the next section), and add a version flag wherever the answer could depend on a software or protocol version.

Step 3: diff the keys. Place the provisional key beside the final key and mark every item where the answer changed, was dropped, or gained an alternate answer. Changed items are signals of defective or disputed wording, not new facts to memorise blindly.

Step 4: screen for version sensitivity. For each item about Office, mail, or protocols, tie the claim to its version using vendor documentation or the standard. If no version is stated and the answer depends on one, flag the item as under-specified rather than memorising it.

Step 5: route study by post. Allocate deep study to the tags the target post actually tests. A Junior Assistant candidate masters the Core-General tag deeply and reads the other tags lightly; a Computer Instructor candidate masters the Technical-Post tag as well.

Example 66.3.1. *A candidate holds last year's Office notes and this year's paper. Step 1 collects the new notification, paper, and both keys. Step 2 tags the Office menu items as Version-Sensitive and the recall items as Core-General. Step 3 finds one answer changed between the provisional and final keys, so that stem is flagged as disputed wording. Step 4 ties the surviving Office claims to the prescribed version. Step 5 routes the general-post candidate back to the Core-General items first.*

66.4 The four depth tags

Core-General covers stable fundamentals in the Junior Assistant Unit IV scope: the bit is the smallest unit of data, RAM is volatile, F5 starts a slide show from the beginning, a formula must start with =, IPv6 is 128-bit. These items are safe to drill for every post.

Current-General covers concepts whose stable core must be refreshed against current sources: computer virus and latest anti-virus, terms and abbreviations in current use, and the role of IT in governance (portal and scheme facts). The concept is permanent; its current instance changes.

Technical-Post covers deeper material found in the Website Operator and Computer Instructor papers but not in the general scope: cache levels, encoding details such as UTF-8 variable length, binary conversions with fractional parts, and statement-evaluation items over engineering concepts. This tag is studied deeply only by technical-post candidates.

Version-Sensitive is a flag added to any of the above whenever the answer depends on a version: which tab or menu holds an Office command, the exact behaviour of a shortcut in a stated version, POP3 download against IMAP sync, or which transport a protocol version uses. A version-sensitive claim without a stated version is flagged, not memorised.

Definition (Tagging test). *Ask in order: (1) does the Junior Assistant scope name this concept — if yes, start at Core-General; (2) does the answer change with time, portal, or version — if yes,*

add *Current-General* or *Version-Sensitive*; (3) does it need engineering depth or computation — if yes, mark *Technical-Post*.

Example 66.4.1. “F5 starts a slide show from the beginning” is *Core-General*: stable, in scope, version-free. “Which menu holds this Word option” is *Version-Sensitive*: answerable only for a stated Office version. “Binary 11010101.01 equals 213.25” is *Technical-Post*: a computation drill from the technical papers. “Latest anti-virus” is *Current-General*: the concept is stable but the instance must be refreshed.

66.5 The official source ledger

Authority flows downward: Tier 1 settles disputes, Tier 2 supplies practice, Tier 3 explains concepts. The ledger below mirrors the course knowledge base source registry. No page numbers, paper serials, or key dates are cited here beyond what the registry records; anything not yet confirmed is marked TBD.

ID	Source and what it settles
SRC-01	Notification 08 of 2025 with the official Junior Assistant computer scope (Unit IV) and the 10-mark Computer Applications annexure. Settles what is in scope.
SRC-02	JKSSB question-paper index. Settles which papers exist per year and post.
SRC-03	Junior Assistant 2026 paper, computer block Q61–80. Settles real JA item formats, concepts, and traps.
SRC-04	Website Operator 2026 paper, computer block circa Q61–80. Settles WO item formats and foundational concepts.
SRC-05	Computer Instructor-Operator 2025 paper, 120 items. Settles technical-post depth and the penalty rule.
SRC-06	Junior Assistant 2026 final answer key. Settles disputed JA items.
SRC-07	Website Operator 2026 provisional key. Provisional only; always mark its status.
SRC-08	Computer Instructor/Operator 2025 final key. Settles disputed technical-post items.
SRC-09/10	Tier-2 banks (Sanfoundry and standard compilations). Practice composition and distractor mining only; never authoritative; label adapted items accordingly.
SRC-11/12/13	Tier-3 references (portal pages, vendor docs, textbooks). Concept exposition only; vendor claims tied to the prescribed Office version.

The single most important rule of the ledger is precedence: a Tier-1 final key supersedes every bank, tutorial, and textbook on a disputed item. A lower tier is never used to overrule a higher one.

66.6 How to check answer-key changes

Take the provisional key and the final key for the same post and compare them item by item. For each computer item, record one of four outcomes: unchanged, changed, dropped, or given an alternate answer. For every item that is not unchanged, go back to the stem and quote its option

wording verbatim, then flag the defect (ambiguous wording, two defensible answers, version-free menu claim) and teach the stable concept underneath instead of memorising the new letter. Keep this diff with the notes as the cycle’s audit trail, and never carry a provisional answer into a mock once the final key has been published.

Key-diff outcome	What to record and do
Unchanged	No action; the item confirms the notes as written.
Changed	Quote the stem verbatim; flag the wording defect; teach the stable concept; learn the final letter.
Dropped	Quote the stem verbatim; note the topic as dispute-prone; do not drill the dropped letter.
Alternate answer allowed	Note both acceptances; teach the concept so either option is derivable.

Two cautions belong here. First, a changed answer never means “the concept changed”; it means the wording admitted two readings and the board has now picked one. Students who memorise only the new letter without the flagged wording will fall for the same trap when it returns in paraphrase. Second, a provisional key is never quoted as authority in a dispute with a fellow candidate; only the final key, with its post and status named, settles the argument.

66.7 Why technical-post depth must not be generalised

The Junior Assistant paper is dominated by recall and classification at the intro-to-core level, while the Computer Instructor paper adds computation and engineering depth. Generalising the deeper block to every candidate has two costs: the general-post candidate wastes time on material the notification never tests and absorbs L4/L5 distractors, while the technical-post candidate who studies only the general block arrives under-prepared. The correction is the routing rule: tag each item first, then allocate study time by tag. Binary conversions with fractional parts, encoding internals, and cache-level internals are Technical-Post; they are required for Computer Instructor, optional background for Junior Assistant. Foundational recall (bit as smallest unit, ISP expansion, @ separating user name and domain name) is Core-General; it is required for every post.

66.8 Version sensitivity: Office and protocols

Office items split into two kinds. Stable Office facts (Mail Merge combines letters with an address database; a formula must start with =; a Select query retrieves data on a condition) are Core-General and safe to drill. Menu-path, tab-location, and shortcut-detail items are Version-Sensitive: they are trustworthy only when tied to the prescribed Office version through vendor documentation, and an item that names no version but depends on one is flagged as under-specified.

The table below works the tagging test through on items anchored in the course’s real-PYQ evidence registry, so the routing decision is visible in one place. Each row gives the item, its tag, and the reason in one line.

Item	Tag	Why this tag
Bit is the smallest unit of data	Core-General	Stable recall, in every post's scope
F5 starts a slide show	Core-General	Stable, version-free behaviour
ISP expands to Internet Service Provider	Core-General	Exact abbreviation recall
Latest anti-virus	Current-General	Concept stable, instance re-freshable
Role of IT in governance	Current-General	Portal and scheme facts change
Binary 11010101.01 to decimal	Technical-Post	Computation drill, technical papers
UTF-8 variable-length, ASCII-compatible	Technical-Post	Encoding internals, technical papers
Which tab holds this Word command (no version)	Version-Sensitive	Answer moves between Office versions
HTTP version transport claim	Version-Sensitive	Depends on the protocol version named

A Junior Assistant candidate drills the first three rows deeply, refreshes the next two against current sources, reads the technical rows lightly, and refuses to memorise the version-sensitive rows until a version is stated. A Computer Instructor candidate adds deep drill on the technical rows. Neither candidate generalises the other's depth.

Protocol items behave the same way. The stable splits do not move with versions: IPv6 is 128-bit with a 40-byte header, POP3 downloads to the local machine while IMAP syncs, HTTP/3 uses QUIC over UDP rather than TCP, a digital signature provides authenticity and integrity while encryption provides confidentiality, and BCC hides recipients from each other. What is version-sensitive is any claim about a specific protocol version's transport or behaviour; those claims are settled by the final key together with the standard, never by a bank alone.

66.9 Exam retrieval and common confusions

Five audit-stage confusions cause most errors on this kind of material.

1. A **provisional key** is treated as final. The correction is to mark its status and re-check every disputed item against the final key.
2. A **generated practice item** is treated as a real PYQ. The correction is the provenance label: generated items carry *[Original]*; only verbatim official items carry a PYQ label.
3. **Technical-post depth** is studied as if every post tested it. The correction is the tag: Technical-Post material is deep study only for the technical posts.
4. A **defective option** is memorised as fact. The correction is to quote it verbatim, flag the defect, and teach the stable concept.
5. A **Tier-2 bank** is used to overrule a Tier-1 key. The correction is precedence: the final key always wins.

Example 66.9.1. *An item states, “POP3 keeps mail synced on the server, so it is the best choice for multi-device sync.” The routing check tags the concept as Version-Sensitive and the claim as false under the stable split: POP3 downloads to the local machine while IMAP syncs. The bank that suggested the stem does not overrule the standard or the final key, and the defective wording is flagged rather than memorised.*

Exercises

1. State the five steps of the revision workflow in order.
2. Define the four depth tags and give one example of each.
3. List the Tier-1 ledger entries and state what each one settles.
4. Explain how to check provisional-versus-final key changes and what to do with a changed item.
5. Explain why Website Operator / Computer Instructor depth must not be generalised, with one example.
6. Distinguish a stable Office fact from a version-sensitive Office claim, with one example of each.

Solutions

1. Collect the newest Tier-1 set; tag every computer item; diff the provisional against the final key; screen for version sensitivity; route study by post.
2. Core-General: stable fundamentals every post tests (F5 starts a slide show). Current-General: stable concept with a refreshable instance (latest anti-virus). Technical-Post: deeper material for technical posts (binary conversion drills). Version-Sensitive: answer depends on a version (menu-path or protocol-transport claims).
3. SRC-01 notification and scope; SRC-02 paper index; SRC-03 JA 2026 paper; SRC-04 WO 2026 paper; SRC-05 CI 2025 paper; SRC-06 JA final key; SRC-07 WO provisional key (provisional only); SRC-08 CI final key. Papers settle formats and concepts; final keys settle disputes.
4. Compare the two keys item by item; mark changed, dropped, or alternate-answer items; quote the stem verbatim, flag the defect, teach the stable concept; never carry a provisional answer into a mock once the final key exists.
5. Because the general papers test recall and classification while the technical papers add computation and depth; generalising wastes general candidates’ time and under-prepares no one correctly. Example: fractional binary conversion is required for Computer Instructor but optional for Junior Assistant.
6. Stable: Mail Merge combines letters with a database, or formulas start with =. Version-sensitive: which tab holds a command, or the exact shortcut detail in a stated version — trustworthy only when tied to the prescribed version.