

## Lesson 08 Practice: RAM, ROM & Cache

JKSSB Computer Awareness

October 10, 2026

**Provenance:** All 20 items are original JKSSB-pattern questions written for this lesson. None is a real PYQ; each is labelled *[Original]*.

**Q1.** *[Original]* Which type of memory loses its contents when the computer is switched off?

- A. ROM
- B. Hard disk
- C. RAM
- D. Flash drive

**Q2.** *[Original]* RAM stands for:

- A. Random Access Memory
- B. Read Access Memory
- C. Rapid Access Memory
- D. Read-Only Access Memory

**Q3.** *[Original]* ROM stands for:

- A. Read-Only Memory
- B. Random-Only Memory
- C. Read-Output Memory
- D. Rapid-Only Memory

**Q4.** *[Original]* Which statement is **NOT** correct?

- A. RAM is volatile.
- B. ROM is non-volatile.
- C. RAM retains its contents after power-off.
- D. ROM is read-only in normal operation.

**Q5.** *[Original]* In the office desktop (EX-01), the main memory that holds the running programs and is cleared when the machine is switched off is:

- A. ROM
- B. RAM
- C. L1 cache

D. the SSD

**Q6.** *[Original]* Which of the following is volatile memory?

- A. DRAM
- B. ROM
- C. PROM
- D. EPROM

**Q7.** *[Original]* Which memory is faster and does **not** require periodic refreshing?

- A. DRAM
- B. ROM
- C. Hard disk
- D. SRAM

**Q8.** *[Original]* DRAM differs from SRAM mainly because DRAM:

- A. is faster and needs no refresh
- B. is used for cache memory
- C. is non-volatile
- D. is denser and cheaper but needs periodic refresh

**Q9.** *[Original]* SRAM is commonly used for:

- A. main memory
- B. cache memory
- C. secondary storage
- D. firmware

**Q10.** *[Original]* DRAM is commonly used for:

- A. main memory
- B. cache memory
- C. permanent storage of the start-up code
- D. CPU registers

**Q11.** *[Original]* Which abbreviation–full form pairing is correct?

- A. DRAM — Direct Random Access Memory
- B. EEPROM — Electrically Erasable Programmable Read-Only Memory
- C. EPROM — Electrically Programmable Read-Only Memory
- D. SRAM — Serial Random Access Memory

**Q12.** *[Original]* Which ROM type can be programmed once by the user and cannot be erased?

- A. EPROM

- B. EEPROM
- C. DRAM
- D. PROM

**Q13.** *[Original]* Which ROM type is erased by exposing it to ultraviolet light?

- A. PROM
- B. EPROM
- C. EEPROM
- D. Mask ROM

**Q14.** *[Original]* Which memory can be erased and rewritten electrically, without removing it from the circuit?

- A. PROM
- B. EPROM
- C. EEPROM
- D. SRAM

**Q15.** *[Original]* Flash memory is best described as:

- A. a volatile form of DRAM
- B. an EEPROM-derived non-volatile memory erased in blocks
- C. the mask-programmed type of ROM
- D. a type of CPU register

**Q16.** *[Original]* Evaluate the statements:

- I. RAM is volatile, while ROM is non-volatile.
- II. ROM is read-only in normal operation, though special programming is possible.
- III. Cache memory is slower than main memory.

- A. I and II only
- B. II and III only
- C. I and III only
- D. I, II, and III

**Q17.** *[Original]* Which cache level is the smallest, fastest, and closest to the CPU core?

- A. L1
- B. L2
- C. L3
- D. Main memory

**Q18.** *[Original]* Which cache level is the largest and is typically shared across the processor's cores?

- A. L1

- B. L2
- C. ROM
- D. L3

**Q19.** *[Original]* In cache operation, a “miss” occurs when:

- A. the required data is found in the cache
- B. data is written to ROM
- C. the required data is not found in the cache
- D. the cache is powered off

**Q20.** *[Original]* A cache handles 100 memory accesses, of which 90 are hits. The hit ratio is:

- A. 0.10
- B. 1.00
- C. 9.0
- D. 0.90

**Q21.** *[JKSSB FAA-pattern]* RAM is best described as which kind of memory?

- A. Volatile read-write memory
- B. Non-volatile printer memory
- C. Permanent archival tape
- D. Read-only speaker memory

**Q22.** *[JKPSI-pattern]* The startup firmware (BIOS/UEFI code) is stored in:

- A. ROM/Flash memory
- B. RAM working space
- C. Cache tags only
- D. The printer queue

**Q23.** *[SSC CGL-pattern]* Cache memory is normally built from which technology?

- A. SRAM
- B. Magnetic tape
- C. Floppy coating
- D. Paper cards

**Q24.** *[JKSSB-pattern]* (MSQ: select ALL correct options.) Which of the following memories are volatile?

- A. RAM
- B. Cache memory
- C. CPU registers
- D. Masked ROM

- Q25.** *[SSC CGL-pattern]* (MSQ: select ALL correct options.) Which statements about RAM, ROM, and cache are correct?
- A. DRAM needs periodic refreshing.
  - B. SRAM is faster than DRAM.
  - C. Cache is commonly built with SRAM.
  - D. ROM loses its contents when power goes off.
- Q26.** *[PYQ-adapted: JKSSB Sub-Inspector 2022, QCRIAS item 391; SRC-17/SRC-22]* What normally happens to data held only in RAM when power is switched off?
- A. It is retained permanently.
  - B. It is lost.
  - C. It is copied automatically to ROM.
  - D. It is stored in the CPU cache.
- Q27.** *[PYQ-adapted: JKSSB FAA 2022, QCRIAS item 551; SRC-17/SRC-21]* Which memory type is traditionally associated with storing startup firmware such as BIOS?
- A. RAM
  - B. ROM
  - C. CPU cache
  - D. Register file
- Q28.** *[Original]* Which memory type is volatile?
- A. RAM
  - B. ROM
  - C. SSD
  - D. DVD
- Q29.** *[Original]* Which type of RAM is commonly built from flip-flop circuits and does not need periodic refreshing?
- A. DRAM
  - B. SRAM
  - C. ROM
  - D. Flash memory
- Q30.** *[Original, MSQ drill]* (MSQ: select ALL correct options.) Which statements are correct?
- A. RAM is normally volatile.
  - B. ROM is non-volatile.
  - C. DRAM requires periodic refresh.
  - D. SRAM is slower than DRAM in the memory hierarchy.