

Lesson 11 Practice: Backup Types

JKSSB Computer Awareness

October 10, 2026

Provenance: 20 original (generated) JKSSB-pattern questions, all labelled *[Original]*. None reproduces an official item verbatim.

Q1. *[Original]* Which backup type copies all selected files and folders every time it runs?

- A. Incremental
- B. Differential
- C. Full
- D. Image

Q2. *[Original]* An incremental backup captures changes since the:

- A. last full backup
- B. last backup of any type
- C. last deletion only
- D. start of the operating system

Q3. *[Original]* A differential backup captures changes since the:

- A. last backup of any type
- B. last hour
- C. last full backup
- D. last new file only

Q4. *[Original]* Which statement correctly distinguishes an incremental backup from a differential backup?

- A. Incremental captures changes since the last full backup; differential captures changes since the last backup of any type.
- B. Incremental captures changes since the last backup of any type; differential captures changes since the last full backup.
- C. Both capture changes since the last full backup.
- D. Both capture only the operating system.

Q5. *[Original]* Restoring from an incremental chain typically requires:

- A. the last full backup plus every incremental backup in sequence

- B. only the most recent incremental backup
- C. only the most recent differential backup
- D. the image backup alone

Q6. *[Original]* Restoring from a differential chain typically requires:

- A. the last full backup plus every differential backup
- B. the last full backup plus the most recent differential backup
- C. only the most recent differential backup
- D. only the incremental backups

Q7. *[Original]* Which backup type usually takes the most time and storage on each run?

- A. Incremental
- B. Differential
- C. Full
- D. None of these

Q8. *[Original]* Which backup type is heaviest to create but fastest to restore because only one complete set is needed?

- A. Incremental
- B. Differential
- C. Full
- D. File-level

Q9. *[Original]* An image (system image) backup is best described as:

- A. a copy of only the documents folder
- B. a complete clone of a system, including the OS, settings and data
- C. a copy of changes since the last full backup
- D. a copy of only the most recently deleted files

Q10. *[Original]* A file-level backup:

- A. clones the entire disk including the boot sector
- B. backs up selected files and folders rather than the whole system
- C. backs up only the operating system
- D. is another name for RAID

Q11. *[Original]* Which of the following is **NOT** a backup type discussed in this lesson?

- A. Full
- B. Incremental
- C. Differential
- D. Defragmentation

Q12. *[Original]* The 3-2-1 backup rule means:

- A. 3 copies, 2 different media, 1 copy off-site
- B. 3 media, 2 off-site copies, 1 cloud account
- C. 3 backups per week, 2 per month, 1 per year
- D. 3 full backups, 2 differential, 1 incremental

Q13. *[Original]* In the 3-2-1 rule, the number 2 refers to:

- A. two off-site copies
- B. two different types of storage media
- C. two backups per day
- D. two encryption keys

Q14. *[Original]* Expand RAID and state its correct relation to backup.

- A. Redundant Array of Independent Disks; it provides redundancy but is not a backup.
- B. Random Access Internal Disk; it is a backup type.
- C. Redundant Archive of Integrated Disks; it encrypts backups.
- D. Read-Ahead Interface Device; it schedules backups.

Q15. *[Original]* Evaluate the statements:

- I. A full backup copies everything selected each time it runs.
- II. A differential backup copies changes since the last full backup.
- III. An incremental backup copies changes since the last full backup.

- A. I and II only
- B. I and III only
- C. II and III only
- D. I, II and III

Q16. *[Original]* Which statement best distinguishes a backup from ordinary storage and an archive?

- A. A backup is a recoverable copy; storage is the working copy; an archive is old data kept for long-term retention.
- B. Backup, storage and archive are three names for the same thing.
- C. A backup is the file currently being edited.
- D. An archive is a second disk used only for RAID.

Q17. *[Original]* Cloud backup is best described as:

- A. storing backup copies on remote servers, giving an off-site copy
- B. the same as RAID 1
- C. storing the backup only on the same local disk
- D. a synonym for an incremental backup

- Q18.** *[Original]* An offline backup is one that is:
- A. disconnected from the network, which helps against ransomware
 - B. always connected and updated instantly
 - C. not created at all
 - D. stored only in main memory
- Q19.** *[Original]* Backup rotation (for example, the grandfather–father–son scheme) is used mainly to:
- A. rotate the CPU clock speed
 - B. maintain several dated versions so an older clean copy remains available
 - C. encrypt files automatically
 - D. replace full backups with RAID
- Q20.** *[Original]* Which pairing is correct?
- A. Differential — changes since the last backup of any type
 - B. Incremental — changes since the last full backup
 - C. Incremental — changes since the last backup of any type
 - D. Image — only selected files and folders
- Q21.** *[JKSSB FAA-pattern]* Which backup copies only the data changed since the last backup of any kind?
- A. Incremental backup
 - B. Full backup
 - C. Printer test page
 - D. Disk defragmentation
- Q22.** *[JKPSI-pattern]* Restoring from a full-plus-incremental chain needs the last full backup plus:
- A. every incremental since that full backup.
 - B. only the printer driver.
 - C. only the first file of the disk.
 - D. none of the incrementals.
- Q23.** *[SSC CGL-pattern]* RAID is primarily used to provide:
- A. redundancy and/or faster disk access.
 - B. louder speaker output.
 - C. brighter monitor colours.
 - D. faster keyboard typing.
- Q24.** *[JKSSB-pattern]* (MSQ: select ALL correct options.) Which of the following are recognised backup types?

- A. Full backup
- B. Incremental backup
- C. Differential backup
- D. Disk formatting

Q25. *[SSC CGL-pattern]* (MSQ: select ALL correct options.) Which statements about backups are correct?

- A. A full backup copies all selected data.
- B. A differential backup copies changes since the last full backup.
- C. An incremental backup copies changes since the last backup of any kind.
- D. Backup and file synchronisation mean exactly the same thing.

Q26. *[Original]* Which backup type copies all selected data each time it runs?

- A. Full backup
- B. Incremental backup
- C. Differential backup
- D. Transaction log only

Q27. *[Original]* After a full backup, an incremental backup normally copies files changed since:

- A. The previous backup of any kind
- B. The previous full backup only
- C. The computer was purchased
- D. The last restore test

Q28. *[Original]* Which backup usually grows cumulatively until the next full backup?

- A. Differential
- B. Incremental
- C. Mirror deletion
- D. Temporary cache

Q29. *[Original]* The 3-2-1 backup rule recommends keeping:

- A. Three copies, on two media types, with one copy off-site
- B. Three files, on one device, with two deleted
- C. Two copies only, both online
- D. One copy in RAM and two in cache

Q30. *[Original, MSQ drill]* (MSQ: select ALL correct options.) Which practices improve backup resilience?

- A. Keep an off-site copy.
- B. Test restoration from backups.
- C. Keep at least one copy isolated from routine access.
- D. Treat RAID as a complete substitute for backup.