

Lesson 37 Practice: Answers and Rationales

JKSSB Computer Awareness

October 8, 2026

Provenance: All 20 items are original JKSSB-pattern questions (*[Original]*); none reproduces an official paper item.

- Q1. B.** The @ separates the user name (left) from the domain name (right). A wrongly splits the domain side; C confuses the address with the sender/recipient roles; D claims the @ sits inside the domain.
- Q2. B.** Cc is Carbon Copy. A, C, and D are not the email full form of the abbreviation.
- Q3. A.** Bcc is Blind Carbon Copy. B, C, and D invent expansions that are not used in email.
- Q4. A.** Bcc recipients receive the message but are hidden from each other, while To and Cc stay visible to all. B is wrong because the sender always knows the list; C is wrong because To/Cc remain visible; D is wrong because Bcc recipients receive the full message.
- Q5. C.** New arrivals wait in the Inbox. Drafts (A) holds unsent work; Sent (B) holds sent copies; Trash (D) holds deleted messages.
- Q6. B.** A composed message saved without sending waits in Drafts. Inbox (A) holds received mail; Sent (C) holds sent copies; Spam (D) holds filtered junk.
- Q7. D.** Sent keeps copies of messages already sent. Drafts (A) holds unsent work; Spam (B) holds junk; Trash (C) holds deleted messages.
- Q8. B.** Filtered unwanted bulk mail is held in Spam (junk). Drafts (A) holds unsent work; Sent (C) holds sent copies; D is not a mail folder.
- Q9. A.** Deleted messages wait in Trash (deleted items) until it is emptied. Drafts (B), Inbox (C), and Sent (D) hold unsent, received, and sent mail respectively.
- Q10. D.** Inbox, Drafts, and Sent are standard mail folders; a compiler (D) is a program-translation tool, not a folder.
- Q11. A.** The subject is the short topic line shown in the list. An attachment (B) is a separate file; the domain (C) is part of the address; a protocol (D) is a mail-transfer rule.
- Q12. B.** The body is the main written content and the attachment is the file carried with the message. A swaps in subject/domain; C swaps the two terms; D names protocol/server, which are not message parts.
- Q13. A.** Reply answers only the sender. Reply All (B) answers all visible recipients; Forward (C) sends the message onward; Delete (D) discards it.

- Q14. B.** Reply All answers the sender plus all visible To and Cc recipients. Forward (A) sends onward to new recipients; C saves unsent work; D moves the message to junk.
- Q15. C.** Forward sends a received message onward to new recipients. Reply (A) answers only the sender; Reply All (B) answers all visible recipients; Archive (D) files the message away.
- Q16. A.** Mail in a browser is webmail and an installed mail application is an email client. B swaps the two; C names two folders; D names protocol/domain, which are not usage modes.
- Q17. B.** POP3 downloads mail to the local machine (usually removing it from the server) while IMAP keeps mail synced on the server. A swaps the two; C mislabels both as sending/filtering; D confuses protocols with Bcc visibility.
- Q18. A.** IMAP is Internet Message Access Protocol. B, C, and D are not the correct full form.
- Q19. A.** Statements I and II are correct: @ divides user name from domain name, and Bcc hides recipients from each other while To/Cc stay visible. III is false because Drafts holds messages not yet sent. B and C each include false III; D includes false III.
- Q20. C.** Reply All answers the sender plus all visible To and Cc recipients, so this pairing is correct. A mislabels the subject as a file (that is an attachment); B mislabels Drafts (sent copies belong in Sent); D mislabels POP3 (syncing on the server is IMAP; POP3 downloads).