

Lesson 26 Practice: Answers and Rationales

JKSSB Computer Awareness

October 8, 2026

Provenance: 19 items are original JKSSB-pattern questions (*[Original]*); Q1 is a real item traced to the KB Real-PYQ Evidence Registry as PYQ-14 (*[PYQ JA 2026 Q74, key:final]*). No unverified item is presented as a real PYQ.

- Q1. C.** With A1 blank, Excel reads the blank as 0 in a numeric comparison, so A1 is neither greater than 50 nor greater than 25; both tests fail and the final value **Low** is returned. A and B would need A1 to be above 50 or above 25; D is wrong because a comparison of a blank does not produce **#VALUE!** (PYQ-14).
- Q2. A.** **AVERAGE** returns the arithmetic mean of the numbers in a range. **MEAN** (B) is not an Excel function, **TOTAL** (C) is not a function, and **MEDIAN** (D) returns the middle value, not the mean.
- Q3. A.** **COUNT** counts only the cells that contain numbers. **COUNTA** (B) also counts text, **COUNTIF** (C) counts cells meeting a condition, and **SUM** (D) adds values instead of counting them.
- Q4. B.** **COUNTA** counts every non-empty cell: the 6 numbers plus the 2 text labels make 8. The blank cells are not counted. 6 (A) is the **COUNT** result, 10 (C) counts the blanks too, and 2 (D) counts only the blanks.
- Q5. A.** **COUNT** counts numeric cells only, so it returns 6. 8 (B) is the **COUNTA** result, 10 (C) is the total number of cells, and 4 (D) is not produced by either function.
- Q6. A.** **COUNTA** counts every non-empty cell, whether it holds a number or text. **COUNT** (B) would leave out the text, **COUNTBLANK** (C) counts only empty cells, and **SUM** (D) adds numeric values.
- Q7. A.** **MAX** returns the largest number in a range. **MIN** (B) returns the smallest, and **HIGH** (C) and **TOP** (D) are not Excel functions.
- Q8. A.** **MIN** returns the smallest number in a range. **MAX** (B) returns the largest, and **MINIMUM** (C) and **LEAST** (D) are not Excel functions.
- Q9. A.** **SUM** adds the numbers in a range. **ADD** (B), **TOTAL** (C), and **PLUS** (D) are not Excel functions.
- Q10. A.** AutoSum is inserted with **Alt + =**. **Ctrl + =** (B) is not the AutoSum shortcut, **Shift + F3** (C) opens the Insert Function dialog, and **Ctrl + S** (D) saves the workbook.
- Q11. A.** AutoSum inserts a **SUM** formula by default, written as **=SUM(...)** over the adjacent range. **=AVERAGE(...)** (B), **=COUNT(...)** (C), and **=MAX(...)** (D) are available only from the AutoSum drop-down, not by default.
- Q12. A.** A formula must start with **=** and may use a function; a function is a named built-in operation used inside a formula. B reverses the two definitions, C wrongly calls them identical, and D is false because formulas commonly contain functions.

- Q13. A.** Dividing by zero, or by a blank cell (read as zero), gives #DIV/0!. #VALUE! (B) is a wrong data type, #NAME? (C) is an unrecognised name, and #REF! (D) is an invalid reference.
- Q14. A.** An unrecognised name, such as a misspelt function name, gives #NAME?. #REF! (B) is a deleted reference, #N/A (C) is a value not available, and #NUM! (D) is an invalid number.
- Q15. A.** Using the wrong type of data, such as text where a number is needed, gives #VALUE!. #NAME? (B) is an unrecognised name, #DIV/0! (C) is division by zero, and #N/A (D) is a value not available.
- Q16. A.** A reference to a deleted cell is no longer valid and gives #REF!. #NAME? (B) is an unrecognised name, #VALUE! (C) is a wrong data type, and #NULL! (D) is the intersection of non-intersecting ranges.
- Q17. A.** A lookup that finds no match leaves the needed value unavailable, which gives #N/A. #NUM! (B) is an invalid number, #REF! (C) is an invalid reference, and #DIV/0! (D) is division by zero.
- Q18. D.** #TOTAL! is not an Excel error value. The other three are all real: #DIV/0! (A), #VALUE! (B), and #NAME? (C).
- Q19. D.** All three statements are correct: COUNT counts numbers while COUNTA counts all non-empty cells, a blank is read as zero in a numeric comparison, and every formula begins with =. A, B, and C each omit at least one true statement.
- Q20. A.** SUM returns the total (I-b), MAX returns the largest number (II-a), and COUNT returns the number of numeric cells (III-c). B, C, and D each assign at least one function to the wrong result.