

Lesson 26 Practice: Excel Functions

JKSSB Computer Awareness

October 8, 2026

Provenance: 19 questions are original JKSSB-pattern items (*[Original]*); Q1 is a real item traced to the KB Real-PYQ Evidence Registry as PYQ-14 (*[PYQ JA 2026 Q74, key:final]*). No unverified item is presented as a real PYQ.

Q1. *[PYQ JA 2026 Q74, key:final]* An Excel cell contains a nested IF formula:

`=IF(A1>50,"High",IF(A1>25,"Medium","Low"))`

Cell A1 is blank. What will the formula display?

- A. High
- B. Medium
- C. Low
- D. #VALUE!

Q2. *[Original]* Which function returns the average (arithmetic mean) of the numbers in a range?

- A. AVERAGE
- B. MEAN
- C. TOTAL
- D. MEDIAN

Q3. *[Original]* Which function counts only the cells in a range that contain numbers?

- A. COUNT
- B. COUNTA
- C. COUNTIF
- D. SUM

Q4. *[Original]* A range A1:A10 contains 6 numbers, 2 text labels, and 2 blank cells. What does `=COUNTA(A1:A10)` return?

- A. 6
- B. 8
- C. 10
- D. 2

- Q5.** *[Original]* Using the same range (6 numbers, 2 text labels, 2 blanks), what does `=COUNT(A1:A10)` return?
- A. 6
 - B. 8
 - C. 10
 - D. 4
- Q6.** *[Original]* Which function counts every non-empty cell in a range, whether it holds a number or text?
- A. COUNTA
 - B. COUNT
 - C. COUNTBLANK
 - D. SUM
- Q7.** *[Original]* Which function returns the largest number in a range?
- A. MAX
 - B. MIN
 - C. HIGH
 - D. TOP
- Q8.** *[Original]* Which function returns the smallest number in a range?
- A. MIN
 - B. MAX
 - C. MINIMUM
 - D. LEAST
- Q9.** *[Original]* Which function adds together all the valid numbers in a range?
- A. SUM
 - B. ADD
 - C. TOTAL
 - D. PLUS
- Q10.** *[Original]* Which keyboard shortcut inserts the AutoSum function in MS Excel?
- A. Alt + =
 - B. Ctrl + =
 - C. Shift + F3
 - D. Ctrl + S
- Q11.** *[Original]* By default, which formula does the AutoSum button insert?
- A. `=SUM(...)`

- B. =AVERAGE(...)
 - C. =COUNT(...)
 - D. =MAX(...)
- Q12.** *[Original]* Which statement correctly distinguishes a function from a formula in MS Excel?
- A. A formula must start with =, while a function is a named built-in operation used inside a formula.
 - B. A function must start with =, while a formula is a named built-in operation.
 - C. A formula and a function are exactly the same thing.
 - D. A formula can never contain a function.
- Q13.** *[Original]* Which error value appears when a formula divides a number by zero or by a blank cell?
- A. #DIV/0!
 - B. #VALUE!
 - C. #NAME?
 - D. #REF!
- Q14.** *[Original]* Which error value appears when a formula refers to a name or function that Excel does not recognise, such as a misspelt function name?
- A. #NAME?
 - B. #REF!
 - C. #N/A
 - D. #NUM!
- Q15.** *[Original]* Which error value appears when a formula uses the wrong type of data — for example, when text is added to a number?
- A. #VALUE!
 - B. #NAME?
 - C. #DIV/0!
 - D. #N/A
- Q16.** *[Original]* Which error value appears when a formula refers to a cell that has been deleted, so the reference is no longer valid?
- A. #REF!
 - B. #NAME?
 - C. #VALUE!
 - D. #NULL!
- Q17.** *[Original]* Which error value means that a value needed by the formula is not available, such as when a lookup finds no match?

- A. #N/A
- B. #NUM!
- C. #REF!
- D. #DIV/0!

Q18. *[Original]* Which of the following is **NOT** a standard Excel error value?

- A. #DIV/0!
- B. #VALUE!
- C. #NAME?
- D. #TOTAL!

Q19. *[Original]* Evaluate the statements about MS Excel:

- I. COUNT counts only numeric cells, whereas COUNTA counts all non-empty cells.
 - II. In a numeric comparison, a blank cell is treated as zero.
 - III. A formula must always begin with the equal sign (=).
- A. I and II only
 - B. II and III only
 - C. I and III only
 - D. I, II, and III

Q20. *[Original]* Match the function with what it returns:

- I. SUM
 - II. MAX
 - III. COUNT
- (a) the largest number in a range
 - (b) the total of the numbers in a range
 - (c) the number of numeric cells in a range
- A. I-b, II-a, III-c
 - B. I-a, II-b, III-c
 - C. I-c, II-a, III-b
 - D. I-b, II-c, III-a