

Lesson 46 Practice: Firmware, BIOS, UEFI and Drivers

JKSSB Computer Awareness

October 8, 2026

Provenance: 19 items are original JKSSB-pattern questions (*[Original]*); 1 item is a real previous-year question (*[PYQ WO 2026 Q68, key:provisional]*).

Q1. *[Original]* Expand BIOS.

- A. Basic Input/Output System
- B. Binary Input/Output System
- C. Basic Internal Operating System
- D. Basic Input/Output Software

Q2. *[Original]* Expand UEFI.

- A. Universal Embedded Firmware Interface
- B. Unified Extensible Firmware Interface
- C. Unified External File Interface
- D. Universal Extensible Firmware Integration

Q3. *[Original]* Expand POST.

- A. Power-Off System Test
- B. Primary Operating System Test
- C. Power-On Self-Test
- D. Post-Operation Startup Task

Q4. *[PYQ WO 2026 Q68, key:provisional]* Which firmware initialises the hardware and loads the operating system when a computer is switched on?

- A. Device driver
- B. BIOS
- C. Application program
- D. Compiler

Q5. *[Original]* Firmware is best described as:

- A. temporary data stored in RAM while a program runs.
- B. software stored in non-volatile memory that gives a device its basic, low-level instructions.
- C. a program that the user opens from the desktop.

- D. the physical circuits inside a processor.
- Q6.** *[Original]* Firmware is normally stored in:
- A. RAM
 - B. a CPU register
 - C. ROM or flash memory
 - D. the cache
- Q7.** *[Original]* What does the POST do at startup?
- A. Loads the user's application programs
 - B. Tests whether the basic hardware is present and working
 - C. Formats the hard disk
 - D. Installs device drivers
- Q8.** *[Original]* Which item comes FIRST in the power-on sequence?
- A. Application programs
 - B. Device drivers
 - C. Firmware (BIOS/UEFI)
 - D. Operating system
- Q9.** *[Original]* A device driver is:
- A. hardware that plugs into the motherboard.
 - B. software that lets the operating system communicate with a specific device.
 - C. the same as the BIOS.
 - D. a type of cache memory.
- Q10.** *[Original]* In which order does the computer normally start these layers?
- A. application → OS → driver → firmware
 - B. firmware → OS → driver → application
 - C. OS → firmware → application → driver
 - D. driver → firmware → OS → application
- Q11.** *[Original]* Which of the following is **NOT** a function of the BIOS?
- A. Running the power-on self-test
 - B. Initialising the basic hardware
 - C. Finding and loading the operating system
 - D. Compiling the user's source code
- Q12.** *[Original]* Which statement correctly contrasts BIOS and UEFI?
- A. BIOS is the modern firmware and UEFI is the legacy firmware.

- B. UEFI is the modern firmware; it boots faster, supports large GPT disks, and can provide Secure Boot.
 - C. BIOS and UEFI are identical in every feature.
 - D. UEFI is a device driver, while BIOS is firmware.
- Q13.** *[Original]* Which option is an advantage of UEFI over the legacy BIOS?
- A. It removes the need for any firmware.
 - B. It supports very large disks using GPT and offers a graphical setup.
 - C. It works only on 32-bit computers.
 - D. It makes device drivers unnecessary.
- Q14.** *[Original]* A student claims that the program which initialises the hardware and starts the operating system is a device driver. Which is the correct term?
- A. Application software
 - B. BIOS/UEFI firmware
 - C. Compiler
 - D. Device Manager
- Q15.** *[Original]* A firmware update is commonly called:
- A. flashing
 - B. formatting
 - C. partitioning
 - D. compiling
- Q16.** *[Original]* What is the main risk during a firmware update?
- A. The screen resolution may change.
 - B. Interrupting power during flashing can leave the device unusable.
 - C. The mouse will stop working.
 - D. The font size will change.
- Q17.** *[Original]* Evaluate the statements:
- I. Firmware is stored in non-volatile memory.
 - II. Device drivers are loaded by the operating system.
 - III. The POST runs after the operating system has started.
- A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II, and III
- Q18.** *[Original]* BIOS settings such as boot order and system date/time are stored in:

- A. RAM
- B. the CMOS (battery-backed) chip
- C. the cache
- D. a device driver

Q19. *[Original]* Which of the following is software that runs before the operating system?

- A. A word processor
- B. Firmware (BIOS/UEFI)
- C. A web browser
- D. A device driver

Q20. *[Original]* Which pairing is correctly matched?

- A. BIOS — a device driver for printers
- B. UEFI — the legacy firmware with a text-only setup
- C. Firmware — permanent software stored in ROM/flash
- D. POST — the application that loads the OS