

Lesson 29 Practice: Answers and Rationales

JKSSB Computer Awareness

October 10, 2026

Provenance: All 25 items are original exam-pattern questions (*[Original]*) plus the *[JKSSB FAA-pattern]*, *[JKPSI-pattern]*, *[SSC CGL-pattern]*, and *[JKSSB-pattern]* extension items, including MSQs; none reproduces an official paper item.

- Q1. B.** PK stands for Primary Key. A (Public Key) and D (Private Key) come from cryptography, and C (Parent Key) is not the standard expansion.
- Q2. C.** FK stands for Foreign Key. A, B, and D are not the standard expansions of the abbreviation.
- Q3. C.** The primary key uniquely identifies each record. A foreign key (A) only links to another table; an alternate key (B) is an unused candidate key; a secondary key (D) is not the identifying key.
- Q4. C.** A primary key must be unique, so it **cannot** contain duplicate values. Statements A, B, and D are all true of a primary key.
- Q5. C.** A field that refers to another table's primary key is the foreign key. A primary key (A) identifies records in its own table; a composite key (B) is a multi-field primary key; a candidate key (D) is a key eligible to become the primary key.
- Q6. B.** A composite (compound) key is a primary key made of two or more fields together. A primary key (A) may be a single field; a foreign key (C) links tables; an alternate key (D) is an unchosen candidate key.
- Q7. C.** A foreign key may repeat and may be blank. Primary and composite keys must be unique and not blank, and a candidate key is a potential primary key, so none of them may repeat.
- Q8. B.** A table can have **at most one** primary key (it may have none while being designed). "Exactly one" (A) is too strong; C and D are wrong because a table cannot have two or more primary keys.
- Q9. B.** One-to-many is the most common relationship in Access. A one-to-one (A) is the least common; a many-to-many (C) is built indirectly; zero-to-one (D) is not a standard Access relationship type.
- Q10. B.** The "many" side holds the foreign key. The primary key (A) sits on the "one" side; a composite key (C) is a multi-field primary key; an alternate key (D) is relevant only to candidate keys.
- Q11. C.** A many-to-many relationship cannot be stored directly and needs a junction table. One-to-one (A) and one-to-many (B) are stored directly; one-to-zero (D) is not a standard type.

- Q12. B.** A junction table usually uses a composite key formed from the two foreign keys. A single AutoNumber field (A) is not the typical junction key, and C and D name only one of the two linked tables.
- Q13. B.** Referential integrity requires a foreign-key value to match an existing primary-key value (or be blank). A (composite keys are optional) is unrelated; C describes data typing; D is false because a table has at most one primary key.
- Q14. B.** Cascade Delete removes the related child records when a parent is deleted. Cascade Update (A) changes child values when the parent key changes; referential integrity (C) is the overall rule; a composite key (D) is unrelated.
- Q15. B.** Only statement II is correct: a foreign key may contain duplicate values. Statement I is false (a primary key is unique), and statement III is false (a table has at most one primary key). A, C, and D all include a false statement.
- Q16. A.** .mdb is the older format used by Access 2003 and earlier. B describes .accdb; C and D are false because .mdb is not the modern default.
- Q17. B.** .accdb is the newer, default Access format used from Access 2007 onward. A is wrong (it is the newer format, not older); C and D name unrelated file types.
- Q18. C.** Statement C is incorrect: .mdb is the older format, not the newer one. A, B, and D are all correct statements about the two formats.
- Q19. C.** A composite key is a primary key made of two or more fields, so this pairing is correct. A is wrong (a primary key cannot repeat); B is wrong (a foreign key does not identify records in its own table); D is wrong (a junction table implements many-to-many, not one-to-one).
- Q20. B.** A candidate key not chosen as the primary key is an alternate key. A foreign key (A) links tables; a composite key (C) is a multi-field primary key; "junction key" (D) is not a standard term.
- Q21. A.** Primary keys uniquely identify rows. B, C, and D violate uniqueness or relevance.
- Q22. A.** Foreign keys reference related tables. B, C, and D describe physical locks, not database keys.
- Q23. A.** One-to-many links one row with many rows. B, C, and D are not relationship types.
- Q24. A, B, C.** Primary, foreign, and candidate keys are database concepts. A door key (D) is physical.
- Q25. A, B, C.** Uniqueness, referencing, and no-duplicate rules are correct. D is false: printers are unrelated.
- Q26. A.** A primary key uniquely identifies records and cannot be null. The other choices defeat reliable identification.
- Q27. A.** A foreign key links a record to a key in another table and supports referential integrity. The alternatives are unrelated.
- Q28. A.** A composite key uses multiple fields together to identify a record. The other terms are not standard key categories.

- Q29. A.** Referential integrity constrains relationships, such as preventing unmatched foreign-key references. The other options are unrelated.
- Q30. A, B, C.** The first three statements are correct. Duplicate primary-key values make records ambiguous.

Concepts That Click