

Lesson 51 Practice: Programming Foundations, Compiler and Data Structures

JKSSB Computer Awareness

October 8, 2026

Provenance: All 20 questions are original JKSSB-pattern questions (*[Original]*); none reproduces an official paper item.

Q1. *[Original]* Expand OOP.

- A. Object-Oriented Programming
- B. Object-Oriented Processing
- C. Open-Output Programming
- D. Operational Object Programming

Q2. *[Original]* Expand LIFO.

- A. Last In First Out
- B. Last In First Open
- C. Large Input Fast Output
- D. Last Input First Order

Q3. *[Original]* Which language is the only one a computer executes directly?

- A. Assembly language
- B. Machine language
- C. High-level language
- D. Pseudocode

Q4. *[Original]* Assembly language uses short codes such as ADD and MOV, which are called:

- A. mnemonics
- B. keywords
- C. variables
- D. functions

Q5. *[Original]* Which translator converts an assembly-language program into machine code?

- A. Compiler
- B. Interpreter

- C. Assembler
- D. Linker

Q6. *[Original]* Which statement correctly distinguishes a compiler from an interpreter?

- A. A compiler translates line by line, while an interpreter translates the whole program at once.
- B. A compiler translates the whole program at once, while an interpreter translates and executes it line by line.
- C. Both translate the whole program at once.
- D. A compiler executes source code directly without any translation.

Q7. *[Original]* Source code is best described as:

- A. the binary instructions executed directly by the CPU.
- B. the program written by the programmer in a high-level or assembly language.
- C. the machine-readable output produced by a compiler.
- D. firmware stored in read-only memory.

Q8. *[Original]* The machine-readable code produced by a compiler from source code is called:

- A. source code
- B. object code
- C. pseudocode
- D. natural-language code

Q9. *[Original]* An algorithm is best defined as:

- A. a pictorial representation using standard symbols.
- B. a finite, step-by-step procedure to solve a problem.
- C. the binary code executed by the CPU.
- D. a software tool for finding errors.

Q10. *[Original]* In a flowchart, which symbol is used for a decision?

- A. Rectangle
- B. Parallelogram
- C. Diamond
- D. Oval

Q11. *[Original]* The process of finding and correcting errors in a program is called:

- A. compiling
- B. debugging
- C. linking
- D. encoding

- Q12.** *[Original]* A program compiles and runs but produces a wrong result. This is an example of a:
- A. syntax error
 - B. logical error
 - C. runtime error
 - D. translation error
- Q13.** *[Original]* In object-oriented programming, a class is:
- A. an instance created from an object.
 - B. a blueprint or template from which objects are created.
 - C. a permanent secondary-storage location.
 - D. a machine-language instruction.
- Q14.** *[Original]* Which OOP feature means “one name, many forms”?
- A. Encapsulation
 - B. Inheritance
 - C. Polymorphism
 - D. Abstraction
- Q15.** *[Original]* A stack follows which order?
- A. FIFO
 - B. LIFO
 - C. Random
 - D. Sorted
- Q16.** *[Original]* In a stack, the insertion and deletion operations are called:
- A. enqueue and dequeue
 - B. push and pop
 - C. insert and remove
 - D. add and delete
- Q17.** *[Original]* A queue follows which order?
- A. LIFO
 - B. FIFO
 - C. Random
 - D. Reverse
- Q18.** *[Original]* Which data structure is hierarchical, consisting of a root node with child nodes?
- A. Array
 - B. Stack

- C. Tree
- D. Queue

Q19. *[Original]* Which of the following is **NOT** true of a compiler?

- A. It translates the whole program at once.
- B. It produces object code.
- C. It translates and executes the program line by line.
- D. It reports errors after translating the whole program.

Q20. *[Original]* Evaluate the statements:

- I. An array stores elements of the same type in contiguous memory locations.
 - II. A linked list stores its elements in contiguous memory locations.
 - III. A stack follows the Last In, First Out order.
-
- A. I and II only
 - B. II and III only
 - C. I and III only
 - D. I, II, and III