

Lesson 04 Practice: Organization of a Computer

JKSSB Computer Awareness

October 7, 2026

Provenance: All 20 items are original JKSSB-pattern questions written for this lesson; none is a verbatim reproduction of an official paper. Each item carries the label *[Original]*.

Q1. *[Original]* The abbreviation ALU stands for:

- A. Arithmetic Logic Unit
- B. Application Logic Unit
- C. Arithmetic Language Unit
- D. Advanced Logic Unit

Q2. *[Original]* The ALU of a computer is responsible for:

- A. Storing data permanently
- B. Controlling input and output devices
- C. Performing arithmetic and logical operations
- D. Supplying power to the system

Q3. *[Original]* Which unit directs and coordinates the operation of all other units of a computer?

- A. Arithmetic Logic Unit
- B. Memory Unit
- C. Input Unit
- D. Control Unit

Q4. *[Original]* The CPU is made up of:

- A. Input unit, output unit and memory
- B. Main memory and secondary storage
- C. ALU, control unit and registers
- D. Monitor, keyboard and mouse

Q5. *[Original]* Expand CPU.

- A. Central Processing Unit
- B. Computer Personal Unit
- C. Central Program Utility
- D. Control Processing Unit

- Q6.** *[Original]* Which part of the CPU provides small, fast storage used to hold data and addresses during processing?
- A. Registers
 - B. Secondary storage
 - C. Hard disk
 - D. Output unit
- Q7.** *[Original]* The address bus is used to carry:
- A. Data between the CPU and memory
 - B. The address of a memory location from the CPU to memory
 - C. Control signals from the CPU to devices
 - D. Electrical power to the motherboard
- Q8.** *[Original]* Which bus is bidirectional, carrying data and instructions in both directions?
- A. Address bus
 - B. Data bus
 - C. Control bus
 - D. Power bus
- Q9.** *[Original]* The control bus carries:
- A. Memory addresses from the CPU
 - B. Program data between the CPU and memory
 - C. Control and timing signals between the CPU and other units
 - D. Only input data from the keyboard
- Q10.** *[Original]* Which statement is **NOT** correct?
- A. The ALU performs arithmetic and logical operations.
 - B. The control unit directs the sequence of operations.
 - C. The CPU directly accesses secondary storage to process every instruction.
 - D. Registers are part of the CPU.
- Q11.** *[Original]* The CPU accesses which storage directly during processing?
- A. Secondary storage
 - B. Main memory (primary storage)
 - C. A pen drive
 - D. A hard disk
- Q12.** *[Original]* Which of the following is a secondary storage device?
- A. RAM
 - B. ROM

- C. Hard disk
- D. Register

Q13. *[Original]* Which statement about primary and secondary storage is correct?

- A. Main memory holds the data and instructions currently being processed.
- B. The CPU processes data directly from secondary storage.
- C. RAM is non-volatile secondary storage.
- D. Secondary storage is faster than the CPU's registers.

Q14. *[Original]* The correct order of the instruction cycle is:

- A. Decode, fetch, execute
- B. Execute, decode, fetch
- C. Fetch, execute, decode
- D. Fetch, decode, execute

Q15. *[Original]* During the fetch step, the CPU:

- A. Performs the arithmetic operation
- B. Writes the final result to secondary storage
- C. Obtains the next instruction from main memory
- D. Displays the output on the monitor

Q16. *[Original]* The stored-program (von Neumann) concept means that:

- A. Only data are stored in memory
- B. Programs are stored only in secondary storage
- C. Both program instructions and data are stored in the same main memory
- D. Instructions are kept in the output device

Q17. *[Original]* The idea that a program's instructions are stored in memory together with the data is associated with:

- A. Von Neumann architecture
- B. The address bus
- C. Secondary storage
- D. The output unit

Q18. *[Original]* Evaluate the statements:

- I. The address bus carries the address from the CPU to memory.
- II. The data bus is bidirectional.
- III. The control bus carries control signals from the CPU to other units.

- A. I only
- B. I and II only

- C. II and III only
- D. I, II and III

Q19. *[Original]* Expansion slots on the motherboard are used to:

- A. Permanently store the operating system
- B. Replace the CPU's control unit
- C. Supply the computer with electric power only
- D. Add expansion cards such as graphics or network cards

Q20. *[Original]* Which pair is correctly matched?

- A. Address bus — bidirectional
- B. Data bus — unidirectional
- C. Control bus — carries control signals
- D. Data bus — carries memory addresses