MC 501 Data Wrangling in R rubric

50 points. Due Monday, November 16, 11:59 PM.

How this is scored. Add the points from each row; the total is out of 50. A first attempt is graded forgivingly: a part that is there but incomplete earns partial credit, and 0 is kept for a part that is missing. Attempts are unlimited, so you can revise an early submission right up to the deadline.

- Inferencing Data needs all four kinds of variable from this table: two categorical, one with three or more groups, and two continuous. Step 5 is where they are kept.
- What it feeds: Describing Data and Inferencing Data both read `twitch_analysis.RDS`. Your White Paper reuses the moves in step 1 (read a coding form in, make the codes factors, join by id) on your own data; the Twitch table itself stays here.
- Before you submit: restart R, run the script top to bottom, and see what breaks.

Data Wrangling in R, 50 points

Criterion	Exemplary	Proficient	Developing	Beginning
1. Hand-code, and read your codes back 4 points	**4 points.** One variable hand-coded for a 30-message sample drawn with `sample_messages()`, recorded in a coding-form spreadsheet, read back with `read_csv()` and `clean_names()`, made a labeled factor with `factor()`, and joined to the sample by message id.	**3 points.** Hand-coded and read back, but the codes are not made a factor, or not drawn with `sample_messages()` or not 30 messages.	**2 points.** Codes typed into the script instead of read from a coding form, or described but not saved.	**0 to 1 points.** No hand-coding.
2. Load 4 points	**4 points.** The chat and stream tables loaded inside the script.	**3 points.** Loaded from a file on your own computer, so the script fails anywhere else.	**2 points.** Only one table loaded.	**0 to 1 points.** Not loaded in the script.
3. Timestamps 4 points	**4 points.** Converted from epoch milliseconds to a date-time, dividing by 1,000 first.	**3 points.** Converted, with a small error left, such as the time zone.	**2 points.** Converted without dividing by 1,000.	**0 to 1 points.** Not converted.
4. Message length 4 points	**4 points.** A new column holding each message's length.	**3 points.** Computed on the wrong field.	**2 points.** Computed but not saved as a column.	**0 to 1 points.** Missing.

Criterion	Exemplary	Proficient	Developing	Beginning
5. Join, and keep the analysis columns 4 points	**4 points.** Stream information joined on, with a comment naming the key, keeping the channel's main category (game), `is_gaming`, `viewer_band`, and one continuous audience measure (`median_viewers`, or each message's viewers from the snapshot nearest before it).	**3 points.** Joined and the columns kept, but no comment names the key, or the continuous measure is missing.	**2 points.** The join matches nothing or multiplies the rows, unnoticed; or only `is_gaming` survives, so the table supports a t-test and nothing else.	**0 to 1 points.** No join.
6. Missing values 4 points	**4 points.** The count reported, and the decision stated.	**3 points.** Handled, but the count is not reported.	**2 points.** Dropped without saying how many.	**0 to 1 points.** Not handled.
7. Export 4 points	**4 points.** Saved as `twitch_analysis.RDS`.	**3 points.** Saved under another name.	**2 points.** Saved in a format that loses the column types.	**0 to 1 points.** Not exported.
8. Three reviewer-facing comments 15 points	**15 points.** Three comments, each naming a decision a reviewer could challenge, the rule you applied, and why.	**11 to 14 points.** Three comments, but one states the rule without the reason, or names a decision nobody would question.	**8 to 10 points.** One or two comments, or comments that describe what the code does instead of a decision you made.	**0 to 7 points.** None.
9. Clean-session run 7 points	**7 points.** Runs start to finish after restarting R.	**5 to 6 points.** Runs after one small fix, such as a missing `library()` line.	**4 points.** Stops partway in a fresh session.	**0 to 3 points.** Runs only with objects already in your environment, or not at all.