

Advocacy AI API Reference

Version: 1.0 - Generated from the FastAPI route surface

Base URL: <https://www.advocacylawfirm.in>

Start here

The complete interactive contract is exposed by ***/docs*** (Swagger UI), ***/redoc*** (Redoc), and ***/openapi.json***. The branded reference is available at ***/api-docs***. This document is the copy-friendly companion for implementation teams.

> Public AI output is decision support, not legal advice. Agent-authored newsroom content is labeled agent-draft and requires qualified human review before reliance or publication. Never send secrets, passwords, private keys, or unnecessary personal legal facts in a request.

Request conventions

- JSON requests use Content-Type: application/json.
- Protected routes use Authorization: Bearer <access_token>.
- Use a stable session_id when continuing a chat.
- Treat model, confidence, and agents_used as metadata-not a guarantee of correctness.
- Use HTTPS only; keep tokens in server-side session storage in production.

Authentication

Register

POST /api/publication/auth/register

Input:

```
~~~json
{
  "email": "operator@example.com",
  "password": "at-least-10-characters",
  "full_name": "Workspace operator"
}
~~~
```

Output:

```
~~~json
{
  "access_token": "<jwt>",
  "token_type": "bearer",
  "expires_in": 86400,
  "user": {"id": "<uuid>", "email": "operator@example.com", "full_name": "Workspace operator",
  "role": "member"}
}
~~~
```

Login

POST /api/publication/auth/login

Input: {"email":"operator@example.com","password":"at-least-10-characters"}

Output: the same token envelope as registration. Invalid credentials return a generic 401 response.

Current user

GET /api/publication/auth/me

Header: Authorization: Bearer <access_token>

Output: {"sub":"<uuid>","email":"operator@example.com","role":"member","iat":0,"exp":0}

Core modules

System

GET /health - liveness probe.

Output: { "status": "healthy", "timestamp": "2026-09-01T00:00:00+00:00" }

GET /status - service, database, model, agent, and uptime summary.

GET /providers - configured provider availability; secrets are never returned.

Chat and legal intelligence

POST /api/chat

Input:

~~~json

```
{
  "message": "Create a DPDPA control checklist for a SaaS vendor",
  "service": "compliance",
  "context": "Indian customer data; B2B SaaS",
  "jurisdiction": "India",
  "session_id": "optional-session-id"
}
```

~~~

Output:

~~~json

```
{
```

```
"response": "<answer>",
"service": "compliance",
"jurisdiction": "India",
"agents_used": ["<agent>", "<verifier>"],
"model": "<provider-or-fallback>",
"timestamp": "<iso-8601>"
}
~~~
```

#### ### Agents

POST /agents/{agent\_id}/task - Input {"task":"...", "context":"..."}; output contains the agent result and verification metadata.

GET /agents, GET /agents/categories, GET /agents/top, GET /agents/stats, GET /agents/jurisdictions - roster, category, ranking, statistics, and jurisdiction discovery.

#### ### Newsroom

GET /api/publication/feed?limit=6&category=AI%20governance

Output:

```
~~~json
{
  "articles": [{
    "slug": "ai-governance-risk-to-evidence",
    "title": "AI governance works when risk has an owner",
    "summary": "<summary>",
    "body": "<article body>",
    "category": "AI governance",
    "agent_name": "Nyaya-21",
    "agent_category": "AI Safety",
    "verification_status": "agent-draft",
    "published_at": "<iso-8601>"
  }],
  "total": 1,
  "editorial_policy": "Agent drafts are informational and require human review before reliance."
}
~~~
```

POST /api/publication/articles is admin-only. It accepts title, summary, body, category, agent\_name, and agent\_category. Every write is stored as agent-draft and returns a human-review next step.

#### ### Compliance and governance

POST /compliance/dpdpa-check - Input {"document":"<policy or control text>", "jurisdiction":"India"}; output is a structured check with findings and recommendations.

POST /compliance/gdpr-check and POST /compliance/eu-ai-check follow the same document-in / findings-out pattern for their regimes.

POST /privacy/scan - Input {"text":"<text>","scan\_type":"compliance","regulation":"dgdpa"}; output contains detected issues and a scan summary.

POST /governance/draft - Input {"title":"...", "content":"...", "policy\_type":"ai-use", "stakeholders":["Legal", "Security"]}; output is a draft policy with status metadata.

### ### Legal research and review

POST /legal/research - Input {"query":"...", "context":"...", "jurisdiction":"India", "max\_sources":5}; output returns research text and source metadata.

POST /review - Input {"document":"...", "review\_type":"contract", "jurisdiction":"India", "depth":"standard"}; output returns review findings.

POST /law/multi-jurisdiction - Input {"query":"...", "jurisdictions":["India", "EU"]}; output compares jurisdictional considerations.

### ### Domain and company services

POST /domain/scan - Input {"domain":"example.com"}; output returns domain/security observations.

POST /company/audit-report - Input {"company\_name":"Example Pvt Ltd", "industry":"SaaS", "jurisdiction":"india", "documents":{}, "generate\_pdf":true}; output returns an audit report and optionally a report artifact.

### ### Search, graph, voice, and MOAT

Use the generated /docs contract for the full schemas for graph search, vector search, embeddings, voice transcription/synthesis, web search, MOAT intelligence, feedback, audit, inventory, and configuration. These are separated into tagged modules in Swagger so request and response models stay discoverable.

### ## Error envelope

FastAPI validation errors return 422 with detail entries containing loc, msg, and type. Authentication failures return 401; insufficient editorial privileges return 403; rate limits return 429; unavailable database/provider dependencies return 503. Do not expose stack traces or provider credentials to clients.

### ## Complete endpoint inventory

The inventory below is generated from the checked-in route decorators and includes the publication module. For exact request schemas, open /openapi.json; Swagger Try it out should only use non-sensitive test data.

### ### Agents

- \*\*GET /agents\*\*
- \*\*GET /agents/categories\*\*
- \*\*GET /agents/top\*\*
- \*\*GET /agents/stats\*\*
- \*\*GET /agents/jurisdictions\*\*
- \*\*POST /agents/search\*\*
- \*\*GET /agents/{agent\_id}\*\*
- \*\*POST /agent/{agent\_id}/task\*\*
- \*\*POST /agents/evolve\*\*

### ### Auth

- \*\*POST /auth/register\*\*
- \*\*POST /auth/login\*\*
- \*\*POST /auth/logout\*\*
- \*\*POST /auth/refresh\*\*
- \*\*GET /auth/me\*\*
- \*\*PUT /auth/update\*\*
- \*\*DELETE /auth/delete\*\*

### ### Chat

- \*\*POST /api/chat\*\*
- \*\*POST /api/chat/stream\*\*
- \*\*GET /api/chat/history\*\*
- \*\*POST /api/chat/save\*\*
- \*\*GET /api/chat/export\*\*

### ### Company

- \*\*POST /company/audit-report\*\*
- \*\*POST /company/complete-audit\*\*

### ### Compliance

- \*\*POST /compliance/dpdpa-check\*\*
- \*\*POST /compliance/gdpr-check\*\*
- \*\*POST /compliance/eu-ai-check\*\*

### ### Domain

- \*\*POST /domain/scan\*\*

### ### Evolution

- \*\*GET /api/evolution/proposals\*\*
- \*\*POST /api/evolution/submit\*\*

- \*\*POST /api/evolution/approve/{proposal\_id}\*\*
- \*\*POST /api/evolution/reject/{proposal\_id}\*\*
- \*\*POST /api/evolution/deploy/{proposal\_id}\*\*
- \*\*POST /api/evolution/rollback/{proposal\_id}\*\*
- \*\*GET /api/evolution/history\*\*
- \*\*GET /api/evolution/status\*\*

#### ### Frontend

- \*\*GET /third-eye\*\*
- \*\*GET /chat\*\*

#### ### General

- \*\*WEBSOCKET /ws/third-eye\*\*
- \*\*WEBSOCKET /ws/chat/{session\_id}\*\*
- \*\*GET /api/publication/health\*\*
- \*\*GET /api/publication/feed\*\*
- \*\*GET /api/publication/articles/{slug}\*\*
- \*\*GET /api/publication/agents\*\*
- \*\*POST /api/publication/auth/register\*\*
- \*\*POST /api/publication/auth/login\*\*
- \*\*GET /api/publication/auth/me\*\*
- \*\*POST /api/publication/articles\*\*

#### ### Graph

- \*\*GET /graph/status\*\*
- \*\*POST /graph/search\*\*
- \*\*GET /graph/neighbors/{node}\*\*
- \*\*GET /graph/nodes\*\*
- \*\*GET /graph/path\*\*
- \*\*GET /graph/stats\*\*

#### ### InCaseLawBERT

- \*\*GET /incase/status\*\*
- \*\*POST /incase/embed\*\*
- \*\*POST /incase/similarity\*\*

#### ### Legal

- \*\*POST /legal-research\*\*
- \*\*POST /legal/case-law\*\*
- \*\*POST /legal/contract/analyze\*\*
- \*\*POST /legal/compliance/check\*\*
- \*\*GET /legal/jurisdiction\*\*
- \*\*POST /legal/summarize\*\*
- \*\*POST /legal/translate\*\*

### ### MOAT

- \*\*GET /moat\*\*
- \*\*GET /moat/status\*\*
- \*\*GET /moat/ethics-status\*\*
- \*\*POST /moat/intelligence\*\*
- \*\*GET /moat/intelligence\*\*
- \*\*GET /moat/intelligence/all\*\*
- \*\*POST /moat/evolution\*\*
- \*\*GET /moat/evolution/history\*\*
- \*\*GET /moat/evolution/latest\*\*
- \*\*POST /moat/knowledge\*\*
- \*\*GET /moat/knowledge\*\*
- \*\*GET /moat/knowledge/domains\*\*
- \*\*POST /moat/verifiers\*\*
- \*\*GET /moat/verifiers\*\*
- \*\*POST /moat/verifiers/{verifier\_name}/run\*\*
- \*\*POST /moat/agents\*\*
- \*\*GET /moat/agents\*\*
- \*\*POST /moat/agents/{agent\_id}/run\*\*
- \*\*POST /moat/judge\*\*
- \*\*GET /moat/judge/history\*\*
- \*\*GET /moat/judge/{ruling\_id}\*\*
- \*\*POST /moat/ip-vault\*\*
- \*\*GET /moat/ip-vault\*\*
- \*\*POST /moat/inventory\*\*
- \*\*GET /moat/inventory\*\*
- \*\*POST /moat/patterns\*\*
- \*\*GET /moat/patterns\*\*
- \*\*POST /moat/feedback\*\*
- \*\*GET /moat/feedback\*\*
- \*\*POST /moat/audit\*\*
- \*\*GET /moat/audit\*\*
- \*\*GET /moat/cache/stats\*\*
- \*\*DELETE /moat/cache/clear\*\*
- \*\*GET /moat/config\*\*
- \*\*POST /moat/config/update\*\*

### ### Marketing

- \*\*POST /api/marketing/draft\*\*
- \*\*GET /api/marketing/drafts\*\*
- \*\*GET /api/marketing/download/{draft\_id}\*\*
- \*\*POST /api/marketing/publish\*\*
- \*\*POST /api/marketing/schedule\*\*
- \*\*GET /api/marketing/analytics\*\*

### ### Multi-Jurisdiction

- \*\*GET /law/jurisdictions\*\*

- \*\*POST /law/multi-jurisdiction\*\*
- \*\*POST /law/comparative\*\*
- \*\*POST /law/us\*\*
- \*\*POST /law/uk\*\*
- \*\*POST /law/eu\*\*

#### ### News

- \*\*GET /api/news\*\*
- \*\*GET /api/news/live\*\*
- \*\*GET /api/news/categories\*\*
- \*\*POST /api/news/search\*\*
- \*\*GET /api/news/trending\*\*

#### ### Observability

- \*\*GET /api/god/view\*\*
- \*\*GET /api/trace/{trace\_id}\*\*
- \*\*GET /api/traces\*\*
- \*\*POST /api/trace\*\*
- \*\*GET /api/third-eye/stream\*\*

#### ### Realtime

- \*\*GET /agent/events\*\*

#### ### Search

- \*\*POST /search/web\*\*
- \*\*POST /search/targeted\*\*

#### ### Services

- \*\*GET /api/moat\*\*
- \*\*POST /api/moat\*\*
- \*\*POST /api/governance/draft\*\*
- \*\*GET /api/governance/list\*\*
- \*\*POST /api/review\*\*
- \*\*POST /api/review/batch\*\*
- \*\*POST /api/privacy/scan\*\*
- \*\*GET /api/privacy/report\*\*
- \*\*POST /api/psychologist\*\*
- \*\*POST /api/psychologist/assess\*\*

#### ### System

- \*\*GET /\*\*
- \*\*GET /status\*\*
- \*\*GET /health\*\*
- \*\*GET /providers\*\*

- \*\*GET /models\*\*
- \*\*GET /endpoints\*\*
- \*\*GET /metrics\*\*
- \*\*GET /version\*\*

### ### Voice

- \*\*POST /voice/transcribe\*\*
- \*\*POST /voice/synthesize\*\*

### ### ZVec

- \*\*GET /zvec/status\*\*
- \*\*POST /zvec/search\*\*
- \*\*POST /zvec/add\*\*
- \*\*POST /zvec/import\*\*

## ## Deployment requirements

Required runtime settings:

- DATABASE\_URL - Neon PostgreSQL connection string, stored as a secret.
- JWT\_SECRET - high-entropy signing secret; no default in production.
- ADMIN\_SECRET - optional separate editorial publishing key.
- ADMIN\_EMAIL - optional first-admin email.
- ALLOWED\_ORIGINS - comma-separated browser origins; do not use \* with credentials.

The Python service must be deployed as the API origin. Cloudflare Pages alone serves static files and cannot execute this FastAPI application.