

MINGW64: c:/Users/MATHIVATHNAKUMAR/Team2/Devops

```
MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~
$ mkdir Team2

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~
$ cd Team2

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2
$ mkdir Devops

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2
$ cd Devops

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops
$ echo "# Devops" >> README.md

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops
$ git init
Initialized empty Git repository in C:/Users/MATHIVATHNAKUMAR/Team2/Devops/.git/

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (master)
$ git add README.md
warning: LF will be replaced by CRLF in README.md.
The file will have its original line endings in your working directory

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (master)
$ git add PRG1.txt
fatal: pathspec 'PRG1.txt' did not match any files

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (master)
$ git add PRG1.txt

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (master)
$ git add PRG2.txt

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (master)
$ git commit -m "first commit"
Author identity unknown

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF.(none)')

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (master)
$ git branch -M main

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)
$ git remote add origin https://github.com/ArunIIITDWD/Devops.git

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)
```

```
MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)
$ git remote add origin https://github.com/ArunIIITDWD/Devops.git
```

```
MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/ArunIIITDWD/Devops.git'
```

```
MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)
$ git -config global user.email "18bcs012@iiitdwd.ac.in"
unknown option: -config
usage: git [--version] [--help] [-c <path>] [-c <name>=<value>]
      [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
      [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--bare]
      [--git-dir=<path>] [--work-tree=<path>] [--namespace=<name>]
      [--super-prefix=<path>] [--config-env=<name>=<envvar>]
      <command> [<args>]
```

```
MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)
$ git -config global user.name "ArunIIITDWD"
unknown option: -config
usage: git [--version] [--help] [-c <path>] [-c <name>=<value>]
      [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
      [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--bare]
      [--git-dir=<path>] [--work-tree=<path>] [--namespace=<name>]
      [--super-prefix=<path>] [--config-env=<name>=<envvar>]
      <command> [<args>]
```

```
MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)
$ git config --global user.email "18bcs012@iiitdwd.ac.in"
```

```
MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)
$ git config --global user.name "ArunIIITDWD"
```

```
MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)
$ git commit -m "first commit"
[main (root-commit) e780580] first commit
3 files changed, 3 insertions(+)
 create mode 100644 PRG1.txt
 create mode 100644 PRG2.txt
 create mode 100644 README.md
```

```
MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)
$ git branch -M main
```

```
MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)
$ git remote add origin https://github.com/ArunIIITDWD/Devops.git
error: remote origin already exists.
```

```
MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)
$ git push -u origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (5/5), 319 bytes | 63.00 KiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0
```

```
[--git-dir=<path>] [--work-tree=<path>] [--namespace=<name>]
[--super-prefix=<path>] [--config-env=<name>=<envvar>]
<command> [<args>]
```

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)

```
$ git -config global user.name "ArunIIITDWD"
```

```
unknown option: -config
```

```
usage: git [--version] [--help] [-C <path>] [-c <name>=<value>]
      [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
      [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--bare]
      [--git-dir=<path>] [--work-tree=<path>] [--namespace=<name>]
      [--super-prefix=<path>] [--config-env=<name>=<envvar>]
      <command> [<args>]
```

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)

```
$ git config --global user.email "18bcs012@iiitdwd.ac.in"
```

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)

```
$ git config --global user.name "ArunIIITDWD"
```

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)

```
$ git commit -m "first commit"
```

```
[main (root-commit) e780580] first commit
```

```
3 files changed, 3 insertions(+)
```

```
create mode 100644 PRG1.txt
```

```
create mode 100644 PRG2.txt
```

```
create mode 100644 README.md
```

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)

```
$ git branch -M main
```

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)

```
$ git remote add origin https://github.com/ArunIIITDWD/Devops.git
```

```
error: remote origin already exists.
```

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)

```
$ git push -u origin main
```

```
Enumerating objects: 5, done.
```

```
counting objects: 100% (5/5), done.
```

```
Delta compression using up to 4 threads
```

```
compressing objects: 100% (2/2), done.
```

```
writing objects: 100% (5/5), 319 bytes | 63.00 KiB/s, done.
```

```
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0
```

```
To https://github.com/ArunIIITDWD/Devops.git
```

```
* [new branch]      main -> main
```

```
Branch 'main' set up to track remote branch 'main' from 'origin'.
```

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)

```
$ git status
```

```
On branch main
```

```
Your branch is up to date with 'origin/main'.
```

```
nothing to commit, working tree clean
```

MATHIVATHNAKUMAR@DESKTOP-HRCJ4PF MINGW64 ~/Team2/Devops (main)

```
$ git log
```

```
commit e780580e68cc0d7022a5e273ff01c501970c1858 (HEAD -> main, origin/main)
```

```
Author: ArunIIITDWD <18bcs012@iiitdwd.ac.in>
```