w3 schools

Tutorials ▾   Exercises ▾   Services ▾   🔍   ◐   Sign Up   Log in

☰ .   CSS   JAVASCRIPT   SQL   PYTHON   JAVA   PHP   HOW TO   W3.CSS   C

jQuery Quiz Results

Score: 20 of 25

80% Correct:

Question 1:

Which of the following is correct?

✔ **jQuery is a JavaScript Library**   Your answer

   jQuery is a JSON Library

Question 2:

jQuery uses CSS selectors to select elements?

✔ **True**   Your answer

   False

Question 3:

Which sign does jQuery use as a shortcut for jQuery?

✔ **the $ sign**   Your answer

   the ? Sign

   the % sign

✔ **All div elements**   Your answer

   The first div element

Question 5:

Is jQuery a library for client scripting or server scripting?

✔ **Client scripting**   Your answer

   Server scripting

Question 6:

Is it possible to use jQuery together with AJAX?

✔ **Yes**   Your answer

   No

Question 7:

The jQuery html() method works for both HTML and XML documents

✘ **True**   Your answer

   False   Correct answer

Question 8:

What is the correct jQuery code to set the background color of all p elements to red?

$("p").layout("background-color","red");

$("p").style("background-color","red");

Question 9:

With jQuery, look at the following selector: $("div.intro"). What does it select?

✔ **All div elements with class="intro"**   Your answer

The first div element with class="intro"

The first div element with id="intro"

All div elements with id="intro"

Question 10:

Which jQuery method is used to hide selected elements?

✔ **hide()**   Your answer

hidden()

visible(false)

display(none)

Question 11:

Which jQuery method is used to set one or more style properties for selected elements?

✔ **css()**   Your answer

Tutorials ▾   Exercises ▾   Services ▾   🔍   ◑   Sign Up   **Log in**

☰   .   CSS   JAVASCRIPT   SQL   PYTHON   JAVA   PHP   HOW TO   W3.CSS   C

Question 12:

Which jQuery method is used to perform an asynchronous HTTP request?

  ❌ jQuery.ajaxAsync()   Your answer

      jQuery.ajaxSetup()

      jQuery.ajax()   Correct answer

Question 13:

What is the correct jQuery code for making all div elements 100 pixels high?

  ✔ $("div").height(100)   Your answer

 $("div").height="100"

      $("div").yPos(100)

Question 14:

Which statement is true?

  ❌ To use jQuery, you must buy the jQuery library at   Your answer
www.jquery.com

      To use jQuery, you do not have to do anything. Most browsers (Internet
Explorer, Chrome, Firefox and Opera) have the jQuery library built in the
browser

      To use jQuery, you can refer to a hosted jQuery library at   Correct answer
Google

What scripting language is jQuery written in.

✔ **JavaScript**   Your answer

VBScript

C#

C++

Question 16:

Which jQuery function is used to prevent code from running, before the document is finished loading?

✔ **$(document).ready()**   Your answer

$(document).load()

$(body).onload()

Question 17:

Which jQuery method should be used to deal with name conflicts?

✔ **noConflict()**   Your answer

conflict()

nameConflict()

noNameConflict()

Question 18:

✔ toggleClass()   Your answer

altClass()

switch()

switchClass()

Question 19:

Look at the following selector: $("div p"). What does it select?

✔ **All p elements inside a div element**   Your answer

The first p element inside a div element

All div elements with a p element

Question 20:

Is jQuery a W3C standard?

✔ **No**   Your answer

Yes

Question 21:

Look at the following selector: $("p#intro"). What does it select?

✔ **The p element with id="intro"**   Your answer

All p elements with class="intro"

✖ remove()   Your answer

Both methods can be used   Correct answer

detach()

Question 23:

Look at the following selector: $(":disabled"). What does it select?

✔ All disabled input elements   Your answer

All hidden elements

All elements that does not contain the text "disabled"

All elements containing the text "disabled"

Question 24:

Which jQuery method returns the direct parent element of the selected element?

✔ parent()   Your answer

ancestors()

parents()

ancestor()

Question 25:

The jQuery animate() method can be used to animate ANY CSS property?

All properties except the shorthand properties

Study jQuery in our jQuery Tutorial

Kickstart your career

Get certified by completing a course

Get certified