

bala[®]

VERTICAL PANEL SAW





INSPIRATION OF VERTICAL CUTS

At Bala Makina, we bring innovation and precision together in our vertical panel saws, offering efficient solutions for space-conscious workshops and factories. Designed for accuracy and durability, our machines deliver flawless vertical and horizontal cuts across a wide range of materials.

With decades of expertise in woodworking machinery, Bala Makina sets new standards in vertical panel saw technology. Where compact structure meets industrial-grade performance — this is vertical & horizontal cutting, redefined.


More than
20,000
machines actively
operating worldwide

Machines in
operation across over
125
countries


With
35
years of know-how
in manufacturing of
vertical panel saws

WHY DO WE PRODUCE VERTICAL PANEL SAWS ?

At Bala Makina, we understand the value of space, precision, and productivity in modern workshops and factories. That's why we produce vertical panel saws — to offer efficient cutting solutions without compromising on accuracy. Our goal is to simplify complex panel sizing processes while maximizing safety and operator comfort. We produce vertical saws not just as machines, but as answers to real production needs.




646 ft²



269 ft²

SPACE SAVER



108 ft²

HIGH PERFORMANCE

35 YEARS OF KNOW-HOW IN VERTICAL PANEL SAW

With over three decades of experience, Bala Makina has mastered the engineering behind high-performance vertical panel saws. Our deep-rooted expertise enables us to design machines that combine durability, precision, and ease of use.


Each model reflects a legacy of continuous improvement and customer-focused innovation. For 35 years, we haven't just built machines — we've built trust.





bala[®]

35 *Years*
OF HISTORY

A BALA vertical panel saw is shown in a wood processing facility. The machine is a large, industrial-grade unit with a prominent 'bala' logo in red on its side. It is positioned next to a large stack of cut wood panels, which are neatly organized on wooden pallets. The background shows the interior of a factory with various pipes and structural elements. The overall scene is dimly lit, with a blue tint overlaying the image.


BALA Vertical Panel Saws

Available in the USA Through
Our Exclusive Partner,
AW Machinery LLC.

Why CHOOSE **BALA**?

BALA is committed to delivering high-quality vertical panel saw solutions that combine precision engineering, durable construction, and practical usability. Designed for modern woodworking and industrial environments, BALA machines ensure accurate cutting performance, improved workflow efficiency, and long-term reliability. With a strong focus on operator comfort, safety, and productivity, BALA provides solutions that meet real production demands and support consistent, high-quality results.

DPM ED



Vertical panel saws deliver precise and reliable cutting for woodworking businesses of all sizes.

- Mechanical Grid Shifting System
- Flexible Cutting Strips
- Digital Measuring System
- Manual Lock System
- Flip Stop System
- Dust Extraction System

DPM ED OVERVIEW

DPM ED vertical panel saw is a state-of-the-art solution designed for precise and flexible cutting in both vertical and horizontal positions. Featuring digital measuring scales, a mechanically movable back table, and a manual locking system, it ensures accurate, stable, and efficient performance for professional woodworking applications.

With its robust construction, DPM ED delivers reliable cutting performance and supports consistent results in demanding production environments.

Key Features of DPM ED

- Manual Vertical & Horizontal Digital Measuring System ensures precise and accurate cutting control.
- Dust Extraction System ensures a clean and safe working environment during cutting operations.
- Repetitive cutting tool for repetitive vertical cutting operations.
- Available in larger frame sizes with a cutting capacity of up to 63" x 200.8", DPM ED provides excellent versatility and value for space-efficient workshops.

OPTIONAL ACCESSORIES

Scoring Unit

Designed to reduce splintering and cracking during cutting operations.



Grooving Kit

Joint grooving accessory with 0 - 30 mm depth adjustment operates via a cover-mounted mechanism that stops the guard at a preset distance, ensuring precise and controlled grooving performance.



Digital Vertical Panel Stop w/7" Touch Screen



Servo motor-controlled vertical stop is operated through a 7" touchscreen panel, providing precise control and ease of use during cutting operations. This system significantly enhances cutting accuracy while improving workflow efficiency and ensuring a smooth operating experience.

STANDARD ACCESSORIES

Repetitive Cutting Tool



Repetitive cutting tool on the DPM ED vertical panel saw enables fast and accurate repetitive cutting, improving workflow efficiency and reducing setup time.

TRK Dust Extraction System



Dust Extraction System ensures a clean and safe working environment during cutting operations.

Vertical & Horizontal Digital Measuring System



Vertical & Horizontal Digital Measuring System provides precise measurement and easy adjustment of saw carriage positioning for consistently accurate cutting results and improved efficiency.
Repetitive Cutting Tool

SPECIAL ORDER OPTIONAL ACCESSORIES

Moveable Horizontal TRK Dust Extraction System

The Horizontal TRK System provides efficient dust extraction across the cutting line, ensuring a clean workspace, reduced maintenance, and continuous safe operation

Vertical TRK Dust Extraction System

The Vertical TRK System is a high-efficiency dust extraction solution for vertical panel saws, ensuring effective dust collection at the vertical cutting points to improve air quality, operator safety, and machine performance.

Manual Vertical Panel Saws

DPM ED manual vertical panel saws are an excellent solution for commercial use in woodworking businesses of every size.




1631

1651

— DPM ED —

Industrial Vertical Panel Saw



SPECS

Cutting Capacity

- 63.0" x 122"
- 63.0" x 200.8"

Cutting Depth

- 2 - 3/8"

Saw Motor

- 5.5 HP - 4 kW

Scoring Unit

- Optional; 80mm dia., 20mm bore; Includes shim spacers

Back Support

- Aluminum Frame & Flexible Plastic Profiles

Measurement System

- Digital Measuring System Available

Main Blade

- 250mm Ø (9.8")


Electrical

- 3 phase x 230 V 60 Hz

DPM KS

Vertical panel saw delivers precise and reliable cutting for woodworking businesses of all sizes.

Mechanical Grid Shifting System
Flexible Cutting Strips
Digital Measuring System
Manual Lock System
Flip Stop System
Dust Extraction System



DPM KS OVERVIEW

DPM KS is a manual vertical panel saw equipped with panel clamping and lifting features that improve cutting speed and ease of use. It allows cutting and trimming from any side of the panel, including the bottom, ensuring efficient operation, versatility, and precise results. Featuring digital measuring scales, a pneumatic movable back table, and a manual locking system, it delivers accurate, stable, and efficient performance for professional woodworking applications. With its robust construction, DPM KS provides reliable cutting performance and ensures consistent results in demanding production environments.

Key Features of DPM KS

- Panel Clamping & Lifting System
- Manual Vertical & Horizontal Digital Measuring System ensures precise and accurate cutting control.
- Dust Extraction System ensures a clean and safe working environment during cutting operations.
- Repetitive cutting tool for repetitive vertical cutting operations.
- Available in larger frame sizes with a cutting capacity of up to 74.8" x 216.5", DPM KS provides excellent versatility and value for space-efficient workshops.

OPTIONAL ACCESSORIES

Scoring Unit

Designed to reduce splintering and cracking during cutting operations.




Grooving Kit

Joint grooving accessory with 0 - 30 mm depth adjustment operates via a cover-mounted mechanism that stops the guard at a preset distance, ensuring precise and controlled grooving performance.



STANDARD ACCESSORIES

Panel Clamping & Lifting System




Panel clamping and lifting system integrated into the DPM KS improves efficiency and simplifies operation during cutting, allowing a single operator to handle and cut panels of various sizes with reduced physical effort.

Vertical Digital Measuring System



Vertical & Horizontal Digital Measuring System provides precise measurement and easy adjustment of saw carriage positioning for consistently accurate cutting results and improved efficiency.

Repetitive Cutting Tool



Repetitive cutting tool on the DPM KS vertical panel saw enables fast and accurate repetitive cutting, improving workflow efficiency and reducing setup time.

Digital Vertical Panel Stop w/7" Touch Screen



Servo motor-controlled vertical stop is operated through a 7" touchscreen panel, providing precise control and ease of use during cutting operations. This system significantly enhances cutting accuracy while improving workflow efficiency and ensuring a smooth operating experience.

OPTIONAL SPECIAL ORDER ACCESSORIES

Moveable Horizontal TRK Dust Extraction System

The TRK System provides efficient dust extraction across the cutting line, ensuring a clean workspace, reduced maintenance, and continuous safe operation.

Vertical TRK Dust Extraction System

The Vertical TRK System is a high efficiency dust extraction solution for vertical panel saws, ensuring effective dust collection at the vertical cutting points to improve air quality, operator safety, and machine performance.

TRK Dust Extraction System



Dust collection system ensures a clean and safe working environment during cutting operations.

Manual Vertical Panel Saws with Clamping & Lifting System


DPM KS manual vertical panel saw offers an ideal solution for woodworking businesses of all sizes, featuring pneumatic clamping and lifting systems that ensure easy handling and precise cutting of large panels.



1951

— DPM KS —

Versatile Vertical Panel Saw with
Clamping & Lifting Systems



SPECS

Cutting Capacity

- 74.8" x 200.8"

Back Support

- Aluminum Frame & Flexible Plastic Profiles

Cutting Depth

- 2 - 3/8"

Measurement System

- Manual Horizontal Measurement System
- Manual Vertical Digital Measuring System

Saw Motor

- 7.5 HP - 5.5 kW

Main Blade

- 250mm Ø (9.8")

Scoring Unit

- Optional; 80mm dia., 20mm bore; Includes shim spacers

Electrical

- 3 phase x 230 V 60 Hz

Panel Holders


- 1680mm spacing

Lifting Capacity

- 399lbs combined lift capacity

DPM ED AV

Automated cutting with optimization software and touchscreen control.



- 10.1" inc Touch Screen Control Panel & Cutting Optimization
- Automatic Grid Shifting System
- Digital Measuring System
- Automatic Lock System
- Linear Guides & Rails
- Flip Stop System
- Dust Extraction System

DPM ED AV OVERVIEW


DPM ED AV is a high-precision vertical panel saw developed for demanding cutting and edge trimming operations. Its motorized circular saw blade ensures fast and accurate cutting performance. The user-friendly 10.1" touchscreen control panel works in combination with cutting optimization software to deliver maximum production efficiency. This system not only simplifies operator tasks but also provides high flexibility throughout the manufacturing process.

Key Features of DPM ED AV

- 10.1" Touch Screen Control Panel & Cutting Optimization.
- Automatic Grid Shifting System
- Vertical & Horizontal Digital Measuring System ensures precise and accurate cutting control.
- Servo motor-controlled vertical stop is operated through a touchscreen panel, providing precise control and ease of use during cutting operations.
- Automatic vertical & horizontal lock system
- Dust Extraction System ensures a clean and safe working environment during cutting operations.
- Repetitive cutting tool for repetitive vertical cutting operations.
- Available in larger frame sizes with a cutting capacity of up to 74.8" x 200.8", DPM ED AV provides excellent versatility and value for space-efficient workshops

OPTIONAL ACCESSORIES

Grooving Kit



Joint grooving accessory with 0 - 30 mm depth adjustment operates via a cover-mounted mechanism that stops the guard at a preset distance, ensuring precise and controlled grooving performance.

Scoring Unit



Designed to reduce splintering and cracking during cutting operations.

STANDARD ACCESSORIES

10.1" inc Touch Screen Control Panel & Cutting Optimization



Bala Cutting Optimization is a system for the DPM ED AV vertical panel saw that allows operators to enter part lists and material data via a touchscreen to generate optimized cutting plans, simplifying preparation and improving cutting efficiency and productivity.

Vertical & Horizontal Digital Measuring System



Vertical & Horizontal Digital Measuring System provides precise measurement and easy adjustment of saw carriage positioning for consistently accurate cutting results and improved efficiency.

Servo Controlled Vertical Stop



Servo motor-controlled vertical stop is operated via the touchscreen control panel, providing precise positioning and ease of use during cutting operations. This system enhances cutting accuracy, improves workflow efficiency, and ensures smooth operation.

TRK Dust Extraction System



Dust Extraction System ensures a clean and safe working environment during cutting operations.

Barcode Scanner



Provides precise dimensions of your last cut.

OPTIONAL SPECIAL ORDER ACCESSORIES

Moveable Horizontal TRK Dust Extraction System

The TRK System provides efficient dust extraction across the cutting line, ensuring a clean workspace, reduced maintenance, and continuous safe operation.


Vertical TRK Dust Extraction System

The Vertical TRK System is a high efficiency dust extraction solution for vertical panel saws, ensuring effective dust collection at the vertical cutting points to improve air quality, operator safety, and machine performance.

SEMI-AUTOMATIC VERTICAL PANEL SAWS

DPM ED AV semi automatic vertical panel saws are an excellent solution for commercial use in woodworking businesses of every size, featuring a 10.1" touch screen control panel with cutting optimization for precise, efficient, and material-saving operations.


- All Locking functions and saw head movements are fully automated
- Variable and Consistent Feed Speed: A panel sensor stops the saw at the end of the sheet, returning to a preset home position before each cutting cycle.
- Automatically stores all cutting positions and auto returns to the starting point
- Cycle Selector: For Operator Safety
- Contains an Electronic Positioning System: For Horizontal Cuts



1951

DPM ED AV

Versatile Vertical Panel Saw with
Touch Screen Control Panel & Cutting



SPECS

Cutting Capacity

74.8" x 200.8"

Back Support

- Aluminum Frame & Flexible Plastic Profiles

Measurement System

- Automatic Digital Measuring System

Cutting Depth

2 - 3/8"

Automation Features

- 10.1 Touch Screen Control Panel with
- Cutting Optimization Software

Saw Motor

7.5 HP - 5.5 kW

Main Blade

- 250mm Ø (9.8 in.)

Scoring Unit

- Optional; 80mm dia., 20mm bore; Includes shim spacers

Electrical

- 3 phase x 230 V 60 Hz

AW INDUSTRIAL
WOODWORKING
EQUIPMENT
Machinery

bala[®]

**BALA Vertical Panel Saws
from AW Machinery—
North America's Exclusive
Distributor**



AW INDUSTRIAL
WOODWORKING
EQUIPMENT
Machinery

**YOUR INDUSTRIAL WOODWORKING
EQUIPMENT PARTNER**

 **ElmBlue**
WOODWORKING EQUIPMENT FINANCE

Financing Available

603-235-4091

mitch.hartmann@elmbblue.com



AW Machinery, LLC
6161 Mt. Hope Rd.
Apple Creek, OH 44606

| www.awmachineryllc.com |

☎ 330-778-0020
✉ sales@awmachineryllc.com