


PPM'S TOTALES

Fecha	Total Muestra	Total Defecto	Total PPM'S
2022-01-03	66,567	164	2,463
2022-01-04	63,463	223	3,513
2022-01-05	92,425	510	5,517
2022-01-06	58,565	324	5,532
2022-01-07	83,092	452	5,439
2022-01-08	37,168	78	2,098
2022-01-09	3,421	49	14,323
2022-01-10	60,850	162	2,662
2022-01-11	89,585	252	2,812
2022-01-12	88,481	220	2,486
2022-01-13	82,179	494	6,011
2022-01-14	110,644	293	2,648
2022-01-15	43,562	136	3,121
2022-01-16	16,361	53	3,239
2022-01-17	56,825	186	3,273
2022-01-18	76,958	247	3,209
2022-01-19	82,206	479	5,826
2022-01-20	73,578	642	8,725
2022-01-21	85,750	520	6,064
2022-01-22	57,043	509	8,923
2022-01-23	10,114	57	5,635
2022-01-24	71,198	432	6,067
Total:	1,410,035	6,482	4,597

PPM'S TOTAL




PPM'S POR DIA Y TURNO

1er Turno			
Fecha	Total Muestra	Suma Defecto	PPM'S
2022-01-03	24,557	107	4,357
2022-01-04	28,232	119	4,215
2022-01-05	44,360	192	4,328
2022-01-06	28,028	225	8,027
2022-01-07	40,273	237	5,884
2022-01-08	18,942	37	1,953
2022-01-09	3,421	45	13,154
2022-01-10	27,461	34	1,238
2022-01-11	42,401	46	1,084
2022-01-12	41,500	36	867
2022-01-13	32,655	130	3,981
2022-01-14	48,471	46	949
2022-01-17	23,446	40	1,706
2022-01-18	35,124	110	3,131
2022-01-19	31,294	241	7,701
2022-01-20	37,623	433	11,508
2022-01-21	31,042	274	8,826
2022-01-22	17,495	267	15,261
2022-01-23	7,219	28	3,878
2022-01-24	36,694	205	5,586
Total:	600,238	2,852	4,751

2do Turno			
Fecha	Total Muestra	Suma Defecto	PPM'S
2022-01-03	42,010	57	1,356
2022-01-04	35,231	104	2,951
2022-01-05	48,065	318	6,616
2022-01-06	30,537	99	3,241
2022-01-07	42,819	215	5,021
2022-01-08	18,226	41	2,249
2022-01-09	0	4	0
2022-01-10	33,389	128	3,833
2022-01-11	47,184	206	4,365
2022-01-12	46,981	184	3,916
2022-01-13	49,524	364	7,349
2022-01-14	62,173	247	3,972
2022-01-15	26,747	136	5,084
2022-01-16	4,960	53	10,685
2022-01-17	33,379	146	4,374
2022-01-18	41,834	137	3,274
2022-01-19	50,912	238	4,674
2022-01-20	35,955	209	5,812
2022-01-21	54,708	246	4,496
2022-01-22	39,548	242	6,119
2022-01-23	2,895	29	10,017
2022-01-24	34,504	227	6,578
Total:	781,581	3,630	4,644

3er Turno			
Fecha	Total Muestra	Suma Defecto	PPM'S
Total:			

PPM'S POR DIA Y TURNO



PPM'S POR MESA Y TURNO DEL DIA


1er Turno			
Mesa	Muestra	Defecto	PPM'S
QUI	0	8	0
T08	120	8	66,666
T10	420	13	30,952
T13	2,325	6	2,580
T22	450	3	6,666
T23	1,230	27	21,951
T25	160	4	25,000
T26	187	4	21,390
T29	165	2	12,121
T35	1,742	7	4,018
T36	2,101	8	3,807
T38	5,460	4	732
T55	480	4	8,333
T56	1,001	10	9,990
T60	464	2	4,310
T61	2,655	9	3,389
T66	1,185	29	24,472
T67	2,430	26	10,699
T70	2,730	12	4,395
T71	1,365	16	11,721
T72	1,365	3	2,197
Total:	28,035	205	7,312

2do Turno			
Mesa	Muestra	Defecto	PPM'S
QUI	0	1	0
T01	420	2	4,761
T02	360	9	25,000
T08	480	3	6,250
T10	1,740	33	18,965
T13	2,625	20	7,619
T22	1,320	4	3,030
T23	2,760	6	2,173
T26	720	5	6,944
T27	300	19	63,333
T29	330	3	9,090
T38	390	8	20,512
T56	153	4	26,143
T61	2,655	18	6,779
T64	1,185	24	20,253
T65	1,215	8	6,584
T66	1,185	4	3,375
T67	2,430	16	6,584
T70	2,730	20	7,326
T71	1,365	16	11,721
T72	1,365	4	2,930
Total:	25,728	227	8,823


3er Turno			
Mesa	Muestra	Defecto	PPM'S
Total:			

GRAFICAS DE PPM'S POR MESA Y TURNO DEL DIA

1ER TURNO (TOP 5)




2DO TURNO (TOP 5)



PPM'S Y DEFECTOS POR MESA DEL DIA


PPM'S por Mesa			
Mesa	Muestra	Defecto	PPM'S
QUI	0	9	0
T01	420	2	4,761
T02	360	9	25,000
T08	600	11	18,333
T10	2,160	46	21,296
T13	4,950	26	5,252
T22	1,770	7	3,954
T23	3,990	33	8,270
T25	160	4	25,000
T26	907	9	9,922
T27	300	19	63,333
T29	495	5	10,101
T35	2,162	7	3,237
T36	2,208	8	3,623
T38	5,850	12	2,051
T55	1,080	4	3,703
T56	1,154	14	12,131
T60	928	2	2,155
T61	5,310	27	5,084
T64	2,370	24	10,126
T65	2,430	8	3,292
T66	2,370	33	13,924
T67	4,860	42	8,641
T70	5,460	32	5,860
T71	2,730	32	11,721
T72	2,730	7	2,564
Total:	57,754	432	7,480

PPM'S POR MESA (TOP 5)




GRAFICAS DE DEFECTOS POR MESA Y TURNO DEL DIA


DEFECTOS 1ER TURNO TOP(5)



DEFECTOS 2DO TURNO TOP(5)




DEFECTOS POR MESA (TOP 5)




GRAFICAS DE DEFECTOS COMUNES POR TURNO DEL DIA

DEFECTOS COMUNES 1ER TURNO TOP(5)




DEFECTOS COMUNES 2DO TURNO TOP(5)



GRAFICAS DE DEFECTOS COMUNES TOTAL DEL DIA

DEFECTOS COMUNES TOTAL (TOP 5)



ACUMULADO MENSUAL DE PPM'S POR MESA Y TURNO


1er Turno			
Mesa	Muestra	Defecto	PPM'S
QUI	0	48	0
T01	6,480	53	8,179
T02	6,840	74	10,818
T03	9,420	19	2,016
T04	19,800	23	1,161
T05	10,290	79	7,677
T07	3,660	31	8,469
T08	5,206	83	15,943
T09	5,790	92	15,889
T10	5,700	94	16,491
T11	3,300	22	6,666
T12	4,455	50	11,223
T13	15,505	52	3,353
T14	10,023	33	3,292
T15	930	8	8,602
T17	12,386	13	1,049
T18	1,260	5	3,968
T22	9,240	60	6,493
T23	4,620	34	7,359
T24	8,550	53	6,198
T25	1,150	51	44,347
T26	2,276	28	12,302
T28	213	7	32,863
T29	557	22	39,497
T32	7,961	28	3,517
T33	5,303	44	8,297
T34	9,840	9	914
T35	7,182	45	6,265
T36	4,420	19	4,298
T37	5,816	21	3,610
T38	8,940	21	2,348
T39	5,520	27	4,891
T40	2,164	8	3,696
T41	4,031	25	6,201
T42	7,200	138	19,166
T43	1,824	32	17,543
T44	7,860	31	3,944
T45	2,070	8	3,864
T46	12,675	36	2,840
T47	8,790	10	1,137
T48	8,580	77	8,974
T49	3,640	8	2,197
T50	1,526	14	9,174
T53	1,462	30	20,519
T54	12,091	16	1,323
T55	4,686	23	4,908
T56	6,101	14	2,294
T59	2,953	39	13,206
T60	6,146	61	9,925
T61	25,080	57	2,272
T62	21,330	68	3,187
T63	27,228	143	5,251
T64	28,938	90	3,110
T65	31,786	58	1,824
T66	28,161	138	4,900
T67	27,480	169	6,149
T68	25,785	106	4,110
T69	24,680	64	2,593
T70	29,670	68	2,291
T71	25,785	70	2,714
T72	23,025	3	130
Total:	615,380	2,852	4,635

2do Turno			
Mesa	Muestra	Defecto	PPM'S
QUI	0	26	0
T01	17,580	116	6,598
T02	10,500	71	6,761
T03	6,240	4	641
T04	12,000	37	3,083
T05	12,130	124	10,222
T06	7,830	57	7,279
T07	7,200	77	10,694
T08	6,835	119	17,410
T09	6,630	64	9,653
T10	9,840	76	7,723
T11	4,140	4	966
T12	9,435	159	16,852
T13	30,835	156	5,059
T14	12,663	97	7,660
T15	10,230	56	5,474
T16	2,775	21	7,567
T17	21,716	19	874
T18	3,270	2	611
T20	1,755	1	569
T21	720	4	5,555
T22	15,930	46	2,887
T23	21,030	43	2,044
T24	16,110	69	4,283
T25	9,706	109	11,230
T26	11,498	86	7,479
T27	3,040	38	12,500
T28	1,753	4	2,281
T29	1,427	9	6,306
T30	4,835	8	1,654
T33	8,752	15	1,713
T34	19,788	3	151
T35	10,275	7	681
T36	5,051	3	593
T37	4,230	20	4,728
T38	4,500	8	1,777
T39	4,380	10	2,283
T40	738	11	14,905
T41	6,465	101	15,622
T42	6,865	106	15,440
T43	1,501	58	38,640
T44	5,310	21	3,954
T45	6,724	12	1,784
T46	13,785	55	3,989
T47	12,270	34	2,770
T48	480	23	47,916
T49	9,415	4	424
T50	5,516	4	725
T53	2,070	3	1,449
T54	13,727	108	7,867
T55	6,126	8	1,305
T56	5,347	34	6,358
T59	5,852	14	2,392
T60	10,290	70	6,802
T61	25,080	84	3,349
T62	21,978	27	1,228
T63	26,730	53	1,982
T64	28,440	110	3,867
T65	31,726	60	1,891
T66	29,406	136	4,624
T67	27,480	110	4,002
T68	26,565	71	2,672
T69	24,680	76	3,079
T70	29,670	199	6,707
T71	25,785	174	6,748
T72	23,025	96	4,169
Total:	769,675	3,630	4,716


3er Turno			
Mesa	Muestra	Defecto	PPM'S
Total:			

GRAFICAS DE PPM'S POR MESA Y TURNO

1ER TURNO (TOP 5)




2DO TURNO (TOP 5)




PPM'S Y DEFECTOS POR MESA

PPM'S por Mesa			
Mesa	Muestra	Defecto	PPM'S
QUI	0	74	0
T01	24,060	169	7,024
T02	17,340	145	8,362
T03	15,660	23	1,468
T04	31,800	60	1,886
T05	22,420	203	9,054
T06	13,080	57	4,357
T07	10,860	108	9,944
T08	12,041	202	16,776
T09	12,420	156	12,560
T10	15,540	170	10,939
T11	7,440	26	3,494
T12	13,890	209	15,046
T13	46,340	208	4,488
T14	22,686	130	5,730
T15	11,160	64	5,734
T16	4,170	21	5,035
T17	34,102	32	938
T18	4,530	7	1,545
T20	3,150	1	317
T21	1,440	4	2,777
T22	25,170	106	4,211
T23	25,650	77	3,001
T24	24,660	122	4,947
T25	10,856	160	14,738
T26	13,774	114	8,276
T27	2,920	38	13,013
T28	1,966	11	5,595
T29	1,984	31	15,625
T30	7,016	8	1,140
T32	18,303	28	1,529
T33	14,055	59	4,197
T34	29,628	12	405
T35	17,457	52	2,978
T36	9,471	22	2,322
T37	10,046	41	4,081
T38	13,440	29	2,157
T39	9,900	37	3,737
T40	2,902	19	6,547
T41	10,496	126	12,004
T42	14,065	244	17,348
T43	3,325	90	27,067
T44	13,170	52	3,948
T45	8,794	20	2,274
T46	26,460	91	3,439
T47	21,060	44	2,089
T48	9,060	100	11,037
T49	13,055	12	919
T50	7,042	18	2,556
T53	3,532	33	9,343
T54	25,818	124	4,802
T55	10,812	31	2,867
T56	11,448	48	4,192
T59	8,805	53	6,019
T60	16,436	131	7,970
T61	50,160	141	2,811
T62	43,308	95	2,193
T63	53,958	196	3,632
T64	57,378	200	3,485
T65	63,512	118	1,857
T66	57,567	274	4,759
T67	54,960	279	5,076
T68	52,350	177	3,381
T69	49,360	140	2,836
T70	59,340	267	4,499
T71	51,570	244	4,731
T72	46,050	99	2,149
Total: 1,406,218 6,482 385,256			




GRAFICAS DE DEFECTOS POR MESA Y TURNO


DEFECTOS 1ER TURNO TOP(5)



DEFECTOS 2DO TURNO TOP(5)




DEFECTOS POR MESA (TOP 5)




GRAFICAS DE DEFECTOS COMUNES POR TURNO

DEFECTOS COMUNES 1ER TURNO TOP(5)



DEFECTOS COMUNES 2DOTURNO TOP(5)



GRAFICAS DE DEFECTOS COMUNES TOTAL

DEFECTOS COMUNES TOTAL (TOP 5)

