

Auteur: Thomas Eertmans
 Studierichting: Informatica
 Oefeningenreeks 7C nr. 1.1

$$f : \mathbb{R}^3 \rightarrow \mathbb{R} : (x, y, z) \rightarrow xy^2z^3 + x^2y^3z^4 + x^3y^4z^5$$

$$Df = \begin{pmatrix} y^2z^3 + 2xy^3z^4 + 3x^2y^4z^5 & 2xyz^3 + 3x^2y^2z^4 + 4x^3y^3z^5 & 3xy^2z^2 + 4x^2y^3z^3 + 5x^3y^4z^4 \end{pmatrix}$$

$$D^2f = \begin{pmatrix} 2y^3z^4 + 6xy^4z^5 & 2yz^3 + 6xy^2z^4 + 12x^2y^3z^5 & 3y^2z^2 + 8xy^3z^3 + 15x^2y^4z^4 \\ 2yz^3 + 6xy^2z^4 + 12x^2y^3z^5 & 2xz^3 + 6x^2yz^4 + 12x^3y^2z^5 & 6xyz^2 + 12x^2y^2z^3 + 20x^3y^3z^4 \\ 3y^2z^2 + 8xy^3z^3 + 15x^2y^4z^4 & 6xyz^2 + 12x^2y^2z^3 + 20x^3y^3z^4 & 6xy^2z + 12x^2y^3z^2 + 20x^3y^4z^3 \end{pmatrix}$$

References