


Auteur: Anass Hamzaoui
Studierichting: Informatica
Oefeningenreeks 5F nr. 3.7

$$\begin{aligned} A &= \frac{1}{2} \int_0^\pi (1 + \cos \theta)^2 d\theta - \frac{1}{2} \int_0^{\frac{\pi}{2}} \cos^2 \theta d\theta \\ &= \frac{1}{2} \int_0^\pi (1 + 2 \cos \theta + \cos^2 \theta) d\theta - \frac{1}{4} \int_0^{\frac{\pi}{2}} (1 + \cos 2\theta) d\theta \\ &= \frac{1}{4} \int_0^\pi (2 + 4 \cos \theta + 1 + \cos 2\theta) d\theta - \frac{1}{4} \int_0^{\frac{\pi}{2}} (1 + \cos 2\theta) d\theta \\ &= \frac{1}{4} \left[3\theta + 4 \sin \theta + \frac{\sin 2\theta}{2} \right]_0^\pi - \frac{1}{4} \left[\theta + \frac{\sin 2\theta}{2} \right]_0^{\frac{\pi}{2}} \\ &= \frac{1}{4} (3\pi + 0 + 0) - \frac{1}{4} \left(\frac{\pi}{2} + 0 \right) \\ &= \frac{3}{4}\pi - \frac{1}{8}\pi \\ &= \frac{5}{8}\pi \end{aligned}$$

Grafiek:



References