apps.views

View	
id	**AutoField**
comment	TextField
help_de	TextField
help_en	TextField
key	SlugField
template	TextField
title_de	CharField
title_en	CharField
uri	URLField
uri_prefix	URLField

apps.questions

Question	
questionentity_ptr	**OneToOneField (id)**
parent	ForeignKey (id)
text_de	TextField
text_en	TextField
widget_type	CharField

QuestionEntity *‹Model›*	
id	**AutoField**
attribute_entity	**ForeignKey (id)**
subsection	**ForeignKey (id)**
comment	TextField
created	DateTimeField
help_de	TextField
help_en	TextField
key	SlugField
order	IntegerField
path	CharField
updated	DateTimeField
uri	URLField
uri_prefix	URLField

Subsection *‹Model›*	
id	**AutoField**
section	**ForeignKey (id)**
comment	TextField
created	DateTimeField
key	SlugField
order	IntegerField
path	CharField
title_de	CharField
title_en	CharField
updated	DateTimeField
uri	URLField
uri_prefix	URLField

Section *‹Model›*	
id	**AutoField**
catalog	**ForeignKey (id)**
comment	TextField
created	DateTimeField
key	SlugField
order	IntegerField
path	CharField
title_de	CharField
title_en	CharField
updated	DateTimeField
uri	URLField
uri_prefix	URLField

Catalog *‹Model›*	
id	**AutoField**
comment	TextField
created	DateTimeField
key	SlugField
order	IntegerField
title_de	CharField
title_en	CharField
updated	DateTimeField
uri	URLField
uri_prefix	URLField

apps.projects

Value *‹Model›*	
id	**AutoField**
attribute	ForeignKey (attributeentity_ptr)
option	ForeignKey (id)
project	**ForeignKey (id)**
snapshot	ForeignKey (id)
collection_index	IntegerField
created	DateTimeField
set_index	IntegerField
text	TextField
updated	DateTimeField

Snapshot *‹Model›*	
id	**AutoField**
project	**ForeignKey (id)**
created	DateTimeField
description	TextField
title	CharField
updated	DateTimeField

Project *‹Model›*	
id	**AutoField**
catalog	**ForeignKey (id)**
created	DateTimeField
description	TextField
title	CharField
updated	DateTimeField

apps.tasks

Task	
id	**AutoField**
attribute	ForeignKey (attributeentity_ptr)
comment	TextField
key	SlugField
text_de	CharField
text_en	CharField
time_period	DurationField
title_de	CharField
title_en	CharField
uri	URLField
uri_prefix	URLField

apps.domain

Range	
id	**AutoField**
attribute	**OneToOneField (attributeentity_ptr)**
maximum	FloatField
minimum	FloatField
step	FloatField

Attribute	
attributeentity_ptr	**OneToOneField (id)**
unit	CharField
value_type	CharField

VerboseName	
id	**AutoField**
attribute_entity	**OneToOneField (id)**
name_de	CharField
name_en	CharField
name_plural_de	CharField
name_plural_en	CharField

AttributeEntity *‹MPTTModel›*	
id	**AutoField**
parent	TreeForeignKey (id)
parent_collection	ForeignKey (id)
comment	TextField
is_attribute	BooleanField
is_collection	BooleanField
key	SlugField
level	PositiveIntegerField
lft	PositiveIntegerField
path	CharField
rght	PositiveIntegerField
tree_id	PositiveIntegerField
uri	URLField
uri_prefix	URLField

MPTTModel

apps.options

Option	
id	**AutoField**
optionset	**ForeignKey (id)**
additional_input	BooleanField
comment	TextField
key	SlugField
order	IntegerField
path	SlugField
text_de	CharField
text_en	CharField
uri	URLField
uri_prefix	URLField

OptionSet	
id	**AutoField**
comment	TextField
key	SlugField
order	IntegerField
uri	URLField
uri_prefix	URLField

apps.conditions

Condition	
id	**AutoField**
source	ForeignKey (attributeentity_ptr)
target_option	ForeignKey (id)
comment	TextField
key	SlugField
order	IntegerField
path	SlugField
relation	CharField
target_text	CharField
uri	URLField
uri_prefix	URLField

apps.accounts

AdditionalFieldValue	
id	**AutoField**
field	**ForeignKey (id)**
user	**ForeignKey (id)**
value	CharField

AdditionalField	
id	**AutoField**
help_de	TextField
help_en	TextField
key	SlugField
required	BooleanField
text_de	CharField
text_en	CharField
type	CharField

User

Model	
created	DateTimeField
updated	DateTimeField

Relationship labels: snapshot (values), option (+), conditions (task), attribute (values), attribute (+), attribute (range), project (values), project (snapshots), optionset (options), target_option (+), source (+), conditions (optionset), optionsets (attribute), conditions (attributeentity), multi-table inheritance, attribute_entity (verbosename), parent (children), parent_collection (+), subsection (entities), attribute_entity (+), section (subsections), catalog (sections), catalog (+), field (+), user (additional_values), owner (project), abstract inheritance, parent (questions), multi-table inheritance