

目录

1. 安装Anaconda
 - 1.1 下载anaconda的安装包
 - 1.2 解决安装出现的bug
 - 1.3 安装anaconda
 - 1.4 点击Enter (回车键)
 - 1.5 输入 yes
 - 1.6 继续点击 Enter
 - 1.7 输入 yes, 添加环境变量
 - 1.8 完成安装以及检测是否安装成功
2. Anaconda安装Pytorch
 - 2.1 创建虚拟环境
 - 2.2 激活环境
 - 2.3 测试安装成功
 - 2.4 退出之后如何查看自己安装的环境
3. 参考文献

1. 安装Anaconda

1.1 下载anaconda的安装包

这里我们需要在官网上查找自己需要的版本, 地址链接在下面:

```
https://repo.anaconda.com/archive/
```

这里以我自己安装的版本为例:

```
https://repo.anaconda.com/archive/Anaconda3-5.3.0-Linux-x86_64.sh
```

这是我选择的版本, 然后我们在控制台输入这句话:

```
wget https://repo.anaconda.com/archive/Anaconda3-5.3.0-Linux-x86_64.sh
```

如果没有出现问题就是下面图示:

```
root@dev-wyf-react:~/Downloads# wget https://repo.anaconda.com/archive/Anaconda3-5.3.0-Linux-x86_64.sh
--2021-07-12 09:50:25-- https://repo.anaconda.com/archive/Anaconda3-5.3.0-Linux-x86_64.sh
Resolving repo.anaconda.com (repo.anaconda.com)... 104.16.130.3, 104.16.131.3, 2606:4700::6810:8203, ...
Connecting to repo.anaconda.com (repo.anaconda.com)|104.16.130.3|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 667822837 (637M) [application/x-sh]
Saving to: 'Anaconda3-5.3.0-Linux-x86_64.sh'

Anaconda3-5.3.0-Linux-x86_64.sh      100%[=====>] 636.88M  6.64MB/s
2021-07-12 09:52:22 (5.50 MB/s) - 'Anaconda3-5.3.0-Linux-x86_64.sh' saved [667822837/667822837]
```

如果出现问题就按照 1.2 步骤操作。

1.2 解决安装出现的bug

当我们输入1.1的那一条命令时, 有些人可能会出现下面这样的错误:



流年若逝

关注



博客

下载

社区

G AtomGit

5折 模型市场

更多



消息

当然这也是我自己出现的错误，具体解决办法如下：

Debian /Ubuntu 系统，需要执行以下命令：

```
apt-get install -y wget
```

相反，CentOS 系统则需要输入下面指令：

```
yum install wget -y
```

1.3 安装anaconda

接下来我们需要首先赋权再执行安装程序，依次输入下面两句命令：

```
chmod +x Anaconda3-5.3.0-Linux-x86_64.sh
```

```
./Anaconda3-5.3.0-Linux-x86_64.sh
```

然后出现下面图所示：

```
root@dev-wyf-react:~/Downloads# ls
Anaconda3-5.3.0-Linux-x86_64.sh
root@dev-wyf-react:~/Downloads# chmod +x Anaconda3-5.3.0-Linux-x86_64.sh
root@dev-wyf-react:~/Downloads# ./Anaconda3-5.3.0-Linux-x86_64.sh

Welcome to Anaconda3 5.3.0

In order to continue the installation process, please review the license
agreement.
Please, press ENTER to continue
>>> [
```

1.4 点击Enter (回车键)

此时显示Anaconda的信息，并且会出现More，继续按Enter，直到如下图所示：

```
Anaconda Distribution contains open source software packages from third parties. These are available on an "as is" basis and subject to their individual license.
These licenses are available in Anaconda Distribution or at http://docs.anaconda.com/anaconda/pkg-docs. Any binary packages of these third party tools you obtain
from Anaconda Distribution are subject to their individual licenses as well as the Anaconda license. Anaconda, Inc. reserves the right to change which third party tools are
included in Anaconda Distribution.

In particular, Anaconda Distribution contains re-distributable, run-time, shared-library files from the Intel(TM) Math Kernel Library ("MKL binaries"). You are specifically
authorized to use the MKL binaries with your installation of Anaconda Distribution. You are also authorized to redistribute the MKL binaries with Anaconda Distribution.
However, you are not authorized to use the MKL binaries in any other way. Use and redistribution of the MKL binaries are subject to the licensing terms located at
https://software.intel.com/en-us/intel-simplified-software-license. If needed, instructions for removing the MKL binaries after installation of Anaconda Distribution are
available at http://www.anaconda.com/mkl.

Anaconda Distribution also contains cuDNN software binaries from NVIDIA Corporation ("cuDNN binaries"). You are specifically authorized to use the cuDNN binaries with
your installation of Anaconda Distribution. You are also authorized to redistribute the cuDNN binaries with an Anaconda Distribution package that contains them. If
needed, instructions for removing the cuDNN binaries after installation of Anaconda Distribution are available at http://www.anaconda.com.

Anaconda Distribution also contains Visual Studio Code software binaries from Microsoft Corporation ("VS Code"). You are specifically authorized to use VS Code with
your installation of Anaconda Distribution.

--More--
```

1.5 输入 yes

```
Do you accept the license terms? [yes|no]
[no] >>>
Please answer 'yes' or 'no':
>>>
Please answer 'yes' or 'no':
>>> yes

Anaconda3 will now be installed into this location:
/root/anaconda3

- Press ENTER to confirm the location
- Press CTRL-C to abort the installation
- Or specify a different location below

[/root/anaconda3] >>> [
```

1.6 继续点击 Enter



流年若逝

关注



```
- Press ENTER to confirm the location
- Press CTRL-C to abort the installation
- Or specify a different location below

[/home/wangke/anaconda3] >>>
PREFIX=/home/wangke/anaconda3
installing: python-3.6.4-hc3d631a_1 ...
Python 3.6.4 :: Anaconda, Inc.
installing: ca-certificates-2017.08.26-h1d4fec5_0 ...
```

1.7 输入 yes, 添加环境变量

```
Installation finished.
Do you wish the installer to prepend the Anaconda3 install location
to PATH in your /home/wangke/.bashrc ? [yes|no]
[no] >>> yes

Appending source /home/wangke/anaconda3/bin/activate to /home/wangke/.bashrc
A backup will be made to: /home/wangke/.bashrc-anaconda3.bak

For this change to become active, you have to open a new terminal.

Thank you for installing Anaconda3!
```

这里需要注意点的就是如果你直接跳过这部设置环境变量的话:

```
[no] >>>
```

那你需要自己到这个文件来 设置你安装Anaconda路径 (比如上面显示我的是)

```
/home/wangke/.bashrc
```

单击进去, 在最后一行添加:

```
export PATH=/home/anaconda3/bin:$PATH
```

需要把之前的那句话给注释掉如下所示:

```
bash
```

AI写代码

```
1 # export PATH=/usr/local/nvidia/bin:/usr/local/cuda/bin:/usr/local/sbin:/usr/sbin:/sbin:$PATH
2 export PATH=/root/anaconda3/bin:$PATH
```

这里只是个示例, 具体的还是要看你们自己安装的路径。

然后保存更改, 输入下面这句指令:

```
source ~/.bashrc
```

1.8 完成安装以及检测是否安装成功

打开新的终端后, 进入自己的文件夹目录下, 输入anaconda -V (注意a要小写, V要大写), conda -V, 显示版本信息, 若显示则表示安装成功。

```
root@dev-wyf-react:~/wyf# conda -V
conda 4.5.11
```

2. Anaconda安装 Pytorch

2.1 创建虚拟环境

```
conda create -n pytorch python=3.7 (pytorch 是我自己取的名字)
```

2.2 激活环境

使用下面这条命令, 激活环境:

```
conda activate pytorch
```



流年若逝

关注



出现下面所示:

```
(pytorch) root@dev-wyf-react:~/wyf#
```

检测环境是否安装好:

```
(pytorch) root@dev-wyf-react:~/wyf# conda info --envs
```

出现下面所示:

```
base /root/anaconda3
pytorch * /root/anaconda3/envs/pytorch
```

然后去选择适合自己的pytorch版本, 点击下面那个链接:

```
https://pytorch.org/
```

PyTorch Build	Stable (1.9.0)	Preview (Nightly)	LTS (1.8.1)	
Your OS	Linux	Mac	Windows	
Package	Conda	Pip	LibTorch	Source
Language	Python	C++ / Java		
Compute Platform	CUDA 10.2	CUDA 11.1	ROCm 4.2 (beta)	CPU
Run this Command:	conda install pytorch torchvision torchaudio cudatoolkit=10.2 -c pytorch			

温馨提示



流年若逝

关注



PyTorch Build	Stable (1.10.1)	Preview (Nightly)	LTS (1.8.2)	
Your OS	Linux	Mac	Windows	
Package	Conda	Pip	LibTorch	Source
Language	Python	C++ / Java		
Compute Platform	CUDA 10.2	CUDA 11.3	ROCm 4.2 (beta)	CPU
Run this Command:	<code>conda install pytorch torchvision torchaudio cudatoolkit=10.2 -c pytorch</code>			

Previous versions of PyTorch >

建议点击这个选择其他版本，不建议安装高版本的torch

CSDN @

然后复制下面这句话，输入到控制台：

```
conda install pytorch torchvision torchaudio cudatoolkit=10.2 -c pytorch
```

弹出提示，输入 y，即可完成安装，显示“done”。

2.3 测试安装成功

首先输入：python 然后在输入：import torch

```
(pytorch) root@dev-wyf-react:~/wyf# python
Python 3.7.10 (default, Jun 4 2021, 14:48:32)
[GCC 7.5.0] :: Anaconda, Inc. on linux
Type "help", "copyright", "credits" or "license" for more information.
>>> import torch
>>>
```

2.4 退出之后如何查看自己安装的环境

如果在一台服务器上安装多个环境，一下子可能不记得需要激活哪个环境名称，这时候我们需要使用下面这个命令来查找：

```
conda info --envs
```

```
(base) root@dev-zzx-1:~# conda info --envs
# conda environments:
#
base                * /root/anaconda3
kd                   /root/anaconda3/envs/kd
pytorch              /root/anaconda3/envs/pytorch
```

3. 参考文献

1. 如何在Linux服务器上安装Anaconda及其操作
2. Anaconda中安装Pytorch (填坑记)

标签 #linux #bash #运维

127 条评论



Hastings73 热评 安装成功感谢博主分享谢谢



流年若逝

关注

在Linux服务器上安装Anaconda步骤