CRAVIFY

Software Test Document

Prepared By

Ayush soni	202512030
Parin Makwana	202512098
Hitarth shah	202512042
Nevil nandasana	202512009

Generated On: 25 April 2026

Introduction

Cravify is a food delivery platform with customer, vendor, admin, and delivery partner workflows. Testing validates functionality, UI, workflows, security, performance-sensitive behavior, API responses, and complete marketplace operations.

Test Plan

Scope includes Authentication, Customer, Vendor, Admin, Delivery, Cart, Checkout/Payment, Orders/Tracking, Rewards/Loyalty, Settings, and API testing. Manual testing used browser workflow verification. Automated testing used Selenium Python with exact selectors, screenshots, reports, and cross-browser/responsive test files.

Authentication Module

Module Description: Handles customer, vendor, rider, and admin login, registration, logout, role-based navigation, password validation, and invalid credential rejection.

Test Cases

TC-AUTH-01 - Register customer with valid details | Expected: Account created and redirected to login | Status: Pass
TC-AUTH-02 - Login with valid credentials | Expected: User logs in and lands on proper dashboard/home | Status: Pass
TC-AUTH-03 - Login with invalid password | Expected: Error shown and user remains unauthenticated | Status: Pass
TC-AUTH-04 - Logout from active session | Expected: Session cleared and public navigation visible | Status: Pass

Code Screenshot

frontend/src/pages/Login.jsx

```jsx
import React, { useState, useEffect } from 'react';
import { Link, useNavigate } from 'react-router-dom';
import MainLayout from '../layouts/MainLayout';
import Button from '../components/Button';
import { useAuth } from '../context/AuthContext';
import { GoogleLogin } from '@react-oauth/google';

const Login = () => {
    const [formData, setFormData] = useState({ email: '', password: '' });
    const [error, setError] = useState('');

    // Captcha State
    const [num1, setNum1] = useState(0);
    const [num2, setNum2] = useState(0);
    const [captchaAnswer, setCaptchaAnswer] = useState('');

    const { login, googleLogin, user } = useAuth();
    const navigate = useNavigate();

    useEffect(() => {
        if (user) {
            if (user.role === 'restaurant_partner') navigate('/vendor/dashboard');
            else if (user.role === 'delivery_partner') navigate('/delivery/dashboard');
            else if (user.role === 'admin') navigate('/admin/dashboard');
            else navigate('/');
        } else {
            generateCaptcha();
        }
    }, [user, navigate]);

    const generateCaptcha = () => {
        const n1 = Math.floor(Math.random() * 10) + 1;
        const n2 = Math.floor(Math.random() * 10) + 1;
```

Passing Test Screenshot



Error Screenshot

Authentication Error Evidence

BUG-01: Earlier automation typed login credentials into the homepage search bar due to generic input indexing. Fixed by using exact name selectors for email and password.

Customer Module

Module Description: Supports restaurant browsing, search, menu viewing, profile access, address management, and customer-side order interactions.

Test Cases

TC-CUST-01 - Browse restaurants from homepage | Expected: Restaurant cards are displayed | Status: Pass
TC-CUST-02 - Search restaurant or cuisine | Expected: Matching restaurants are displayed | Status: Pass
TC-CUST-03 - Open restaurant detail page | Expected: Menu items and restaurant information appear | Status: Pass
TC-CUST-04 - Access profile/orders | Expected: Customer profile and order data visible after login | Status: Pass

Code Screenshot

frontend/src/pages/Home.jsx

```
300                 // ... search results section
301                 <section className="py-16 bg-white">
302                     {/* ... (existing content) */}
303                 </section>
304             ) : !isRestricted ? (
305                 <>
306                     {/* Categories Section */}
307                     <section className="py-16 bg-section">
308                         <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
309                             <h2 className="text-3xl font-bold text-dark mb-8">Inspiration for your first order</h2>
310                             <div className="flex gap-8 overflow-x-auto pb-8 scrollbar-hide snap-x">
311                                 {categories.map(cat => (
312                                     <CategoryItem key={cat.id} name={cat.name} image={cat.image} />
313                                 ))}
314                             </div>
315                         </div>
316                     </section>
317
318                     {/* Popular Restaurants */}
319                     <section className="py-16 bg-white">
320                         <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
321                             <h2 className="text-3xl font-bold text-dark mb-8">Top restaurants for you</h2>
322                             {loading ? (
323                                 <div className="text-center py-12 text-gray-500 text-lg">Loading restaurants...</div>
324                             ) : restaurants.length === 0 ? (
325                                 <div className="text-center py-12">
326                                     <p className="text-gray-500 text-lg">No restaurants are online right now.</p>
327                                     <p className="text-gray-400 text-sm mt-2">Check back later or become a partner!</p>
328                                 </div>
329                             ) : (
330                                 <div className="grid grid-cols-1 sm:grid-cols-2 md:grid-cols-3 lg:grid-cols-4 gap-8">
331                                     {restaurants.map(rest => (
332                                         <RestaurantCard
```

Passing Test Screenshot

Error Screenshot

Customer Module Error Evidence

No module-specific blocking error screenshot was found during documentation. Known defects are listed in the Bugs Found section.

Vendor / Restaurant Module

Module Description: Covers vendor onboarding, document upload, menu management, restaurant dashboard, and incoming order acceptance.

Test Cases

TC-VEND-01 - Vendor signup with required documents | Expected: Application submitted for admin approval | Status: Pass
TC-VEND-02 - Admin-approved vendor opens dashboard | Expected: Vendor dashboard visible | Status: Pass
TC-VEND-03 - Add menu item | Expected: Item saved and displayed in menu table | Status: Pass
TC-VEND-04 - Accept customer order | Expected: Order status changes to Preparing | Status: Pass

Code Screenshot

frontend/src/pages/VendorMenu.jsx

```
60          setShowModal(true);
61      };
62
63      const handleCloseModal = () => {
64          setShowModal(false);
65          setEditItemId(null);
66          setNewItem({ name: '', price: '', category: '', isVeg: true, description: '' });
67          setImageFile(null);
68      };
69
70      const handleSubmit = async (e) => {
71          e.preventDefault();
72          setIsSubmitting(true);
73
74          const formData = new FormData();
75          formData.append('name', newItem.name);
76          formData.append('price', String(newItem.price));
77          formData.append('category', newItem.category);
78          formData.append('isVeg', JSON.stringify(newItem.isVeg));
79          formData.append('description', newItem.description);
80
81          if (imageFile) {
82              formData.append('image', imageFile);
83          }
84
85          const url = editItemId
86              ? `/api/vendor/menu/${editItemId}`
87              : '/api/vendor/menu';
88
89          const method = editItemId ? 'PUT' : 'POST';
90
91          try {
92              const res = await fetch(url, {
```

Passing Test Screenshot



Error Screenshot

Vendor Upload Error Evidence

BUG-02: Document upload failed with 'fileTypeFromBuffer is not a function'. Fixed by using FileType.fromBuffer for file-type v16.

Admin Module

Module Description: Provides administrative dashboard, user management, approvals for vendors and delivery partners, restaurant/order monitoring, and platform settings.

Test Cases

TC-ADMIN-01 - Login as admin | Expected: Admin dashboard displayed | Status: Pass
TC-ADMIN-02 - Approve vendor | Expected: Vendor status becomes approved | Status: Pass
TC-ADMIN-03 - Approve delivery partner | Expected: Rider status becomes approved | Status: Pass
TC-ADMIN-04 - View admin dashboard stats | Expected: Users, restaurants, orders and settings cards visible | Status: Pass

Code Screenshot

frontend/src/pages/AdminUsers.jsx

```
230                                 {user.isVerified || user.role === 'customer' ? (
231                                     <span className="flex items-center gap-1.5 text-sm font-medium text-green-600">
232                                         <span className="w-1.5 h-1.5 rounded-full bg-green-600"></span> Active
233                                     </span>
234                                 ) : (
235                                     <span className="flex items-center gap-1.5 text-sm font-medium text-orange-500">
236                                         <Clock size={14} /> Pending Review
237                                     </span>
238                                 )}
239                             </td>
240                             <td className="p-4 flex justify-center gap-2">
241                                 {activeTab === 'pending' ? (
242                                     <div className="flex gap-2">
243                                         <button
244                                             onClick={(e) => {
245                                                 e.stopPropagation();
246                                                 setSelectedUser(user);
247                                             }}
248                                             className="px-4 py-2 rounded-xl text-sm font-bold bg-primary text-white hover:
249                                         >
250                                             Review Application <ExternalLink size={14} />
251                                         </button>
252                                         <button
253                                             onClick={(e) => approveUser(user._id, e)}
254                                             className="p-2 rounded-lg transition-colors text-green-600 bg-green-50 hover:b
255                                             title="Quick Approve"
256                                         >
257                                             <CheckCircle size={18} />
258                                         </button>
259                                     </div>
260                                 ) : (
261                                     <button
262                                         className="px-4 py-2 rounded-xl text-sm bg-gray-100 hover:bg-gray-200 font-bold te
```

Passing Test Screenshot



Error Screenshot

Admin Module Error Evidence

No module-specific blocking error screenshot was found during documentation. Known defects are listed in the Bugs Found section.

Delivery Partner Module

Module Description: Manages rider signup, document upload, online availability, order pickup, active delivery status, and completed delivery history.

Test Cases

TC-DEL-01 - Rider signup with vehicle details | Expected: Application submitted for approval | Status: Pass
TC-DEL-02 - Admin approves rider | Expected: Rider can access dashboard | Status: Pass
TC-DEL-03 - Accept delivery order | Expected: Order assigned to rider | Status: Pass
TC-DEL-04 - Mark delivered | Expected: Order status becomes Delivered | Status: Pass

Code Screenshot

frontend/src/pages/DeliveryDashboard.jsx

```
    const handleToggleOnline = async () => {
        const newStatus = !isOnline;
        setActionLoading(true);
        try {
            const res = await fetch('/api/delivery/online-status', {
                method: 'PUT',
                headers: {
                    'Content-Type': 'application/json',
                    Authorization: `Bearer ${token}`
                },
                body: JSON.stringify({ isOnline: newStatus })
            });
            if (res.ok) {
                setIsOnline(newStatus);
                if (!newStatus) setAvailableOrders([]);
            }
        } catch (err) {
            console.error(err);
        } finally {
            setActionLoading(false);
        }
    };

    const handleAcceptOrder = async (orderId) => {
        setActionLoading(true);
        try {
            const res = await fetch(`/api/delivery/orders/${orderId}/accept`, {
                method: 'PUT',
                headers: { Authorization: `Bearer ${token}` }
            });

            if (res.ok) {
                setShowNewOrderModal(false);
```

Passing Test Screenshot



Error Screenshot

Delivery Partner Module Error Evidence

No module-specific blocking error screenshot was found during documentation. Known defects are listed in the Bugs Found section.

Cart Module

Module Description: Maintains selected menu items, quantity updates, restaurant-specific cart state, cart total, and checkout navigation.

Test Cases

TC-CART-01 - Add item to cart | Expected: Selected item appears in cart | Status: Pass
TC-CART-02 - Update item quantity | Expected: Cart quantity and total update | Status: Pass
TC-CART-03 - Remove item from cart | Expected: Item removed and total recalculated | Status: Pass
TC-CART-04 - Proceed to checkout | Expected: Checkout page opens with cart data | Status: Pass

Code Screenshot

frontend/src/context/CartContext.jsx

```jsx
import React, { createContext, useContext, useState, useEffect } from 'react';

const CartContext = createContext();

export const useCart = () => useContext(CartContext);

export const CartProvider = ({ children }) => {
    const [cartItems, setCartItems] = useState(() => {
        const localData = localStorage.getItem('cartItems');
        return localData ? JSON.parse(localData) : [];
    });

    const [restaurant, setRestaurant] = useState(() => {
        const localRes = localStorage.getItem('cartRestaurant');
        return localRes ? JSON.parse(localRes) : null;
    });

    useEffect(() => {
        localStorage.setItem('cartItems', JSON.stringify(cartItems));
    }, [cartItems]);

    useEffect(() => {
        if (restaurant) {
            localStorage.setItem('cartRestaurant', JSON.stringify(restaurant));
        } else {
            localStorage.removeItem('cartRestaurant');
        }
    }, [restaurant]);

    const addToCart = (item, currentRestaurant) => {
        // Use _id or id for comparison - normalize
        const restId = currentRestaurant._id || currentRestaurant.id;
        const currentRestId = restaurant ? (restaurant._id || restaurant.id) : null;
```

Passing Test Screenshot



Error Screenshot

Cart Module Error Evidence

No module-specific blocking error screenshot was found during documentation. Known defects are listed in the Bugs Found section.

Checkout / Payment Module

Module Description: Validates delivery address, checkout summary, COD order placement, wallet/payment gateway path, loyalty redemption, and final order creation.

Test Cases

TC-PAY-01 - Checkout with valid address | Expected: Address selected and order summary calculated | Status: Pass
TC-PAY-02 - Place COD order | Expected: Order placed successfully | Status: Pass
TC-PAY-03 - Checkout without address | Expected: Validation prevents order placement | Status: Pass
TC-PAY-04 - Wallet/payment path availability | Expected: Payment option visible when enabled | Status: Pass

Code Screenshot

frontend/src/pages/Checkout.jsx

```
250
251     // — Place Order (COD) —
252     const handlePlaceOrderCOD = async () => {
253         const selectedAddr = addresses.find(a => a._id === selectedAddressId);
254         if (!selectedAddr) { alert('Please select a delivery address.'); return; }
255
256         setPlacing(true);
257         try {
258             const res = await fetch('/api/customer/orders', {
259                 method: 'POST',
260                 headers: { 'Content-Type': 'application/json', 'x-auth-token': token },
261                 body: JSON.stringify({
262                     restaurantId: restaurant._id || restaurant.id,
263                     items: cartItems.map(item => ({ name: item.name, quantity: item.quantity, price: item.price })),
264                     deliveryAddress: { street: selectedAddr.street, city: selectedAddr.city, zip: selectedAddr.zip },
265                     deliveryLocation,
266                     paymentMethod: 'COD',
267                     loyaltyPointsToRedeem: loyaltyDiscount,
268                     offerCode: appliedOffer,
269                     noCutlery,
270                     tipAmount: Number(tipAmount)
271                 })
272             });
273             const data = await res.json();
274             if (res.ok) {
275                 setEarnedPoints(data.pointsEarned || 0);
276                 setOrderPlaced(true);
277                 clearCart();
278                 setTimeout(() => navigate('/order-tracking'), 3000);
279             } else {
280                 alert(data.message || 'Failed to place order');
281             }
282         } catch (e) {
```

Passing Test Screenshot



Error Screenshot

Checkout / Payment Module Error Evidence

No module-specific blocking error screenshot was found during documentation. Known defects are listed in the Bugs Found section.

Orders / Tracking Module

Module Description: Tracks order lifecycle from Placed to Preparing, Ready for Pickup, Out for Delivery, and Delivered across customer, vendor, and rider views.

Test Cases

TC-ORD-01 - Place order | Expected: New order appears in tracking/order list | Status: Pass
TC-ORD-02 - Vendor marks ready | Expected: Tracking status updates to Ready | Status: Pass
TC-ORD-03 - Rider marks out for delivery | Expected: Tracking shows in-transit state | Status: Pass
TC-ORD-04 - Customer verifies delivered status | Expected: Final status is Delivered | Status: Pass

Code Screenshot

frontend/src/pages/OrderTracking.jsx

```
220     if (!order) {
221         return (
222             <MainLayout>
223                 <div className="min-h-screen bg-white py-16 flex flex-col items-center justify-center">
224                     <Package size={64} className="text-gray-300 mb-4" />
225                     <h2 className="text-2xl font-bold text-dark mb-2">No Active Orders</h2>
226                     <p className="text-gray-500 mb-6 text-center max-w-sm">
227                         You don't have any recent orders to track.
228                     </p>
229                     <Button onClick={() => navigate('/')} variant="primary">Browse Restaurants</Button>
230                 </div>
231             </MainLayout>
232         );
233     }
234
235     // Define steps
236     const steps = [
237         { key: 'Placed', label: 'Ordered', value: 1 },
238         { key: 'Preparing', label: 'Preparing', value: 2 },
239         { key: 'ReadyForPickup', label: 'Ready', value: 3 },
240         { key: 'OutForDelivery', label: 'On Way', value: 4 },
241         { key: 'Delivered', label: 'Delivered', value: 5 }
242     ];
243
244     // Get current progress value
245     let progressValue = 1;
246     if (order.status === 'Preparing') progressValue = 2;
247     if (order.status === 'ReadyForPickup') progressValue = 3;
248     if (order.status === 'OutForDelivery') progressValue = 4;
249     if (order.status === 'Delivered') progressValue = 5;
250     if (isCancelled || isRejected) progressValue = 0;
251
252     const progressPercentage = Math.min(
```

Passing Test Screenshot



Error Screenshot

Orders / Tracking Module Error Evidence

No module-specific blocking error screenshot was found during documentation. Known defects are listed in the Bugs Found section.

Rewards / Loyalty Module

Module Description: Displays loyalty balance, points earned, redemption behavior, and reward-related customer benefits during ordering.

Test Cases

TC-LOY-01 - Open loyalty page | Expected: Customer loyalty dashboard appears | Status: Pass
TC-LOY-02 - View points balance | Expected: Available points displayed | Status: Pass
TC-LOY-03 - Redeem points at checkout | Expected: Discount reflected in total | Status: Pass
TC-LOY-04 - Earn points after order | Expected: Points earned message visible | Status: Pass

Code Screenshot

frontend/src/pages/LoyaltyPage.jsx

```
1  import React, { useState, useEffect } from 'react';
2  import MainLayout from '../layouts/MainLayout';
3  import { Star, Gift, TrendingUp, Award, ArrowUpRight, ArrowDownRight, Sparkles, Crown, Loader2 } from 'lucide-react';
4  import { useAuth } from '../context/AuthContext';
5  import { Link } from 'react-router-dom';
6
7  const TIERS = {
8      Bronze: { color: 'from-amber-600 to-amber-800', bg: 'bg-amber-50', text: 'text-amber-700', border: 'border-amber-200', icon: '
9      Silver: { color: 'from-gray-400 to-gray-600', bg: 'bg-gray-50', text: 'text-gray-600', border: 'border-gray-200', icon: '⊡', m
10     Gold: { color: 'from-yellow-400 to-yellow-600', bg: 'bg-yellow-50', text: 'text-yellow-700', border: 'border-yellow-200', icon
11 };
12
13 const LoyaltyPage = () => {
14     const { token } = useAuth();
15     const [data, setData] = useState(null);
16     const [loading, setLoading] = useState(true);
17
18     useEffect(() => {
19         if (!token) return;
20         const fetchLoyalty = async () => {
21             try {
22                 const res = await fetch('/api/loyalty/balance', {
23                     headers: { 'x-auth-token': token }
24                 });
25                 const json = await res.json();
26                 if (res.ok) setData(json);
27             } catch (e) {
28                 console.error(e);
29             } finally {
30                 setLoading(false);
31             }
32         };
33         fetchLoyalty();
```

Passing Test Screenshot



Error Screenshot

Rewards / Loyalty Module Error Evidence

No module-specific blocking error screenshot was found during documentation. Known defects are listed in the Bugs Found section.

Settings Module

Module Description: Allows admin configuration of platform settings such as maintenance mode, fees, public settings, and operational toggles.

Test Cases

TC-SET-01 - Open admin settings | Expected: Settings page renders | Status: Pass
TC-SET-02 - View fee configuration | Expected: Fee inputs/toggles visible | Status: Pass
TC-SET-03 - Save settings | Expected: Success message displayed | Status: Pass
TC-SET-04 - Public settings load | Expected: Frontend receives public configuration | Status: Pass

Code Screenshot

frontend/src/pages/AdminSettings.jsx

```
1  import React, { useState, useEffect } from 'react';
2  import MainLayout from '../layouts/MainLayout';
3  import { Save, RefreshCw, Loader2 } from 'lucide-react';
4  import Button from '../components/Button';
5  import { useAuth } from '../context/AuthContext';
6
7  const AdminSettings = () => {
8      const { token } = useAuth();
9      const [settings, setSettings] = useState({
10         platformFee: 5,
11         referralBonus: 10,
12         supportEmail: 'support@cravify.com',
13         maintenanceMode: false,
14         globalBroadcastMessage: '',
15         autoApproveRestaurants: false
16     });
17     const [loading, setLoading] = useState(true);
18     const [saving, setSaving] = useState(false);
19     const [message, setMessage] = useState('');
20
21     useEffect(() => {
22         fetchSettings();
23     }, []);
24
25     const fetchSettings = async () => {
26         try {
27             const res = await fetch('/api/admin/settings', {
28                 headers: { Authorization: `Bearer ${token}` }
29             });
30             if (res.ok) {
31                 const data = await res.json();
32                 setSettings({
33                     platformFee: data.platformFee || 0,
```

Passing Test Screenshot



Error Screenshot

Settings Module Error Evidence

No module-specific blocking error screenshot was found during documentation. Known defects are listed in the Bugs Found section.

API Testing Module

Module Description: Validates REST API requests and responses for authentication, admin, restaurants, vendor dashboard, rider login, offers, profile, wallet, and delivery earnings.

Test Cases

TC-API-01 - Login API with valid credentials | Expected: Returns success response/status 200 | Status: Pass
TC-API-02 - Register API with valid body | Expected: Creates user or returns success message | Status: Pass
TC-API-03 - Admin pending approval API | Expected: Returns pending users list | Status: Pass
TC-API-04 - Restaurant list/details API | Expected: Returns restaurant data | Status: Pass
TC-API-05 - Forgot password API | Expected: Returns valid message/error response | Status: Pass

Code Screenshot

backend/routes/auth.routes.js

```
const express = require('express');
const router = express.Router();
const authController = require('../controllers/authController');
const authMiddleware = require('../middleware/auth');
const multer = require('multer');
const path = require('path');
const fs = require('fs');
const FileType = require('file-type');

// Use memory storage for ImageKit uploads
const storage = multer.memoryStorage();
const allowedMimeTypes = ['image/jpeg', 'image/png', 'application/pdf'];

// Basic filter for initial check (will be validated again after upload)
const fileFilter = (req, file, cb) => {
    if (allowedMimeTypes.includes(file.mimetype)) {
        cb(null, true);
    } else {
        cb(new Error('Invalid file type. Only JPG, PNG, and PDF are allowed.'), false);
    }
};

// Middleware to validate actual file content after upload
const validateFileContent = async (req, res, next) => {
    if (!req.files) return next();

    try {
        for (const fieldName of Object.keys(req.files)) {
            for (const file of req.files[fieldName]) {
                const type = await FileType.fromBuffer(file.buffer);
                if (!type || !allowedMimeTypes.includes(type.mime)) {
                    return res.status(400).json({
                        message: 'Invalid file type. Only JPG, PNG, and PDF are allowed.'
```

Passing Test Screenshot



Error Screenshot



Bugs Found and Conclusion

BUG-01 Authentication / Automation: Login credentials entered search bar. Severity High. Status Fixed.

BUG-02 Vendor / Delivery Upload: fileTypeFromBuffer upload error. Severity High. Status Fixed.

BUG-03 Cross-Browser Environment: WebDriver launch blocked in sandbox. Severity Medium. Status Environment Blocked.

BUG-04 API Asset Path: API screenshots located in qa_automation/API_testing. Severity Low. Status Documented.

Final Conclusion: Cravify was tested using manual and automated approaches. Core modules were validated successfully. Functional flows such as registration, ordering, approvals, delivery, settings, rewards, and API behavior were tested. Minor defects were identified and documented.