

CONTROL STRUCTURES:

- USED TO CONTROL FLOW OF THE PROGRAM.
- PL/SQL SUPPORTS THE FOLLOWING CONDITIONAL AND LOOPING STATEMENTS.

I. CONDITIONAL CONTROL STRUCTURES:

I. SIMPLE IF: IT CONTAINS ONLY TRUE BLOCK.

SYNTAX:

```
IF <CONDITION> THEN
<EXEC-STATEMENTS>; -- TRUE BLOCK
END IF;
```

II. IF. ELSE: IT CONTAINS BOTH TRUE BLOCK & FALSE BLOCK.

SYNTAX:

```
IF <CONDITION> THEN
<EXEC-STATEMENTS>; -- TRUE BLOCK
ELSE
<EXEC-STATEMENTS>; -- FALSE BLOCK
END IF;
```

III. NESTED IF:

-> IF WITHIN THE IF IS CALLED AS NESTED IF.

SYNTAX:

```
IF <CONDITION> THEN
    IF <CONDITION> THEN
<EXEC-STATEMENT>;
    ELSE
<EXEC-STATEMENTS>;
    END IF;
ELSE
    IF <CONDITION> THEN
<EXEC-STATEMENT>;
```

```
ELSE
<EXEC-STATEMENTS>;
END IF;
END IF;
```

IV. IF..THEN ...ELSE LADER:

The if..Then...else statement is mainly used to execute a particular condition of codes only when the condition is satisfied.

SYNTAX:

```
IF <CONDITION> THEN
<EXEC-STATEMENTS>;
ELSIF <CONDITION> THEN
<EXEC-STATEMENTS>;
ELSIF <CONDITION> THEN
<EXEC-STATEMENTS>;
.....
```

```
ELSE
<EXEC-STATEMENTS>;
END IF;
```

ITERATION CONTROL STATEMENTS:

I. SIMPLE LOOP:

-> IT IS AN INFINITE LOOP.IF WE WANT BREAK A SIMPLE LOOP THEN WE SHOULD USE "EXIT" STATEMENT.

SYNTAX:

```
LOOP
<EXEC-STATEMENTS>;
END LOOP;
```

II. WHILE LOOP:

The WHILE LOOP statement runs one or more loops while a condition is TRUE. The WHILE LOOP statement ends when the condition becomes FALSE.

SYNTAX:

```
WHILE <CONDITION>  
LOOP  
<EXEC-STATEMENTS>;  
<INCRE/DECRE>;  
END LOOP;
```

III. FOR LOOP:

-> BY DEFAULT, IT IS INCREMENTED BY 1.

SYNTAX:

```
FOR <INDEX_VARIABLE> IN <START_VALUE>..<END_VALUE>  
LOOP  
<EXEC-STATEMENTS>;  
END LOOP;
```