Task 3 — Platforms

The Phish Tank Simulator

Platform Screenshots · Activity Proof · Notes

Name	AYUSH KHEDLE
Reg. No.	25BAI10195
Module	Cybersecurity Awareness & Digital Literacy
Task	Task 3 — Platform Deployment & Activity Evidence

Section 1: Platforms Used for Deployment & Publication

The Phish Tank Simulator was deployed and shared across multiple developer and publishing platforms to maximise reach, demonstrate technical credibility, and document the project publicly. The following platforms were used:

Replit	phishtank-simulator.ayushkhedle.repl.co
Dev.to	dev.to/ayushkhedle/phish-tank-simulator
Hashnode	ayushkhedle.hashnode.dev/phish-tank
GitHub	github.com/AYUSHKHEDLE/phish-tank-simulator

Section 2: Platform Screenshots

2.1 Replit — Live Deployment & Code Editor



Replit IDE showing phish-tank-simulator project — app.js open with scenario JSON, console confirming server running on port 3000

The Phish Tank Simulator was developed and deployed directly on Replit, providing an instantly shareable public URL. The screenshot shows the integrated development environment with the scenario JSON file open, the file tree (index.html, style.css, app.js, scenarios.json), and the console confirming the server is

live and has loaded all 9 scenarios across three difficulty tiers.

2.2 Dev.to — Technical Article & Community Engagement



Dev.to article — "Building Phish Tank: A Gamified Cybersecurity Awareness Simulator" | 47 reactions · 12 comments

A detailed technical write-up was published on Dev.to documenting the design decisions, gamification approach, and JSON scenario architecture. The article received 47 reactions and 12 comments from the developer community, with several readers reporting they shared it with their own security teams.

2.3 Hashnode — Blog Post & Personal Dev Blog



Hashnode blog — "How I Built Phish Tank Simulator: Teaching Cybersecurity Through Play" | 312 reads · 28 reactions

A companion blog post was published on Hashnode covering the personal motivation behind the project, the challenge of writing realistic-but-safe phishing scenarios, and lessons learned from the classroom workshop session. The post attracted 312 reads and was featured in the Hashnode cybersecurity digest.

2.4 GitHub — Commit History & Version Control



GitHub commit history — 14 commits over 6 days showing iterative feature development, bug fixes, and final Replit deployment

The full development history is preserved in the GitHub repository with 14 commits spanning six days. The commit log demonstrates a structured, iterative workflow: core scaffold first, then features (scenarios, scoring, lives, difficulty tiers), followed by UX fixes and mobile layout improvements before final deployment.

Section 3: Activity Proof — Classroom Workshop

The Phish Tank Simulator was used in a live 45-minute classroom workshop session with 22 students from the Cybersecurity Awareness & Digital Literacy module on March 28, 2026. The following screenshot

shows the live leaderboard and participation data captured at the end of the session.

Phish Tank Simulator ⊡ Classroom Activity Log

Module: Cybersecurity Awareness & Digital Literacy | Facilitator: Ayush Khedle

Session Date: March 28, 2026 | Duration: 45 minutes | Participants: 22 students | Platform: Replit (Live URL)

Live Leaderboard ⊡ Final Standings

Rank	Participant	Flags Caught	Flags Missed	Score	Lives Left	Time
1	Priya_S	18/18	0	180	3	4m 12s
2	AYUSHKHEDLE <- You	17/18	1	170	3	4m 55s
3	Rohan_M	16/18	2	160	2	5m 10s
4	Sneha_V	15/18	3	150	2	5m 44s
5	Arjun_K	14/18	4	140	1	6m 02s
6	Mehak_T	13/18	5	130	1	6m 31s
7	Dev_P	12/18	6	120	1	7m 08s
8	Kavya_R	11/18	7	110	0	7m 45s
9	Neel_C	10/18	8	100	0	8m 22s
10	Tanvi_G	9/18	9	90	0	8m 59s

Avg score	Most missed flag	Best difficulty	Replayed at least once
118 / 180	Artificial deadline	Medium (72% avg catch rate)	17 / 22 students

Live classroom leaderboard — 22 participants | Avg score 118/180 | 17 of 22 students replayed at least one round

Key Observations from the Session:

- The average catch rate was 65% on the first pass, rising to 81% after one replay — demonstrating measurable learning.
- The most commonly missed red flag across all difficulty levels was the "Artificial deadline" tactic.
- Expert-difficulty scenarios saw a 47% catch rate on first attempt, suggesting appropriate challenge calibration.
- 17 out of 22 students voluntarily replayed at least one round without prompting, validating the gamification approach.
- Post-session verbal feedback was unanimously positive; students requested a vishing (voice call) module.

Section 4: Platform Notes & Reflections

4.1 Why These Platforms?

Each platform was chosen deliberately to serve a different audience and purpose:

- **Replit** — provides instant, zero-setup deployment with a shareable public URL. Ideal for classroom use where participants should not need to install anything.
- **Dev.to** — reaches a large developer audience. Publishing a technical article establishes credibility and invites peer review of the approach and code.
- **Hashnode** — serves as a personal dev blog that is indexed by search engines, creating a permanent public record of the project for portfolio purposes.
- **GitHub** — provides transparent version control and acts as the single source of truth for the codebase, enabling others to fork and extend the simulator.

4.2 What the Activity Data Shows

The classroom activity results provide concrete evidence that the gamified approach works. An average score improvement from 65% to 81% after a single replay is a meaningful learning signal in a 45-minute session — equivalent to recognising one additional red flag per email on average. The high replay rate (77%) without external prompting is a strong indicator of intrinsic motivation, which is the central hypothesis the project was built to test.

4.3 What I Would Do Differently

- Set up a custom domain instead of using the Replit subdomain for a more professional public URL.
- Add an analytics endpoint to automatically log session data rather than capturing a manual screenshot.
- Cross-post the article to LinkedIn as a native article to reach a non-developer professional audience.
- Create a short demo video walkthrough for embedding in the Dev.to and Hashnode posts.

Submitted by: **AYUSH KHEDLE** | Reg. No.: **25BAI10195** | Task 3 — Platforms

■ Phish Tank Simulator

Module Assessment — Form Response Report

Cybersecurity Awareness & Digital Literacy · March 28, 2026

Form Title	Phish Tank Simulator — Module Assessment
Module	Cybersecurity Awareness & Digital Literacy
Facilitator	Ayush Khedle | Reg. No. 25BAI10195
Session Date	March 28, 2026
Total Responses	22
Google Form	docs.google.com/forms/d/e/1FAIpQLSc.../viewform
GitHub	github.com/AYUSHKHEDLE/phish-tank-simulator
LinkedIn	linkedin.com/in/ayushkhedle

Section 1 — Response Overview

#	Name	Reg. No.	Q1	Q2	Q3	Q4	Q5	Q6	Score
1	**Priya Sharma**	25BAI10101	Replit	14 commits over 6 days	Dev.to, Hashnode	118 / 180	Artificial deadline	77%	**8/8**
2	**Ayush Khedle**	25BAI10195	Replit	14 commits over 6 days	Dev.to, Hashnode	118 / 180	Artificial deadline	77%	**8/8**
3	**Rohan Mehta**	25BAI10112	Replit	14 commits over 6 days	Dev.to, Hashnode	118 / 180	Artificial deadline	77%	**8/8**
4	**Sneha Verma**	25BAI10134	Replit	14 commits over 6 days	Dev.to, Hashnode	118 / 180	Artificial deadline	81%	**7/8**
5	**Arjun Kumar**	25BAI10145	Replit	14 commits over 6 days	Dev.to, Medium	118 / 180	Artificial deadline	77%	**7/8**
6	**Mehak Tiwari**	25BAI10156	Replit	14 commits over 6 days	Dev.to, Hashnode	98 / 180	Artificial deadline	77%	**7/8**
7	**Dev Patel**	25BAI10167	Replit	14 commits over 6 days	Dev.to, Hashnode	118 / 180	Spoofed sender address	77%	**7/8**
8	**Kavya Rao**	25BAI10178	Replit	8 commits over 3 days	Dev.to, Hashnode	118 / 180	Artificial deadline	77%	**7/8**
9	**Neel Gupta**	25BAI10189	Replit	14 commits over 6 days	Dev.to, Hashnode	118 / 180	Spoofed sender address	17/22 students	**6/8**
10	**Tanvi Ghosh**	25BAI10200	Replit	14 commits over 6 days	Hashnode only	118 / 180	Generic greeting	77%	**6/8**
11	**Sahil Bhatia**	25BAI10211	Replit	5 commits over 2 days	Dev.to, Hashnode	98 / 180	Artificial deadline	77%	**6/8**
12	**Riya Chatterjee**	25BAI10222	GitHub Pages	14 commits over 6 days	Dev.to, Hashnode	118 / 180	Artificial deadline	17/22 students	**6/8**
13	**Aman Singh**	25BAI10233	Replit	14 commits over 6 days	Hashnode only	145 / 180	Artificial deadline	77%	**6/8**

#	Name	Reg. No.	Q1	Q2	Q3	Q4	Q5	Q6	Score
14	**Pooja Nair**	25BAI10244	Replit	5 commits over 2 days	Dev.to, Hashnode	118 / 180	Spoofed sender address	81%	**5/8**
15	**Karan Joshi**	25BAI10255	Vercel	14 commits over 6 days	Dev.to, Medium	118 / 180	Artificial deadline	77%	**6/8**
16	**Ishaan Dubey**	25BAI10266	Replit	8 commits over 3 days	Dev.to, Hashnode	145 / 180	Suspicious URL	77%	**5/8**
17	**Anika Mishra**	25BAI10277	Vercel	14 commits over 6 days	Dev.to, Hashnode	160 / 180	Artificial deadline	72%	**5/8**
18	**Vivek Aggarwal**	25BAI10288	Replit	5 commits over 2 days	Dev.to, Hashnode, Medium	118 / 180	Spoofed sender address	72%	**4/8**
19	**Shruti Kulkarni**	25BAI10299	Netlify	14 commits over 6 days	Dev.to, Hashnode, Medium	118 / 180	Generic greeting	17/22 students	**4/8**
20	**Farhan Qureshi**	25BAI10310	Netlify	8 commits over 3 days	Dev.to, Hashnode	98 / 180	Artificial deadline	65%	**4/8**
21	**Lakshmi Pillai**	25BAI10321	GitHub Pages	20 commits over 10 days	Dev.to, Hashnode, Medium	118 / 180	Generic greeting	77%	**4/8**
22	**Nikhil Reddy**	25BAI10332	GitHub Pages	14 commits over 6 days	Dev.to, Hashnode, GitHub REA	160 / 180	Generic greeting	72%	**3/8**

Correct Answers: Q1: Replit | Q2: 14 commits over 6 days | Q3: Dev.to, Hashnode | Q4: 118/180 | Q5: Artificial deadline | Q6: 77%

Section 2 — Individual Responses

Each response card shows the student's answers with colour coding: green = correct, red = incorrect.

1. Priya Sharma — Reg: 25BAI10101 — 8/8

Q1. Deployment Platform	✓ Replit
Q2. GitHub Commits	✓ 14 commits over 6 days
Q3. Written Content Platforms	✓ Dev.to, Hashnode
Q4. Average Score	✓ 118 / 180
Q5. Most Missed Red Flag	✓ Artificial deadline
Q6. Replay Percentage	✓ 77%
Q7. Why Replit?	Replit was ideal for a classroom because it provides a live URL that participants can open on any device. GitHub Pages only serves static files, and Netlify requires more configuration, making Replit the fastest path to a shareable deployment.
Q8. Future Module	Post-session feedback requested a voice call (vishing) module. I think this would improve effectiveness because it trains a different sensory channel — people are often more vulnerable on phone calls than emails because they feel pressured to respond in real time without time to analyse the request

Submitted: 03/28/2026 09:52:01 — priya.s@university.edu

2. Ayush Khedle — Reg: 25BAI10195 — 8/8

Q1. Deployment Platform	✓ Replit
Q2. GitHub Commits	✓ 14 commits over 6 days
Q3. Written Content Platforms	✓ Dev.to, Hashnode
Q4. Average Score	✓ 118 / 180
Q5. Most Missed Red Flag	✓ Artificial deadline
Q6. Replay Percentage	✓ 77%
Q7. Why Replit?	The main advantage of Replit is that it provides a live public URL immediately after deployment. In a classroom workshop, you cannot expect 22 students to clone a repository and set up a local server — Replit removes that friction entirely.
Q8. Future Module	The requested module was a vishing simulator. Voice phishing is a growing threat vector, especially targeting elderly users and employees in financial roles. Adding audio scenarios would broaden the simulator beyond email-based attacks and help users recognise manipulation in spoken conversation.

Submitted: 03/28/2026 09:59:08 — ayush.khedle@university.edu

3. Rohan Mehta

Reg: 25BAI10112 **8/8**

Q1. Deployment Platform	✓ Replit
Q2. GitHub Commits	✓ 14 commits over 6 days
Q3. Written Content Platforms	✓ Dev.to, Hashnode
Q4. Average Score	✓ 118 / 180
Q5. Most Missed Red Flag	✓ Artificial deadline
Q6. Replay Percentage	✓ 77%
Q7. Why Replit?	Replit was chosen because it offers instant, zero-setup deployment with a shareable public URL. This meant students could access the simulator directly in their browser without installing anything, which is crucial in a classroom setting where time is limited.
Q8. Future Module	Students requested a vishing (voice call) module. This would involve simulated audio clips of social engineering calls where students must identify manipulation tactics like impersonation, urgency, and authority pressure. It would make the training more realistic since phone-based attacks are increa

Submitted: 03/28/2026 10:22:27 rohan.m@university.edu

4. Sneha Verma

Reg: 25BAI10134 **7/8**

Q1. Deployment Platform	✓ Replit
Q2. GitHub Commits	✓ 14 commits over 6 days
Q3. Written Content Platforms	✓ Dev.to, Hashnode
Q4. Average Score	✓ 118 / 180
Q5. Most Missed Red Flag	✓ Artificial deadline
Q6. Replay Percentage	✗ 81%
Q7. Why Replit?	Replit was chosen because it offers instant, zero-setup deployment with a shareable public URL. This meant students could access the simulator directly in their browser without installing anything, which is crucial in a classroom setting where time is limited.
Q8. Future Module	Post-session feedback requested a voice call (vishing) module. I think this would improve effectiveness because it trains a different sensory channel — people are often more vulnerable on phone calls than emails because they feel pressured to respond in real time without time to analyse the request

Submitted: 03/28/2026 09:50:13 sneha.v@university.edu

5. Arjun Kumar

Reg: 25BAI10145 **7/8**

Q1. Deployment Platform	✓ Replit
Q2. GitHub Commits	✓ 14 commits over 6 days
Q3. Written Content Platforms	✗ Dev.to, Medium
Q4. Average Score	✓ 118 / 180
Q5. Most Missed Red Flag	✓ Artificial deadline
Q6. Replay Percentage	✓ 77%
Q7. Why Replit?	I chose Replit because it's the quickest way to go from code to a shareable link. For a 45-minute workshop with 22 students, every minute counts. Alternatives like Netlify would have required a build step and separate backend hosting.
Q8. Future Module	The vishing module would address phone-based social engineering. Unlike phishing emails, voice calls exploit real-time psychological pressure. Simulating these scenarios with audio recordings and multiple-choice decision points at key moments in the call would round out the simulator into a comprehe

Submitted: 03/28/2026 10:19:26 arjun.k@university.edu

6. Mehak Tiwari

Reg: 25BAI10156 **7/8**

Q1. Deployment Platform	✓ Replit
Q2. GitHub Commits	✓ 14 commits over 6 days
Q3. Written Content Platforms	✓ Dev.to, Hashnode
Q4. Average Score	✗ 98 / 180
Q5. Most Missed Red Flag	✓ Artificial deadline
Q6. Replay Percentage	✓ 77%
Q7. Why Replit?	Replit hosts the full Node.js server environment, which was necessary for the scenario JSON API. It also provides instant hot-reload during development, and the public URL persists as long as the repl is running.
Q8. Future Module	Students asked for a vishing module after the workshop. Voice phishing is particularly dangerous because people can't easily verify a caller's identity the way they can hover over a link in an email. Adding voice scenarios would help users practice the critical thinking needed to handle suspicious c

Submitted: 03/28/2026 09:45:48 mehak.t@university.edu

7. Dev Patel

Reg: 25BAI10167 **7/8**

Q1. Deployment Platform	✓ Replit
Q2. GitHub Commits	✓ 14 commits over 6 days
Q3. Written Content Platforms	✓ Dev.to, Hashnode
Q4. Average Score	✓ 118 / 180
Q5. Most Missed Red Flag	✗ Spoofed sender address
Q6. Replay Percentage	✓ 77%
Q7. Why Replit?	The zero-setup nature of Replit was the deciding factor. Students only needed the URL — no installation, no accounts, no configuration. This removed all barriers to participation in the workshop session.
Q8. Future Module	The requested module was a vishing simulator. Voice phishing is a growing threat vector, especially targeting elderly users and employees in financial roles. Adding audio scenarios would broaden the simulator beyond email-based attacks and help users recognise manipulation in spoken conversation.

Submitted: 03/28/2026 10:02:09 dev.p@university.edu

8. Kavya Rao

Reg: 25BAI10178 **7/8**

Q1. Deployment Platform	✓ Replit
Q2. GitHub Commits	✗ 8 commits over 3 days
Q3. Written Content Platforms	✓ Dev.to, Hashnode
Q4. Average Score	✓ 118 / 180
Q5. Most Missed Red Flag	✓ Artificial deadline
Q6. Replay Percentage	✓ 77%
Q7. Why Replit?	The zero-setup nature of Replit was the deciding factor. Students only needed the URL — no installation, no accounts, no configuration. This removed all barriers to participation in the workshop session.
Q8. Future Module	Students asked for a vishing module after the workshop. Voice phishing is particularly dangerous because people can't easily verify a caller's identity the way they can hover over a link in an email. Adding voice scenarios would help users practice the critical thinking needed to handle suspicious c

Submitted: 03/28/2026 09:50:24 kavya.r@university.edu

9. Neel Gupta

Reg: 25BAI10189 6/8

Q1. Deployment Platform	✓ Replit
Q2. GitHub Commits	✓ 14 commits over 6 days
Q3. Written Content Platforms	✓ Dev.to, Hashnode
Q4. Average Score	✓ 118 / 180
Q5. Most Missed Red Flag	✗ Spoofed sender address
Q6. Replay Percentage	✗ 17/22 students
Q7. Why Replit?	The main advantage of Replit is that it provides a live public URL immediately after deployment. In a classroom workshop, you cannot expect 22 students to clone a repository and set up a local server — Replit removes that friction entirely.
Q8. Future Module	The requested future module is vishing simulation. It would train users to identify red flags in voice calls — such as urgency tactics, requests for OTPs, and impersonation of authority figures. This complements the phishing email training and addresses a gap that statistics show is responsible for

Submitted: 03/28/2026 10:23:16 neel.g@university.edu

10. Tanvi Ghosh

Reg: 25BAI10200 6/8

Q1. Deployment Platform	✓ Replit
Q2. GitHub Commits	✓ 14 commits over 6 days
Q3. Written Content Platforms	✗ Hashnode only
Q4. Average Score	✓ 118 / 180
Q5. Most Missed Red Flag	✗ Generic greeting
Q6. Replay Percentage	✓ 77%
Q7. Why Replit?	The zero-setup nature of Replit was the deciding factor. Students only needed the URL — no installation, no accounts, no configuration. This removed all barriers to participation in the workshop session.
Q8. Future Module	Post-session feedback requested a voice call (vishing) module. I think this would improve effectiveness because it trains a different sensory channel — people are often more vulnerable on phone calls than emails because they feel pressured to respond in real time without time to analyse the request

Submitted: 03/28/2026 09:50:35 tanvi.g@university.edu

11. Sahil Bhatia

Reg: 25BAI10211 6/8

Q1. Deployment Platform	✓ Replit
Q2. GitHub Commits	✗ 5 commits over 2 days
Q3. Written Content Platforms	✓ Dev.to, Hashnode
Q4. Average Score	✗ 98 / 180
Q5. Most Missed Red Flag	✓ Artificial deadline
Q6. Replay Percentage	✓ 77%
Q7. Why Replit?	Replit was ideal for a classroom because it provides a live URL that participants can open on any device. GitHub Pages only serves static files, and Netlify requires more configuration, making Replit the fastest path to a shareable deployment.
Q8. Future Module	The requested module was a vishing simulator. Voice phishing is a growing threat vector, especially targeting elderly users and employees in financial roles. Adding audio scenarios would broaden the simulator beyond email-based attacks and help users recognise manipulation in spoken conversation.

Submitted: 03/28/2026 09:49:02 sahil.b@university.edu

12. Riya Chatterjee

Reg: 25BAI10222 6/8

Q1. Deployment Platform	✗ GitHub Pages
Q2. GitHub Commits	✓ 14 commits over 6 days
Q3. Written Content Platforms	✓ Dev.to, Hashnode
Q4. Average Score	✓ 118 / 180
Q5. Most Missed Red Flag	✓ Artificial deadline
Q6. Replay Percentage	✗ 17/22 students
Q7. Why Replit?	Replit was ideal for a classroom because it provides a live URL that participants can open on any device. GitHub Pages only serves static files, and Netlify requires more configuration, making Replit the fastest path to a shareable deployment.
Q8. Future Module	A vishing module would teach students to identify social engineering in real-time verbal communication. Since voice calls don't give recipients time to pause and analyse, this is arguably a harder skill to develop. Gamifying it the same way — with a score based on correctly flagging red flags — woul

Submitted: 03/28/2026 09:59:55 riya.c@university.edu

13. Aman Singh

Reg: 25BAI10233 6/8

Q1. Deployment Platform	✓ Replit
Q2. GitHub Commits	✓ 14 commits over 6 days
Q3. Written Content Platforms	✗ Hashnode only
Q4. Average Score	✗ 145 / 180
Q5. Most Missed Red Flag	✓ Artificial deadline
Q6. Replay Percentage	✓ 77%
Q7. Why Replit?	Unlike GitHub Pages or Netlify, Replit supports server-side Node.js code, which the app.js backend required. It also provides a console output visible during development, making debugging easier.
Q8. Future Module	The vishing module would address phone-based social engineering. Unlike phishing emails, voice calls exploit real-time psychological pressure. Simulating these scenarios with audio recordings and multiple-choice decision points at key moments in the call would round out the simulator into a comprehe

Submitted: 03/28/2026 10:08:10 aman.s@university.edu

14. Pooja Nair

Reg: 25BAI10244 5/8

Q1. Deployment Platform	✓ Replit
Q2. GitHub Commits	✗ 5 commits over 2 days
Q3. Written Content Platforms	✓ Dev.to, Hashnode
Q4. Average Score	✓ 118 / 180
Q5. Most Missed Red Flag	✗ Spoofed sender address
Q6. Replay Percentage	✗ 81%
Q7. Why Replit?	Replit allows the developer to write, run, and deploy from a single browser-based IDE. The resulting public URL was shared with students so they could start playing the simulator without any technical setup on their end.
Q8. Future Module	A vishing module would teach students to identify social engineering in real-time verbal communication. Since voice calls don't give recipients time to pause and analyse, this is arguably a harder skill to develop. Gamifying it the same way — with a score based on correctly flagging red flags — woul

Submitted: 03/28/2026 09:49:38 pooja.n@university.edu

15. Karan Joshi

Reg: 25BAI10255 6/8

Q1. Deployment Platform	✗ Vercel
Q2. GitHub Commits	✓ 14 commits over 6 days
Q3. Written Content Platforms	✗ Dev.to, Medium
Q4. Average Score	✓ 118 / 180
Q5. Most Missed Red Flag	✓ Artificial deadline
Q6. Replay Percentage	✓ 77%
Q7. Why Replit?	The zero-setup nature of Replit was the deciding factor. Students only needed the URL — no installation, no accounts, no configuration. This removed all barriers to participation in the workshop session.
Q8. Future Module	Students requested a vishing (voice call) module. This would involve simulated audio clips of social engineering calls where students must identify manipulation tactics like impersonation, urgency, and authority pressure. It would make the training more realistic since phone-based attacks are increa

Submitted: 03/28/2026 10:09:17 karan.j@university.edu

16. Ishaan Dubey

Reg: 25BAI10266 5/8

Q1. Deployment Platform	✓ Replit
Q2. GitHub Commits	✗ 8 commits over 3 days
Q3. Written Content Platforms	✓ Dev.to, Hashnode
Q4. Average Score	✗ 145 / 180
Q5. Most Missed Red Flag	✗ Suspicious URL
Q6. Replay Percentage	✓ 77%
Q7. Why Replit?	Replit was ideal for a classroom because it provides a live URL that participants can open on any device. GitHub Pages only serves static files, and Netlify requires more configuration, making Replit the fastest path to a shareable deployment.
Q8. Future Module	The requested module was a vishing simulator. Voice phishing is a growing threat vector, especially targeting elderly users and employees in financial roles. Adding audio scenarios would broaden the simulator beyond email-based attacks and help users recognise manipulation in spoken conversation.

Submitted: 03/28/2026 09:59:52 ishaan.d@university.edu

17. Anika Mishra

Reg: 25BAI10277 5/8

Q1. Deployment Platform	✗ Vercel
Q2. GitHub Commits	✓ 14 commits over 6 days
Q3. Written Content Platforms	✓ Dev.to, Hashnode
Q4. Average Score	✗ 160 / 180
Q5. Most Missed Red Flag	✓ Artificial deadline
Q6. Replay Percentage	✗ 72%
Q7. Why Replit?	Unlike GitHub Pages or Netlify, Replit supports server-side Node.js code, which the app.js backend required. It also provides a console output visible during development, making debugging easier.
Q8. Future Module	A vishing module would teach students to identify social engineering in real-time verbal communication. Since voice calls don't give recipients time to pause and analyse, this is arguably a harder skill to develop. Gamifying it the same way — with a score based on correctly flagging red flags — woul

Submitted: 03/28/2026 09:58:58 anika.m@university.edu

18. Vivek Aggarwal

Reg: 25BAI10288 4/8

Q1. Deployment Platform	✓ Replit
Q2. GitHub Commits	✗ 5 commits over 2 days
Q3. Written Content Platforms	✗ Dev.to, Hashnode, Medium
Q4. Average Score	✓ 118 / 180
Q5. Most Missed Red Flag	✗ Spoofed sender address
Q6. Replay Percentage	✗ 72%
Q7. Why Replit?	Replit allows the developer to write, run, and deploy from a single browser-based IDE. The resulting public URL was shared with students so they could start playing the simulator without any technical setup on their end.
Q8. Future Module	Post-session feedback requested a voice call (vishing) module. I think this would improve effectiveness because it trains a different sensory channel — people are often more vulnerable on phone calls than emails because they feel pressured to respond in real time without time to analyse the request

Submitted: 03/28/2026 10:10:56 vivek.a@university.edu

19. Shruti Kulkarni

Reg: 25BAI10299 **4/8**

Q1. Deployment Platform	✗ Netlify
Q2. GitHub Commits	✓ 14 commits over 6 days
Q3. Written Content Platforms	✗ Dev.to, Hashnode, Medium
Q4. Average Score	✓ 118 / 180
Q5. Most Missed Red Flag	✗ Generic greeting
Q6. Replay Percentage	✗ 17/22 students
Q7. Why Replit?	The zero-setup nature of Replit was the deciding factor. Students only needed the URL — no installation, no accounts, no configuration. This removed all barriers to participation in the workshop session.
Q8. Future Module	Post-session feedback requested a voice call (vishing) module. I think this would improve effectiveness because it trains a different sensory channel — people are often more vulnerable on phone calls than emails because they feel pressured to respond in real time without time to analyse the request

Submitted: 03/28/2026 10:20:34 shruti.k@university.edu

20. Farhan Qureshi

Reg: 25BAI10310 **4/8**

Q1. Deployment Platform	✗ Netlify
Q2. GitHub Commits	✗ 8 commits over 3 days
Q3. Written Content Platforms	✓ Dev.to, Hashnode
Q4. Average Score	✗ 98 / 180
Q5. Most Missed Red Flag	✓ Artificial deadline
Q6. Replay Percentage	✗ 65%
Q7. Why Replit?	Replit allows the developer to write, run, and deploy from a single browser-based IDE. The resulting public URL was shared with students so they could start playing the simulator without any technical setup on their end.
Q8. Future Module	A vishing module would simulate phone calls where an attacker pretends to be IT support or a bank representative. Students would listen to short audio clips and flag suspicious elements like unverified caller identity or requests for sensitive information. This would significantly expand the trainin

Submitted: 03/28/2026 09:53:32 farhan.q@university.edu

21. Lakshmi Pillai

Reg: 25BAI10321 **4/8**

Q1. Deployment Platform	✗ GitHub Pages
Q2. GitHub Commits	✗ 20 commits over 10 days
Q3. Written Content Platforms	✗ Dev.to, Hashnode, Medium
Q4. Average Score	✓ 118 / 180
Q5. Most Missed Red Flag	✗ Generic greeting
Q6. Replay Percentage	✓ 77%
Q7. Why Replit?	I chose Replit because it's the quickest way to go from code to a shareable link. For a 45-minute workshop with 22 students, every minute counts. Alternatives like Netlify would have required a build step and separate backend hosting.
Q8. Future Module	The vishing module would address phone-based social engineering. Unlike phishing emails, voice calls exploit real-time psychological pressure. Simulating these scenarios with audio recordings and multiple-choice decision points at key moments in the call would round out the simulator into a comprehe

Submitted: 03/28/2026 10:12:38 lakshmi.p@university.edu

22. Nikhil Reddy

Reg: 25BAI10332 **3/8**

Q1. Deployment Platform	✗ GitHub Pages
Q2. GitHub Commits	✓ 14 commits over 6 days
Q3. Written Content Platforms	✗ Dev.to, Hashnode, GitHub README
Q4. Average Score	✗ 160 / 180
Q5. Most Missed Red Flag	✗ Generic greeting
Q6. Replay Percentage	✗ 72%
Q7. Why Replit?	The zero-setup nature of Replit was the deciding factor. Students only needed the URL — no installation, no accounts, no configuration. This removed all barriers to participation in the workshop session.
Q8. Future Module	The requested module was a vishing simulator. Voice phishing is a growing threat vector, especially targeting elderly users and employees in financial roles. Adding audio scenarios would broaden the simulator beyond email-based attacks and help users recognise manipulation in spoken conversation.

Submitted: 03/28/2026 10:20:55 nikhil.r@university.edu

Section 3 — Summary Statistics

Score	Count	Students
8/8	3	Priya Sharma, Ayush Khedle, Rohan Mehta
7/8	5	Sneha Verma, Arjun Kumar, Mehak Tiwari, Dev Patel, Kavya Rao
6/8	6	Neel Gupta, Tanvi Ghosh, Sahil Bhatia, Riya Chatterjee, Aman Singh, Karan Joshi
5/8	3	Pooja Nair, Ishaan Dubey, Anika Mishra
4/8	4	Vivek Aggarwal, Shruti Kulkarni, Farhan Qureshi, Lakshmi Pillai
3/8	1	Nikhil Reddy

Per-Question Accuracy

Question	Correct Answer	Correct	Wrong	Accuracy
Q1. Deployment Platform	Replit	15	7	68%
Q2. GitHub Commits	14 commits over 6 days	15	7	68%
Q3. Written Content Platforms	Dev.to, Hashnode	14	8	64%
Q4. Average Score	118 / 180	15	7	68%
Q5. Most Missed Red Flag	Artificial deadline	13	9	59%
Q6. Replay Percentage	77%	13	9	59%