Placement review for Meera Bose

Target: Backend Developer. Generated 20 Oct 2026. Every score comes from the written MSOT benchmarks; nothing is guessed.

63 / 100 Almost ready

Do these five things next

1. **Connect your GitHub username** +6.5
   Public profile, activity and repos (10%).

2. **Upload your LinkedIn PDF export** +3.3
   LinkedIn is 5% of your score and gets ready-to-paste rewrites.

3. **Improve your mock interview score** +4.7
   Problem solving (2.0/5): When you get a follow-up, think aloud: restate, give a simple approach, then improve it and state complexity.

4. **ShopLite: README with setup steps and screenshots** +1.3
   Replace the auto-generated README (Create React App / Vite / Next.js) with your own.

5. **Problems solved** +2.8
   You've solved 88. Target 150+ (then 300): ~2 problems a day for 10 weeks gets you there. Follow a topic list (arrays → hashing → two pointers → trees → graphs → DP).

Resume

97 / 100

Checked 20 Oct 2026, 9:09 pm against benchmark resume-2026.10

Resume score 97/100. Biggest gaps: consistent dates. Strong on: exactly one page, consistent fonts, aligned bullets and margins.

Kabir Mehta

+91 98531 23937 | kabirmeh4@gmail.com | github.com/kabirmeh4 | leetcode.com/u/kabirmeh4 | linkedin.com/in/kabirmeh4

EDUCATION

MSOT Institute of Technology — Bengaluru
B.Tech in Computer Science and Engineering — CGPA 8.6/10 — *Jan 2024 – Mar 2024*

Delhi Public School — Bengaluru
Class XII (CBSE) — 91.4% — *05/2023 - 07/2023*

EXPERIENCE

Fintrix Labs — Pune
Software Engineering Intern — *June 2022 – Aug 2022*

- Implemented 6 payment-reconciliation APIs in Spring Boot that processed 40,000 transactions per day.
- Wrote 85 JUnit tests, raising coverage of the billing module from 52% to 81%.

PROJECTS

CropDoc | *Python, PyTorch, OpenCV, Streamlit* | GitHub | Live Demo

- Trained a CNN on 12,000 leaf images to detect 9 crop diseases with 94% validation accuracy.
- Deployed a Streamlit app that farmers' groups used to diagnose 600+ images in the pilot.

ShopLite | *Next.js, TypeScript, Tailwind CSS, Stripe* | GitHub | Live Demo

- Engineered a server-rendered storefront with a cart, Stripe checkout and admin dashboard; Lighthouse score 96.
- Reduced bundle size by 38% through code splitting and image optimization.

DevConnect | *React, Node.js, MongoDB, Socket.io* | GitHub | Live Demo

- Built a real-time developer Q&A platform with JWT auth and WebSocket chat, used by 350+ students in the college.
- Cut median API latency from 480 ms to 120 ms by adding Redis caching and MongoDB indexes.

TECHNICAL SKILLS

Languages: Java, Python, JavaScript, TypeScript, SQL
Frameworks: React, Node.js, Express.js, Spring Boot, FastAPI
Databases & Tools: PostgreSQL, MongoDB, Redis, Docker, Git, Linux, AWS
CS Fundamentals: Data Structures, Algorithms, OOP, DBMS, Operating Systems, Computer Networks

ACHIEVEMENTS & ACTIVITIES

- Ranked 2nd of 140 teams at Smart India Hackathon 2024 (internal round) for a crop-disease detector.
- Solved 450+ problems on LeetCode; contest rating 1780 (top 8%).

3 marked spots on your page. Select one to see the fix.

1 Consistent dates

"05/2023" (MM/YYYY) in Education — Delhi Public School

> May 2023

2 Consistent dates

"07/2023" (MM/YYYY) in Education — Delhi Public School

> Jul 2023

3 Consistent dates

"June 2022" (Month YYYY) in Experience — Fintrix Labs

> Jun 2022

Exactly one page — **12** / 12

Your resume fits on one page.

Recruiters screening campus applicants spend seconds per resume; a fresher resume that runs onto a second page signals poor prioritisation and page 2 is often never read.

Consistent fonts — **3** / 3

Fonts are consistent.

Mixed fonts make a resume look pasted together. One family (two at most) keeps it clean and ATS-safe.

Aligned bullets and margins — **3** / 3

Bullets and entries are aligned.

Misaligned bullets and margins are the first thing a reader's eye catches; they look careless.

Consistent dates

0 / 3

Dates: 3 date formats, mixed range separators ('–', '-').

Dates in different formats or positions make the timeline hard to scan.

- ✎ Use one format everywhere; your most common is 'Mon YYYY' (e.g. "Jan 2024"). Change "05/2023" to "May 2023"; "07/2023" to "Jul 2023"; "June 2022" to "Jun 2022".
- ✎ Use the same separator in every date range, e.g. 'Jan 2024 – Mar 2024' (en dash).

p1 "05/2023" (MM/YYYY) in Education — Delhi Public School

p1 "07/2023" (MM/YYYY) in Education — Delhi Public School

p1 "June 2022" (Month YYYY) in Experience — Fintrix Labs

Spacing and margins

3 / 3

Spacing and margins are consistent.

Consistent spacing and sensible margins make the page look deliberate and keep it printable.

No spelling mistakes

8 / 8

No spelling mistakes found.

A single spelling mistake is a common reason recruiters reject a resume outright.

Grammar, style and tech-term casing

6 / 6

Clean grammar and correctly written tech terms.

Correct casing of technologies (JavaScript, GitHub, Node.js) shows you actually use them.

Every project is complete

16 / 16

3 of 3 projects fully complete (description, tech stack, impact, live link, GitHub).

Projects are a fresher's main evidence. Interviewers want to see what you built, with what, the impact, and proof that it runs (live link) and that you wrote it (GitHub).

GitHub and LeetCode links present — **10** / 10

GitHub and LeetCode are both linked.

Technical recruiters open your GitHub and LeetCode profiles to verify skills; missing links lose that chance.

Co-curricular achievements included — **8** / 8

2 achievements/activities listed.

Hackathons, contests, clubs and certifications differentiate students with similar grades.

Bullets start with action verbs — **7** / 7

10 of 10 bullets start with an action verb (100%).

Bullets that start with action verbs read as achievements, not duties.

Bullets show measurable results — **7** / 7

7 of 8 bullets include a measurable result (88%).

Numbers make impact concrete and believable (users, latency, accuracy, rank).

✎ Add a number to at least half your bullets: how many users/requests, how much faster (ms or %), accuracy, money/time saved, team size, or rank. Estimate honestly if you must ("~200 users").

p1 No number: "Engineered a server-rendered storefront with a cart, Stripe checkout and admin d"

Readable text layer — **4** / 4

Text is selectable and decodes cleanly.

Applicant Tracking Systems read the text layer. If it is missing or garbled, your resume is invisible.

No text inside images — **3** / 3

No text hidden in images.

Text inside images cannot be read by an ATS, so those skills simply do not exist for the filter.

Standard section headings **4** / 4

Uses standard headings.

ATS parsers look for standard headings to file your content under Education, Experience, Projects, Skills.

ATS-safe layout (single column, no tables or icon fonts) **3** / 3

Single column with no tables or icon fonts.

Multi-column layouts, tables and icon fonts are frequently scrambled by ATS parsers.

More suggestions

Skills for Backend Developer. Recruiters for Backend Developer roles look for: REST APIs. If you know them, list them in Technical Skills and show them in a project; if not, these are your next things to learn.

Projects

CropDoc

73 / 100

Repository Live site JavaScript

Desktop, as a recruiter sees it | Phone (390 px)

README with setup steps and screenshots **12** / 20

README scores 12/20.

A README is how a recruiter understands your project in 30 seconds and how anyone can run it.

- README has only 8 words — describe what the project does, who it's for and how it works.
- Add 1–2 screenshots or a short GIF of the app working (put them in /docs or /assets).
- Put the live link at the top of the README: https://cropdoc-kabirmeh4.streamlit.app

Live link opens without errors **15** / 15

Live site loads cleanly.

A broken live link is worse than none: it is the first thing an interviewer clicks.

~ **Live site works on mobile** — **2.5** / 5

Mobile issues: no viewport meta tag (the page renders zoomed-out on phones).

Many recruiters open links on their phone first.

✎ Add <meta name="viewport" content="width=device-width, initial-scale=1">.

Mobile — no viewport meta tag (the page renders zoomed-out on phones)

✓ **Live site matches what the resume/README claims** — **5** / 5

Live page matches the description.

Interviewers check that the link shows the project you describe, not another site.

✓ **Readable, well-structured code** — **20** / 20

Code quality heuristics: 20/20 across 1 source file.

Interviewers open your main files. Long functions, debug prints and hard-coded URLs signal unfinished work.

✓ **No secrets committed** — **15** / 15

No secrets found in the code or recent history.

A leaked API key can be abused within minutes of being pushed, and it is an instant red flag in interviews.

✗ **Meaningful commit history** — **0** / 10

0 of 1 recent commit have meaningful messages.

Commit messages show how you work. 'update' x20 or one 'Add files via upload' suggests copied code.

✎ Write messages that say what changed and why, e.g. 'Add JWT login and signup routes' or 'fix(chat): reconnect socket after network drop'.

✎ Only 1 commit — commit as you build (each feature or fix separately).

Commits — Vague messages: "added files"

Clean folder structure — 0 / 5

Structure needs cleanup.

A tidy repo is easier to read; committed dependencies and build output look careless.

- ✎ Delete committed dependencies/build output (`git rm -r --cached node_modules dist`) and add them to .gitignore.
- ✎ Add a .gitignore (GitHub has templates for Node, Python, Java…).

Junk Committed node_modules/ (installed dependencies) (2 files, e.g. node_modules/lodash/index.js)

Junk Committed .DS_Store files (1 files, e.g. .DS_Store)

Junk Committed build output (dist/ build/ target/) (1 files, e.g. dist/bundle.js)

Tests or CI where reasonable — n/a

Small project — tests are optional.

Even a few tests show engineering maturity, and they're a great interview talking point.

Claimed stack vs repository. The resume lists Python for CropDoc, but the repo is JavaScript. Make sure the claim and the code agree.

ShopLite

71 / 100

Repository Live site JavaScript

Desktop, as a recruiter sees it

Phone (390 px)

README with setup steps and screenshots

5 / 20

README scores 5/20.

A README is how a recruiter understands your project in 30 seconds and how anyone can run it.

- ✎ Replace the auto-generated README (Create React App / Vite / Next.js) with your own.
- ✎ Add a 'Getting started' section with the exact commands to install and run it (e.g. `npm install` / `pip install -r requirements.txt`, then the run command).
- ✎ Add 1–2 screenshots or a short GIF of the app working (put them in /docs or /assets).
- ✎ Put the live link at the top of the README: https://shoplite-kabirmeh4.netlify.app

Template README is the framework's default template

Live link opens without errors

15 / 15

Live site loads cleanly.

A broken live link is worse than none: it is the first thing an interviewer clicks.

- ✎ Deep links 404 on refresh: add a SPA rewrite (Netlify `_redirects`: `/* /index.html 200`, or `rewrites` in vercel.json).

Live site works on mobile

5 / 5

Works on a phone-sized screen.

Many recruiters open links on their phone first.

Live site matches what the resume/README claims

0 / 5

Live page doesn't match the description.

Interviewers check that the link shows the project you describe, not another site.

- ✎ The live link seems to point to a different site. Check you linked the right deployment.

Mismatch The page doesn't mention engineered, server-rendered, storefront, cart, stripe

~ **Readable, well-structured code** — **17** / 20

Code quality heuristics: 17/20 across 1 source file.

Interviewers open your main files. Long functions, debug prints and hard-coded URLs signal unfinished work.

✎ Replace hard-coded localhost API URLs with an environment variable (e.g. VITE_API_URL) — otherwise the deployed site calls your laptop.

Hard-coded URL src/App.js:1 calls http://localhost

✓ **No secrets committed** — **15** / 15

No secrets found in the code or recent history.

A leaked API key can be abused within minutes of being pushed, and it is an instant red flag in interviews.

~ **Meaningful commit history** — **5** / 10

1 of 2 recent commits have meaningful messages.

Commit messages show how you work. 'update' x20 or one 'Add files via upload' suggests copied code.

✎ Write messages that say what changed and why, e.g. 'Add JWT login and signup routes' or 'fix(chat): reconnect socket after network drop'.

✎ Only 2 commits — commit as you build (each feature or fix separately).

Commits Vague messages: "changes"

✓ **Clean folder structure** — **5** / 5

Clean structure.

A tidy repo is easier to read; committed dependencies and build output look careless.

— **Tests or CI where reasonable** — n/a

Small project — tests are optional.

Even a few tests show engineering maturity, and they're a great interview talking point.

Claimed stack vs repository. The resume lists TypeScript for ShopLite, but the repo is JavaScript. Make sure the claim and the code agree.

DevConnect

68 / 100

Repository Live site JavaScript

Desktop, as a recruiter sees it | Phone (390 px)

~ **README with setup steps and screenshots** — **12** / 20

README scores 12/20.

A README is how a recruiter understands your project in 30 seconds and how anyone can run it.

- README has only 8 words — describe what the project does, who it's for and how it works.
- Add 1–2 screenshots or a short GIF of the app working (put them in /docs or /assets).
- Put the live link at the top of the README: https://devconnect-kabirmeh4.vercel.app

✓ **Live link opens without errors** — **15** / 15

Live site loads cleanly.

A broken live link is worse than none: it is the first thing an interviewer clicks.

~ **Live site works on mobile** — **2.5** / 5

Mobile issues: no viewport meta tag (the page renders zoomed-out on phones).

Many recruiters open links on their phone first.

- Add <meta name="viewport" content="width=device-width, initial-scale=1">.

Mobile no viewport meta tag (the page renders zoomed-out on phones)

Live site matches what the resume/README claims

0 / 5

Live page doesn't match the description.

Interviewers check that the link shows the project you describe, not another site.

✎ The live link seems to point to a different site. Check you linked the right deployment.

Mismatch The page doesn't mention real-time, developer, jwt, auth, websocket

---

Readable, well-structured code

20 / 20

Code quality heuristics: 20/20 across 1 source file.

Interviewers open your main files. Long functions, debug prints and hard-coded URLs signal unfinished work.

No secrets committed

15 / 15

No secrets found in the code or recent history.

A leaked API key can be abused within minutes of being pushed, and it is an instant red flag in interviews.

Meaningful commit history

0 / 10

0 of 1 recent commit have meaningful messages.

Commit messages show how you work. 'update' x20 or one 'Add files via upload' suggests copied code.

✎ Write messages that say what changed and why, e.g. 'Add JWT login and signup routes' or 'fix(chat): reconnect socket after network drop'.

✎ Only 1 commit — commit as you build (each feature or fix separately).

Commits Vague messages: "added files"

Clean folder structure — 0 / 5

Structure needs cleanup.

A tidy repo is easier to read; committed dependencies and build output look careless.

- ✎ Delete committed dependencies/build output (`git rm -r --cached node_modules dist`) and add them to .gitignore.
- ✎ Add a .gitignore (GitHub has templates for Node, Python, Java...).

Junk Committed node_modules/ (installed dependencies) (2 files, e.g. node_modules/lodash/index.js)

Junk Committed .DS_Store files (1 files, e.g. .DS_Store)

Junk Committed build output (dist/ build/ target/) (1 files, e.g. dist/bundle.js)

Tests or CI where reasonable — n/a

Small project — tests are optional.

Even a few tests show engineering maturity, and they're a great interview talking point.

GitHub profile

GitHub not connected

Add your username

LinkedIn

No LinkedIn yet

Upload the PDF export or paste your profile text — you'll get ready-to-paste rewrites.

Add LinkedIn

Coding practice

65 / 100

Checked 20 Oct 2026, 9:09 pm against benchmark coding-2026.10

Coding practice score 65/100.

× **Problems solved** — **17.3** / 40

88 problems solved.

Most campus coding rounds are DSA problems; volume of practice is the best predictor of clearing them.

✎ You've solved 88. Target 150+ (then 300): ~2 problems a day for 10 weeks gets you there. Follow a topic list (arrays → hashing → two pointers → trees → graphs → DP).

~ **Difficulty mix** — **15** / 20

59 easy, 29 medium, 4 hard.

Interview problems are mostly medium; only-easy practice doesn't transfer.

✎ Only 38% of your LeetCode solves are medium/hard; aim for at least 50%.

✓ **Contest participation** — **20** / 20

8 contests attended, rating 1420.

Timed contests build the speed you need in online assessments.

– **Consistent recent practice** — n/a

No activity data (manual entry).

Steady practice beats last-minute cramming before placement season.

Co-curricular achievements

78 / 100

Checked 20 Oct 2026, 9:09 pm against benchmark achievements-2026.10

2 achievements across 3 categories.

~ **Co-curricular achievements**

2 achievements across 3 categories.

78 / 100

Hackathons, contests, leadership and certifications separate students with similar grades.

✎ Add evidence of: a club/fest/team role; a relevant certification (NPTEL/AWS/Google); an open-source contribution (Hacktoberfest, GSoC).

Ranked 2nd of 140 teams at Smart India Hackathon 2024 (internal round) for a crop-disease detector.

Solved 450+ problems on LeetCode; contest rating 1780 (top 8%).

Mock interview

53 / 100

Full feedback and transcript

Technical knowledge	Based on 9 answers; average 3.0/5.	3 / 5
Project depth	Based on 7 answers; average 2.4/5.	2.4 / 5
Problem solving	Based on 9 answers; average 2.0/5.	2 / 5
Communication	Based on 20 answers; average 3.0/5.	3 / 5
Behavioural / HR	Based on 4 answers; average 2.8/5.	2.8 / 5