Placement review for Rohan Saxena

Target: Data Scientist. Generated 20 Oct 2026. Every score comes from the written MSOT benchmarks; nothing is guessed.

47 / 100 Not ready

Do these five things next

1	**Take a 15-minute mock interview** Interview performance is 20% of your score.	+13.0
2	**Connect your GitHub username** Public profile, activity and repos (10%).	+6.5
3	**Upload your LinkedIn PDF export** LinkedIn is 5% of your score and gets ready-to-paste rewrites.	+3.3
4	**Co-curricular achievements included** Add an 'Achievements & Activities' section with 2–3 lines: hackathons (with your rank), coding contest rating, club/fest roles, certifications (NPTEL/Coursera).	+2.0
5	**Co-curricular achievements** Add evidence of: a hackathon (even reaching the finals counts); a club/fest/team role; a coding contest result.	+5.0

Resume


89 / 100

Checked 20 Oct 2026, 9:09 pm against benchmark resume-2026.10

Resume score 89/100. Biggest gaps: co-curricular achievements included, consistent dates. Strong on: exactly one page, consistent fonts, aligned bullets and margins.

Riya Bose

+91 98135 53526 | riyabos19@gmail.com | github.com/riyabos19 | leetcode.com/u/riyabos19 | linkedin.com



EDUCATION

MSOT Institute of Technology — Bengaluru
B.Tech in Computer Science and Engineering — CGPA 8.6/10 — *Jan 2024 – Mar 2024*

Delhi Public School — Bengaluru
Class XII (CBSE) — 91.4% — *05/2023 - 07/2023*

EXPERIENCE

Fintrix Labs — Pune
Software Engineering Intern — *June 2022 – Aug 2022*

- Implemented 6 payment-reconciliation APIs in Spring Boot that processed 40,000 transactions per day.
- Wrote 85 JUnit tests, raising coverage of the billing module from 52% to 81%.

EduSpark — Remote
Web Development Intern — *2021-09 to 2022-01*

- Redesigned the course dashboard in React, cutting page load time by 45% for 8,000 monthly users.
- Integrated Razorpay checkout and webhook handling for course purchases.

PROJECTS

ShopLite | *Next.js, TypeScript, Tailwind CSS, Stripe* | GitHub | Live Demo

- Engineered a server-rendered storefront with a cart, Stripe checkout and admin dashboard; Lighthouse score 96.
- Reduced bundle size by 38% through code splitting and image optimization.

CropDoc | *Python, PyTorch, OpenCV, Streamlit* | GitHub | Live Demo

- Trained a CNN on 12,000 leaf images to detect 9 crop diseases with 94% validation accuracy.
- Deployed a Streamlit app that farmers' groups used to diagnose 600+ images in the pilot.

DevConnect | *React, Node.js, MongoDB, Socket.io* | GitHub | Live Demo

- Built a real-time developer Q&A platform with JWT auth and WebSocket chat, used by 350+ students in the college.
- Cut median API latency from 480 ms to 120 ms by adding Redis caching and MongoDB indexes.

TECHNICAL SKILLS

Languages: Java, Python, JavaScript, TypeScript, SQL
Frameworks: React, Node.js, Express.js, Spring Boot, FastAPI
Databases & Tools: PostgreSQL, MongoDB, Redis, Docker, Git, Linux, AWS
CS Fundamentals: Data Structures, Algorithms, OOP, DBMS, Operating Systems, Computer Networks

5 marked spots on your page. Select one to see the fix.

1 Consistent dates

"05/2023" (MM/YYYY) in Education — Delhi Public School

> May 2023

2 Consistent dates

"07/2023" (MM/YYYY) in Education — Delhi Public School

> Jul 2023

3 Consistent dates

"June 2022" (Month YYYY) in Experience — Fintrix Labs

> Jun 2022

4 Consistent dates

"2021-09" (YYYY-MM) in Experience — EduSpark

> Sep 2021

5 Consistent dates

"2022-01" (YYYY-MM) in Experience — EduSpark

> Jan 2022

Exactly one page — **12** / 12

Your resume fits on one page.

Recruiters screening campus applicants spend seconds per resume; a fresher resume that runs onto a second page signals poor prioritisation and page 2 is often never read.

Consistent fonts — **3** / 3

Fonts are consistent.

Mixed fonts make a resume look pasted together. One family (two at most) keeps it clean and ATS-safe.

Aligned bullets and margins — **3** / 3

Bullets and entries are aligned.

Misaligned bullets and margins are the first thing a reader's eye catches; they look careless.

Consistent dates — **0** / 3

Dates: 4 date formats, mixed range separators ('–', '-').

Dates in different formats or positions make the timeline hard to scan.

- ✎ Use one format everywhere; your most common is 'Mon YYYY' (e.g. "Jan 2024"). Change "05/2023" to "May 2023"; "07/2023" to "Jul 2023"; "June 2022" to "Jun 2022".
- ✎ Use the same separator in every date range, e.g. 'Jan 2024 – Mar 2024' (en dash).

p1 "05/2023" (MM/YYYY) in Education — Delhi Public School

p1 "07/2023" (MM/YYYY) in Education — Delhi Public School

p1 "June 2022" (Month YYYY) in Experience — Fintrix Labs

p1 "2021-09" (YYYY-MM) in Experience — EduSpark

p1 "2022-01" (YYYY-MM) in Experience — EduSpark

Spacing and margins — **3** / 3

Spacing and margins are consistent.

Consistent spacing and sensible margins make the page look deliberate and keep it printable.

No spelling mistakes — **8** / 8

No spelling mistakes found.

A single spelling mistake is a common reason recruiters reject a resume outright.

Grammar, style and tech-term casing — **6** / 6

Clean grammar and correctly written tech terms.

Correct casing of technologies (JavaScript, GitHub, Node.js) shows you actually use them.

Every project is complete — **16** / 16

3 of 3 projects fully complete (description, tech stack, impact, live link, GitHub).

Projects are a fresher's main evidence. Interviewers want to see what you built, with what, the impact, and proof that it runs (live link) and that you wrote it (GitHub).

GitHub and LeetCode links present — **10** / 10

GitHub and LeetCode are both linked.

Technical recruiters open your GitHub and LeetCode profiles to verify skills; missing links lose that chance.

Co-curricular achievements included — **0** / 8

No co-curricular achievements found.

Hackathons, contests, clubs and certifications differentiate students with similar grades.

✎ Add an 'Achievements & Activities' section with 2–3 lines: hackathons (with your rank), coding contest rating, club/fest roles, certifications (NPTEL/Coursera).

Missing — No Achievements / Activities section

Bullets start with action verbs — **7** / 7

10 of 10 bullets start with an action verb (100%).

Bullets that start with action verbs read as achievements, not duties.

Bullets show measurable results — **7** / 7

8 of 10 bullets include a measurable result (80%).

Numbers make impact concrete and believable (users, latency, accuracy, rank).

✎ Add a number to at least half your bullets: how many users/requests, how much faster (ms or %), accuracy, money/time saved, team size, or rank. Estimate honestly if you must ("~200 users").

p1 No number: "Integrated Razorpay checkout and webhook handling for course purchases."

p1 No number: "Engineered a server-rendered storefront with a cart, Stripe checkout and admin d"

Readable text layer 4 / 4

Text is selectable and decodes cleanly.

Applicant Tracking Systems read the text layer. If it is missing or garbled, your resume is invisible.

No text inside images 3 / 3

No text hidden in images.

Text inside images cannot be read by an ATS, so those skills simply do not exist for the filter.

Standard section headings 4 / 4

Uses standard headings.

ATS parsers look for standard headings to file your content under Education, Experience, Projects, Skills.

ATS-safe layout (single column, no tables or icon fonts) 3 / 3

Single column with no tables or icon fonts.

Multi-column layouts, tables and icon fonts are frequently scrambled by ATS parsers.

More suggestions

Remove the photo. Photos are not expected on tech resumes, take space, and can confuse ATS parsing.

Skills for Data Scientist / ML Engineer. Recruiters for Data Scientist / ML Engineer roles look for: Machine Learning, Pandas, NumPy, Statistics. If you know them, list them in Technical Skills and show them in a project; if not, these are your next things to learn.

Projects

ShopLite

52 / 100

Repository Live site JavaScript

Desktop, as a recruiter sees it

Phone (390 px)

README with setup steps and screenshots — **5** / 20

README scores 5/20.

A README is how a recruiter understands your project in 30 seconds and how anyone can run it.

- ✎ Replace the auto-generated README (Create React App / Vite / Next.js) with your own.
- ✎ Add a 'Getting started' section with the exact commands to install and run it (e.g. `npm install` / `pip install -r requirements.txt`, then the run command).
- ✎ Add 1–2 screenshots or a short GIF of the app working (put them in /docs or /assets).
- ✎ Put the live link at the top of the README: https://shoplite-riyabos19.netlify.app

Template — README is the framework's default template

Live link opens without errors — **0** / 15

Live site has problems.

A broken live link is worse than none: it is the first thing an interviewer clicks.

- ✎ The live link returns HTTP 404. Check the deployment logs and the URL.

HTTP error — HTTP 404 at http://127.0.0.1:35099/netlify404

Live site works on mobile — **2.5** / 5

Mobile issues: no viewport meta tag (the page renders zoomed-out on phones).

Many recruiters open links on their phone first.

- ✎ Add <meta name="viewport" content="width=device-width, initial-scale=1">.

Mobile — no viewport meta tag (the page renders zoomed-out on phones)

Live site matches what the resume/README claims — **0** / 5

Live page doesn't match the description.

Interviewers check that the link shows the project you describe, not another site.

- ✎ The live link seems to point to a different site. Check you linked the right deployment.

Mismatch — The page doesn't mention engineered, server-rendered, storefront, cart, stripe

~ **Readable, well-structured code** **17** / 20

Code quality heuristics: 17/20 across 1 source file.

Interviewers open your main files. Long functions, debug prints and hard-coded URLs signal unfinished work.

✎ Replace hard-coded localhost API URLs with an environment variable (e.g. VITE_API_URL) — otherwise the deployed site calls your laptop.

Hard-coded URL src/App.js:1 calls http://localhost

✓ **No secrets committed** **15** / 15

No secrets found in the code or recent history.

A leaked API key can be abused within minutes of being pushed, and it is an instant red flag in interviews.

~ **Meaningful commit history** **5** / 10

1 of 2 recent commits have meaningful messages.

Commit messages show how you work. 'update' x20 or one 'Add files via upload' suggests copied code.

✎ Write messages that say what changed and why, e.g. 'Add JWT login and signup routes' or 'fix(chat): reconnect socket after network drop'.

✎ Only 2 commits — commit as you build (each feature or fix separately).

Commits Vague messages: "changes"

✓ **Clean folder structure** **5** / 5

Clean structure.

A tidy repo is easier to read; committed dependencies and build output look careless.

— **Tests or CI where reasonable** n/a

Small project — tests are optional.

Even a few tests show engineering maturity, and they're a great interview talking point.

Claimed stack vs repository. The resume lists TypeScript for ShopLite, but the repo is JavaScript. Make sure the claim and the code agree.

CropDoc

65 / 100

Repository Live site JavaScript

Desktop, as a recruiter sees it | Phone (390 px)

README with setup steps and screenshots

12 / 20

README scores 12/20.

A README is how a recruiter understands your project in 30 seconds and how anyone can run it.

- README has only 8 words — describe what the project does, who it's for and how it works.
- Add 1–2 screenshots or a short GIF of the app working (put them in /docs or /assets).
- Put the live link at the top of the README: https://cropdoc-riyabos19.streamlit.app

Live link opens without errors

10 / 15

Live site has problems.

A broken live link is worse than none: it is the first thing an interviewer clicks.

- Open the browser console on your live site and fix the errors shown above (missing files, failing API calls, undefined variables).

JS error Console error: Failed to load resource: the server responded with a status of 404 (Not Found)

JS error Console error: Uncaught: undefinedFunctionCall is not defined

Asset Failed to load http://127.0.0.1:35099/missing-logo.png (404)

Live site works on mobile

5 / 5

Works on a phone-sized screen.

Many recruiters open links on their phone first.

Live site matches what the resume/README claims — **0** / 5

Live page doesn't match the description.

Interviewers check that the link shows the project you describe, not another site.

✎ The live link seems to point to a different site. Check you linked the right deployment.

Mismatch The page doesn't mention trained, cnn, leaf, images, detect

---

Readable, well-structured code — **20** / 20

Code quality heuristics: 20/20 across 1 source file.

Interviewers open your main files. Long functions, debug prints and hard-coded URLs signal unfinished work.

No secrets committed — **15** / 15

No secrets found in the code or recent history.

A leaked API key can be abused within minutes of being pushed, and it is an instant red flag in interviews.

Meaningful commit history — **0** / 10

0 of 1 recent commit have meaningful messages.

Commit messages show how you work. 'update' x20 or one 'Add files via upload' suggests copied code.

✎ Write messages that say what changed and why, e.g. 'Add JWT login and signup routes' or 'fix(chat): reconnect socket after network drop'.

✎ Only 1 commit — commit as you build (each feature or fix separately).

Commits Vague messages: "added files"

Clean folder structure — 0 / 5

Structure needs cleanup.

A tidy repo is easier to read; committed dependencies and build output look careless.

- ✎ Delete committed dependencies/build output (`git rm -r --cached node_modules dist`) and add them to .gitignore.
- ✎ Add a .gitignore (GitHub has templates for Node, Python, Java…).

Junk Committed node_modules/ (installed dependencies) (2 files, e.g. node_modules/lodash/index.js)

Junk Committed .DS_Store files (1 files, e.g. .DS_Store)

Junk Committed build output (dist/ build/ target/) (1 files, e.g. dist/bundle.js)

Tests or CI where reasonable — n/a

Small project — tests are optional.

Even a few tests show engineering maturity, and they're a great interview talking point.

Claimed stack vs repository. The resume lists Python for CropDoc, but the repo is JavaScript. Make sure the claim and the code agree.

DevConnect

71 / 100

Repository Live site Python

Desktop, as a recruiter sees it

Phone (390 px)

README with setup steps and screenshots — **5** / 20

README scores 5/20.

A README is how a recruiter understands your project in 30 seconds and how anyone can run it.

- ✎ README has only 2 words — describe what the project does, who it's for and how it works.
- ✎ Add a 'Getting started' section with the exact commands to install and run it (e.g. `npm install` / `pip install -r requirements.txt`, then the run command).
- ✎ Add 1–2 screenshots or a short GIF of the app working (put them in /docs or /assets).
- ✎ Put the live link at the top of the README: https://devconnect-riyabos19.vercel.app

Live link opens without errors — **15** / 15

Live site loads cleanly.

A broken live link is worse than none: it is the first thing an interviewer clicks.

- ✎ Deep links 404 on refresh: add a SPA rewrite (Netlify `_redirects`: `/* /index.html 200`, or `rewrites` in vercel.json).

Live site works on mobile — **5** / 5

Works on a phone-sized screen.

Many recruiters open links on their phone first.

Live site matches what the resume/README claims — **5** / 5

Live page matches the description.

Interviewers check that the link shows the project you describe, not another site.

Readable, well-structured code — **20** / 20

Code quality heuristics: 20/20 across 18 source files.

Interviewers open your main files. Long functions, debug prints and hard-coded URLs signal unfinished work.

No secrets committed — 15 / 15

No secrets found in the code or recent history.

A leaked API key can be abused within minutes of being pushed, and it is an instant red flag in interviews.

Meaningful commit history — 0 / 10

0 of 1 recent commit have meaningful messages.

Commit messages show how you work. 'update' x20 or one 'Add files via upload' suggests copied code.

- ✎ Commit from your machine in small steps with git, so the history shows how you built it.
- ✎ Write messages that say what changed and why, e.g. 'Add JWT login and signup routes' or 'fix(chat): reconnect socket after network drop'.
- ✎ Only 1 commit — commit as you build (each feature or fix separately).

Upload — Code was uploaded through GitHub's web UI ('Add files via upload')

Commits — Vague messages: "Add files via upload"

Clean folder structure — 2 / 5

Structure needs cleanup.

A tidy repo is easier to read; committed dependencies and build output look careless.

- ✎ Add a .gitignore (GitHub has templates for Node, Python, Java...).
- ✎ 18 source files sit in the root — group them into folders (src/, components/, routes/...).

Tests or CI where reasonable — n/a

Small project — tests are optional.

Even a few tests show engineering maturity, and they're a great interview talking point.

Claimed stack vs repository. The resume lists Node.js, React for DevConnect, but the repo is Python. Make sure the claim and the code agree.

GitHub profile

GitHub not connected

Add your username

LinkedIn

No LinkedIn yet

Upload the PDF export or paste your profile text — you'll get ready-to-paste rewrites.

Add LinkedIn

Coding practice

89 / 100

Checked 20 Oct 2026, 9:09 pm against benchmark coding-2026.10

Coding practice score 89/100.

~ **Problems solved** **31.6** / 40

234 problems solved.

Most campus coding rounds are DSA problems; volume of practice is the best predictor of clearing them.

✎ 234 solved is good; push to 300 with more medium problems.

✓ **Difficulty mix** **19.7** / 20

138 easy, 96 medium, 19 hard.

Interview problems are mostly medium; only-easy practice doesn't transfer.

✎ Only 49% of your LeetCode solves are medium/hard; aim for at least 50%.

Contest participation — **20** / 20

9 contests attended, rating 1626.

Timed contests build the speed you need in online assessments.

Consistent recent practice — n/a

No activity data (manual entry).

Steady practice beats last-minute cramming before placement season.

Co-curricular achievements — **0** / 100

Checked 20 Oct 2026, 9:09 pm against benchmark achievements-2026.10

0 achievements across 0 categories.

Co-curricular achievements — **0** / 100

0 achievements across 0 categories.

Hackathons, contests, leadership and certifications separate students with similar grades.

- Add evidence of: a hackathon (even reaching the finals counts); a club/fest/team role; a coding contest result.
- Add your achievements in the chat or in an 'Achievements' section on your resume.

Mock interview

No mock interview yet

Questions come from your own projects and target role.

Take a 15-minute interview