

Ex 7 IMPLEMENT LINEAR AND LOGISTIC REGRESSION

AIM:

To implement linear and logistic regression using R Programming.

PROCEDURE:

1. Install R for windows.
2. Install R Studio.
3. Open R Studio and install packages




Image 7.1

4. Write the program for Linear Regression


```

# Sample data
heights<- c(150, 160, 165, 170, 175, 180, 185)
weights <- c(55, 60, 62, 68, 70, 75, 80)
# Create a data frame data <- data.frame(heights, weights)
# Fit a linear regression model
linear_model <- lm(weights ~ heights, data = data)
# Print the summary of the model
print(summary(linear_model))
# Plotting the data and regression line
plot(data$heights, data$weights,
      main = "Linear Regression: Weight vs. Height",
      xlab = "Height (cm)",
      ylab = "Weight (kg)",
      pch = 19, col = "blue")
# Add regression line
abline(linear_model, col = "red", lwd = 2)
      
```

Output: Refer image 7.2

5. Write the program for Logistic Regression

```
# Load the dataset
data(mtcars)

# Convert 'am' to a factor (categorical variable)
mtcars$am <- factor(mtcars$am, levels = c(0, 1), labels = c("Automatic", "Manual"))

# Fit a logistic regression model
logistic_model <- glm(am ~ mpg, data = mtcars, family = binomial)

# Print the summary of the model
print(summary(logistic_model))

# Predict probabilities for the logistic model
predicted_probs <- predict(logistic_model, type = "response")

# Display the predicted probabilities
print(predicted_probs)

# Plotting the data and logistic regression curve
plot(mtcars$mpg, as.numeric(mtcars$am) - 1,
     main = "Logistic Regression: Transmission vs. MPG",
     xlab = "Miles Per Gallon (mpg)",
     ylab = "Probability of Manual Transmission",
     pch = 19, col = "blue")

# Add the logistic regression curve
curve(predict(logistic_model, newdata = data.frame(mpg = x), type = "response"),
      add = TRUE, col = "red", lwd = 2)
```

Output refer Image 7.2

Output:

Output for Linear Regression

```
call:
lm(formula = weights ~ heights, data = data)

Residuals:
    1     2     3     4     5     6     7 
1.7049 -0.4754 -2.0656  0.3443 -1.2459  0.1639  1.5738 

Coefficients:
            Estimate Std. Error t value Pr(>|t|)
(Intercept) -54.40984    8.74376  -6.223  0.00157 **
heights      0.71803    0.05154  13.932  3.42e-05 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 1.521 on 5 degrees of freedom
Multiple R-squared:  0.9749,    Adjusted R-squared:  0.9699 
F-statistic: 194.1 on 1 and 5 DF,  p-value: 3.424e-05

> # Plotting the data and regression line
> plot(data$heights, data$weights,
+       main = "Linear Regression: Weight vs. Height",
+       xlab = "Height (cm)",
+       ylab = "Weight (kg)",
+       pch = 19, col = "blue")
> # Add regression line
> abline(linear_model, col = "red", lwd = 2)
> |
```




Image 7.2

Output for Logistic Regression

```
> # Display the predicted probabilities
> print(predicted_probs)
      Mazda RX4      Mazda RX4 Wag      Datsun 710      Hornet 4 Drive
0.46109512      0.46109512      0.59789839      0.49171990
Hornet Sportabout      Valiant      Duster 360      Merc 2400
0.29690087      0.25993307      0.09858705      0.70846924
Merc 230      Merc 280      Merc 280C      Merc 450SE
0.59789839      0.32991148      0.24260966      0.17246396
Merc 450SL      Merc 450SLC      Cadillac Fleetwood      Lincoln Continental
0.21552479      0.12601104      0.03197098      0.03197098
Chrysler Imperial      Fiat 128      Honda Civic      Toyota Corolla
0.11005178      0.96591395      0.93878132      0.97821971
Toyota Corona      Dodge Challenger      AMC Javelin      Camaro Z28
0.49939484      0.13650937      0.12601104      0.07446438
Pontiac Firebird      Fiat X1-9      Porsche 914-2      Lotus Europa
0.32991148      0.85549212      0.79886349      0.93878132
Ford Pantera L      Ferrari Dino      Maserati Bora      Volvo 142E
0.14773451      0.36468861      0.11940215      0.49171990

> # Plotting the data and logistic regression curve
> plot(mtcars$mpg, as.numeric(mtcars$am) - 1,
+       main = "Logistic Regression: Transmission vs. MPG",
+       xlab = "Miles Per Gallon (mpg)",
+       ylab = "Probability of Manual Transmission",
+       pch = 19, col = "blue")
> # Add the logistic regression curve
> curve(predict(logistic_model), data.frame(mpg = x), type = "response",
+       add = TRUE, col = "red", lwd = 2)
> |
```




Image 7.2

Result :

Thus the linear and logistic regression are implemented successfully using R Programming.