Q. Find regular expressions corresponding to following FA.

a.



Solution :-

Step-1 : Eliminate State-1 (Introduce λ-transition)



⇒ There were 2-ways from S → 2 ① by 'b'
other through ① by a a*b

⇒ λ transition before removal ⇒

So, S → 2 will be λ a*b = a*b

Step-2 :- Eliminate State-2

Ways

1 — 2 — 3 ⇒ a^*ba

5 — 2 — 3 ⇒ $(aa^*b+b)a$

4 — 2 — 3 ⇒ ba

3 — 2 — 3 ⇒ ba



Step-3 :- Eliminate State-3

Ways

1 → 3 → 4 $a^*ba(ba)^*a$

5 → 3 → 4 $(aa^*b+b)a(ba)^*a$

4 → 3 → 4 $ba(ba)^*a$



Step-4 :- Eliminate State-4

Way's :- $\ominus \longrightarrow 4 \longrightarrow 5 \Rightarrow a^*ba(ba)^*a \,(ba(ba)^*a)^*a$

$5 \longrightarrow 4 \longrightarrow 5$



Step-5 :- Eliminate State-5



$a^*ba(ba)^*a(ba(ba)^*a)^*a\,[(aa^*b+b)a(ba)^*a(ba(ba)^*a)^*a]^*$

Final - RE

b



Solution:-

Step-1 :- Eliminate State-3

No paths — Trap-State



Step-2 :- Eliminate State-2

way — 1 — 2 — 1



Scanned with CamScanner

Step-3 Include λ-transitions



$(ab)^*c$

final RE



Solution

Step-1 :- ~~Eliminate State 1~~

Make Unique Start - Stop & State



Step-2 : Eliminate State-0

Way's

- $\ominus \to 0 \to 3$
- $\ominus \to 0 \to 1 \to 1$
- $\ominus \to 0 \to 2$
- $\ominus \to 0 \to +1$



Step-3 Eliminate Stat-1

Ways

- $\ominus - 1 - \oplus$
- $\ominus - 1 - 2$
- $\ominus - 1 - 3$
- $2 - 1 - \oplus$
- $2 - 1 - 2$
- $2 - 1 - 3$
- $3 - 1 - +1$
- $3 - 1 - 2$



Step-4 :- Eliminate State 2

Way's

(−) — 2 — + ↙
(−) — 2 — 3 ↙
(3) — 2 — 3
3 — 2 — +



→ ∧+01+[(1+01)(01)*(∧+0)]

02+[01(01)*(2+02)]

Step-5 Eliminate State-3

(−) — 3 — (+)

(−) → (+)

∧+0+(01)(01)*(∧+0) + [(02+[01(01)*(2+02)][1+01(01)*(2+02)]*
[∧+01+((1+01)(01)*(∧+0)]]

final - RE

d



Solution:-

Step 1 :- Introduce λ-transition, Eliminate S_1



Step-2

eliminate S_2



Scanned with CamScanner

Step-3 Elimate S-3

Way's

- 3 — 4
4 — 3 — 4



Step-4 Elimate S-4



$$(01)^* 00 (0+1)^* + [(01)^* 0 (0+1)(0+1)[(0+1)^3]^*]$$

$$(01)^* 00 (0+1)^* + [(01)^* 0 (0+1)(0+1)[(0+1)^3]^* (0+1) 0 (0+1)^*]$$

find - RE

Q Convert FA/TG → RE



Solution :-

Step-1 Unique Start/Feed State



Scanned with CamScanner CamScanner

Step-2 Eliminate — A

Way's B - A - +
G — A — B
G — A — +
B — A — B
C — A — B
C — A — +



Step-3 Eliminate — B

Way's
G — B — +
G — B — C
C — B — C
C — B — +



Step-4 → Eliminate C



$\Lambda + (a+b)(b(a+b))^*(\Lambda+b))] +$

$[(a+b)(b(a+b))^* a(a+(b(a+b))(b(a+b))^* a)^*(b+$

$(b(a+b))(b(a+b))^*(a+b))]$

find RE

Q



Step-1 Remove q_2 trap-State



Step-2 Remove q_1



Step-3 Remove q_3 & λ ~~transitions~~



Scanned with CamScanner

Q//



Solution

Step-1 Unique S/ST State



Step-2 Eliminate start - 0



Step-3 Eliminate State-1



Step-4 Rem-2



Final - RE